Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Biltmore Washington, D. C.

Nursery

Wholesale Trade-List 1912

THE RESIDENCE OF THE PARTY OF T

Control of the Control of the Control

BILTMORE NURSERY

BILTMORE, NORTH CAROLINA

- THE BILTMORE NURSERY was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898, a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season of 1899-1900 the first formal catalogue, or trade-list, was issued. In this, our thirteenth published price-list, is offered all of the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents, our entire business being transacted from our office at Biltmore, North Carolina.
- OUR LOCATION is in the heart of the mountains of western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90 degrees above to 15 degrees below zero. The variations in temperature peculiar to the Southern Alleghany region, its evenly distributed and bountiful rainfall, long growing season, and rich, but shallow, soil, combine to produce a
- QUALITY OF STOCK unusually good in root-formation, thriftiness and hardiness. All our stock is nursery-grown; we do not offer cheap collected plants.
- LANDSCAPE ARCHITECTS will find our stock particularly suited to the demands of forest, park and suburban planting.
- PROPAGATING CAPACITY. Our greenhouses and coldframes cover an area of 75,000 square feet, which, in connection with seed-beds of more than three acres' extent, trained men, and nearly three hundred acres of carefully tilled land, give us special facilities for furnishing rooted cuttings, seedlings and transplanted plants.
- NURSERYMEN will find the small plants particularly valuable for transplanting into nursery rows.
- A CERTIFICATE from the State Entomologist will be sent with each shipment. The stock of Biltmore Nursery was inspected by the Entomologist of the North Carolina State Department of Agriculture, and pronounced free from all insects designated as dangerous pests, and as apparently healthy in every respect.
- FUMIGATING HOUSE. We are prepared to fumigate with hydrocyanic acid gas all or any nursery stock when state laws or customers require such treatment.
- PACKING. The utmost care will be used in digging and preparing the plants for shipment, and charges for packing-cases will be made on the following basis:
- BOXES, including packing and delivery to freight or express depots:

14 feet long, 30 x 30 inches\$3.25 each
12 feet long, 30 x 30 inches\$3.00 each
10 feet long, 30 x 30 inches\$2.75 each
8 feet long, 30 x 30 inches\$2.50 each
6 feet long, 24 x 24 inches, \$1.85 each

- BALES, according to size, including delivery to nearest station, 15 cents to \$2.50.
- DIRECTIONS FOR SHIPPING. In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.
- OUR RESPONSIBILITY. All goods travel at purchaser's risk and cost. We do not assume any responsibility for the safe delivery or condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue, free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the original price of the plants.
- CLAIMS. Should any errors occur, we desire to be informed upon receipt of goods in order that we may rectify them without serious delay. All claims must be filed within ten days after the arrival of the shipments.
- RATES. The prices in this list supersede all previous rates and apply to quantities specified; but two hundred and fifty will be furnished at the thousand rate; twenty-five at the hundred rate, and five at the ten rate. We cannot undertake to supply long lists of stock calling for only small quantities of each kind, except at an advance of 10 to 20 per cent above the prices quoted in this catalog.
- TERMS CASH on or before delivery to forwarding agents, except that we extend credit to responsible patrons by agreement, subject to the following limitations:—Invoices executed during the autumn are due and payable on or before the 31st day of December following; those covering spring shipments are due and payable on or before June 1, 1912.
- NOTICE. All orders placed with us will be accepted only upon the condition that, should stock be injured by drought, frost, or other casualties before the shipping season, they are to be void.
- PACKING SEASON. We ship from October 1 to May 1, with slight interruptions during midwinter.
- FREIGHT RATES in effect January 1, 1912, from Biltmore to several points are here shown:

ROUTE BALTIM MD	ORE PI	-PER HU HILADELPI PA.	HIA N	EW YOU		PROVI	DENCE
CL	LCL	CL	LCL	CL	LCL	CL	LCL
Rail and Water37	50	40	55	40	55	45	60
All Rail42	58	45	63	45	63	50	68

Minimum carload sixteen thousand pounds. Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

BILTMORE NURSERY

CONE-BEARERS, or EVERGREENS

A bı	es. See, also, Picea. amabilis. Lovely Silver Fir. Per 10		
	amabilis. LOVELY SILVER FIR. Per 10 1 to 1½ ft., tr., with balls\$7 50		1,000
	apollinis. Parnassus Fir.	φοσσο	
	6 to 8 in., 4 yrs., tr., for lining out	7 50	
	1 to 1½ ft., tr., with balls 7 50	60 00	
	2 to 3 ft., tr., specimens, with balls		
	arizonica. Silver Cork Fir.		
	12 to 15 in., tr., with balls 50		
	balsamea. Balsam Fir.		
	8 to 10 in., tr., 4 yrs., for lining out	3 00	
	1 to 1½ ft., tr 1 50 1½ to 2 ft., tr., with balls 2 50	10 00	
	3 to 4 ft., tr., balled 5 od		100
	canadensis. See Tsuga canadensis.		
	cephalonica. Cephalonian Fir.		
	8 to 10 in., tr., 4 yrs., for lining out	7 50	60 00
	1 to 1½ ft., tr., with balls 7 50	60 00	
	cilicica. Cilician Fir.		
	8 to 10 in., 4 yrs., tr., for lining out	7 50	60 00
	1 to 1½ ft., tr., with balls 7 50	60 00	
	concolor. White Fir.		
	6 to 8 in., 4 yrs., tr., for lining out	5 00	40 00
	1 to 1½ ft., tr., with balls 7 50	60 00	
	1½ to 2 ft., tr., with balls		
	concolor violacea. Purple-coned White Fir.		
	1½ to 2 ft., tr., specimen plants, with balls 50		
	douglasi. See Pseudotsuga mucronata.		
	firma. JAPANESE SILVER FIR.		
	6 to 8 in., 4 yrs., tr., for lining out	7 50	
	fraseri. Fraser's Balsam Fir.		
	8 to 10 in., 4 yrs., tr., for lining out	۲ 00	10.00
	1 to $1\frac{1}{2}$ ft., tr., with balls	5 00	
	1½ to 2 ft., tr., with balls 3 50	30 00	
	grandis. (A. gordoniana). TALL SILVER FIR.		
	2 to 3 in., 2 yrs., tr., for growing on	3 00	25 00
	1½ to 2 ft., tr., specimens, with balls		
	homolepis (A. brachyphylla). NIKKO FIR.		
	I to 1½ ft., tr., with balls		
	2 to 3 ft., tr., specimens, with balls)	
	lasiocarpa (A. subalpina). WESTERN BALSAM FIR.		
	1 to 1½ ft., tr., with balls 7 50	60 00	
	magnifica. RED FIR.		
	1½ to 2 ft., tr., with balls		
	magnifica glauca. GLAUCOUS RED FIR.		
	1½ to 2 ft., tr., with balls		
	mariesi. Maries' Silver Fir.		
	2 to 3 in., 2 yrs., tr., for growing on	3 00	25 00
	menziesi. See Picea sitchensis.		
	nobilis. Noble Fir.		
	1 to 1½ ft., tr., with balls 7 50		
	nobilis glauca. GLAUCOUS NOBLE FIR.		
	1 to 1½ ft., tr., with balls 000		
	nordmanniana. Nordmann's Fir.		
	1 to 1½ ft., tr., with balls 7 50	60 00	
	2 to 3 ft., tr., with balls		
	numidica. Algerian Fir.		
	2 to 3 in., 2 yrs., tr., for growing on	3 00	25 00
	I to $1\frac{1}{2}$ ft., tr., with balls		-3 -3
	pectinata. SILVER FIR.		
	2 to 3 in., 2 yrs., tr., for lining out	3 00	25 00
	I to $1\frac{1}{2}$ ft., tr., with balls I 50		_
	1½ to 2 ft., tr., with balls 2 50	20 00	
	2 30	2000	

COINE-DEARENS, of EVENGREENS, continued		
Abies pectinata pendula. Weeping Silver Fir. Per 10	100	1,000
Abies pectinata pendula. WEEPING SILVER FIR. Per 10 6 to 8 in., grafted, for growing on\$2 00	\$17 50	
$1\frac{1}{2}$ to 2 ft., tr., with balls	100	
2 to 3 ft., tr., with balls 50		
pectinata pyramidalis. Pyramidal Silver Fir.		
6 to 8 in., grafted, for growing on 2 00	17 50	
1½ to 2 ft., tr., with balls0 00		
pindrow. HIMALAYAN FIR		
1 to 1½ ft., tr., with balls		
pinsapo. Spanish Fir.		
6 to 8 in., 3 yrs., tr., for lining out	7 50	\$60 00
1½ to 2 ft., tr., with balls	7 50	\$00.00
pinsapo glauca. GLAUCOUS SPANISH FIR.		
6 to 8 in., grafted, for growing on 2 00	17 50	
1½ to 2 ft., tr., with balls		
sacchalinensis. Saghalien Fir.		
1½ to 2 ft., tr., with balls		
sibirica (A. pichta). SIBERIAN FIR.		
2 to 3 ft., tr., specimens, with balls		
veitchi. Veitch's Fir.		
2 to 3 in., tr., for growing on	3 00	25 00
6 to 8 in., tr., for lining out	7 50	60 00
1 to 1½ ft., tr., with balls 00		
venusta (A. bracteata). SANTA LUCIA FIR.		
10 to 12 in., tr., balled 7 50		
webbiana. HIMALAYAN SILVER FIR.		
2 to 3 in., tr., for growing on	3 00	25 00
Araucaria imbricata. Chile Pine; Monkey Puzzle.	. 3	23 00
4 to 6 in., tr., from pots 5 00		
1 to 1½ ft., tr., with balls		
Biota. See Thuya orientalis and varieties.		
Cedrus atlantica. Mt. Atlas Cedar.		
6 to 8 in., tr., from pots 1 00	7 50	60 00
1½ to 2 ft., tr., with balls 5 00		
atlantica glauca. Mt. Atlas Silver Cedar.		
6 to 8 in., tr., from pots 1 00	7 50	60 00
1½ to 2 ft., tr., with balls 5 00		
deodara. Deodar, or Indian Cedar.		
6 to 8 in., tr., from pots 1 00	7 50	60 00
1½ to 2 ft., tr., with balls 5 00	1 30	00 00
lihani. CEDAR OF LEBANON.		
6 to 8 in., tr., from pots 1 00	7 -0	60 00
1½ to 2 ft., tr., with balls 5 00	7 50	00 00
Cephalotaxus drupacea. LARGE-FRUITED YEW.	0	
6 to 8 in., tr., for growing on	8 50	
1 to 1½ ft., tr., with balls 5 00		
fortunei. Fortune's Yew.		
6 to 8 in., tr., for growing on	8 50	
1½ to 2 ft., tr., with balls 5 00	and the state of t	
pedunculata. STEM-FRUITED YEW.		
6 to 8 in., tr., for growing on I oo	8 50	
1 to 1½ ft., tr., with balls 5 00	3-	
pedunculata fastigiata (Podocarpus koriana). Korean Yew.		
6 to 8 in., tr., for growing on	8 50	
1 to 1½ ft., tr., with balls 5 00	0 50	
Chamæcyparis lawsoniana (Cupressus lawsoniana). Lawson's		
	0	
6 to 8 in., tr., for growing on	8 50	
1 to 1½ ft., tr., with balls 2 75	25 00	
lawsoniana bowleri. WEEPING LAWSON'S CYPRESS.		
6 to 8 in., tr., for growing on	10 00	
1 to 1½ ft., tr., with balls 7 50		
lawsoniana glauca. Blue Lawson's Cypress.		
6 to 8 in., tr., for growing on	10 00	
1 to 1½ ft., tr., with balls 7 50		
nutkaensis (Cupressus nutkaensis and Thuyopsis borealis).		
NOOTKA SOUND CYPRESS.		
6 to 8 in., tr., for lining out 1 25	10 00	
1 to 1½ ft., tr., with balls 2 50	22 50	
nutkaensis glauca. Nootka Sound Blue Cypress.		
6 to 8 in., tr., for growing on	10 00	
1 to 1½ ft., tr., balled 2 50		

COINE-DEARENS, of EVERGREENS, continued		
Chamæcyparis obtusa (Retinos pora obtusa). JAPANESE CYPRESS. Per 10	100	1,000
6 to 8 in., tr., for growing on	\$10 00	
10 to 12 in., tr., with balls 3 50 1½ to 2 ft., tr., with balls 5 00		
obtusa aurea. Golden Japanese Cypress. 6 to 8 in., tr., for growing on	T2 50	
1 to 1½ ft., tr., with balls	12 50	
obtusa nana. Dwarf Japanese Cypress.		
4 to 6 in., tr., for growing on	12 50	
1 to 1½ ft., tr., with balls 7 50	30	
obtusa nana aurea. Dwarf Golden Japanese Cypress.		
4 to 6 in., tr., for growing on	12 50	
1 to 1½ ft., tr., with balls 7 50		
pisifera (Retinospora pisifera). SAWARA, Or PEA-FRUITED CY-		
PRESS.		
8 to 10 in., tr., for lining out 1 25	10 00	
1 to 1½ ft., tr., with balls 2 50	22 50	A STATE OF THE STA
3 to 4 ft., tr., with balls 4 75	45 00	
pisifera aurea. Golden Pea-fruited Cypress.		
8 to 10 in., tr., for lining out	10 00	
1 to 1½ ft., tr., with balls	22 50 37 50	
pisifera filifera. Thread-branched Cypress.	37 30	
8 to 10 in., for lining out	10 00	
1 to 1½ ft., tr., with balls 2 50	22 50	
1½ to 2 ft., tr., with balls	35 00	
pisifera filifera aurea. Golden Thread-branched Cypress.		
6 to 8 in., for growing on I 50	12 50	
12 to 15 in., tr., with balls 2 50		
pisifera plumosa. Plume-like Cypress.		
8 to 10 in., tr., for lining out 1 25	10 00	
1 to 1½ ft., tr., with balls 2 50	22 50	
2 to 3 ft., tr., with balls; select	35 00	
pisifera plumosa aurea. Golden-plumed Cypress.		
8 to 10 in., tr., for lining out; a fine lot 1 00		\$75 00
I to 1½ ft., tr., with balls	22 50	
2 to 3 ft., tr., with balls; select	35 00 45 00	
pisifera squarrosa. Veitch's Silver Cypress.	43 00	
8 to 10 in., tr., for lining out 1 25	10 00	
1 to 1½ ft., tr., with balls 2 50	10 00	
throides (Cupressus throides). WHITE CEDAR		
8 to 10 in., tr., for lining out	10 00	
I to 1½ ft., tr., with balls 2 50		
thyoides andelyensis. Andely's White Cedar.		
8 to 10 in., tr., for lining out 1 25	10 00	
I to $1\frac{1}{2}$ ft., tr., with balls; fine stock	22 50	
2 to 3 ft., tr., specimens, balled	35 00	
3 to 4 ft., tr., balled	45 00	
thyoides ericoides. HEATHER-LEAVED WHITE CEDAR.	William .	
8 to 10 in., tr., for lining out	10 00	
	22 50	
thyoides variegata. VARIEGATED WHITE CEDAR. 8 to 10 in., tr., for lining out	70.00	
1 to 1½ ft., tr., with balls	10 00	
Cryptomeria japonica. Japanese Cedar.	22 30	
I to 1½ ft., tr., from pots, for growing on 1 00	8 50	75 00
1½ to 2 ft., tr., with balls; beautiful plants	22 50	13 00
2 to 3 ft., tr., with balls 3 75	35 00	
japonica compacta. Compact Japanese Cedar.	-1111115	
1½ to 2 ft., tr., with balls 3 50		
japonica elegans. Elegant Japanese Cedar.		
1½ to 2 ft., tr., with balls 3 50		
Cunninghamia sinensis. Cunninghamia.		
8 to 10 in., from pots 1 25	10 00	
I to 1½ ft., tr., with balls 2 50	22 50	
Cupressus arizonica. Arizona Cypress.		
10 to 12 in., tr., from pots 1 25	10 00	
3 to 4 ft., tr., balled 5 00		

Cupressus funebris. Funeral Cypress. Per 10	100 1,000
8 to 10 in., tr., from pots\$1 25	
2 to 3 ft., tr., with balls	
goveniana. Gowen's Cypress.	
8 to 10 in., tr., from pots 1 25	10 00
2 to 3 ft., tr., with balls	
3 to 4 ft., tr., with balls 5 oo guadalupensis. Guadeloupe Cypress.	
8 to 10 in., tr., from pots 1 25	10 00
2 to 3 ft., tr., with balls 2 50	
knightiana. GLAUCOUS CYPRESS. 1½ to 2 ft., tr., from pots	
lawsoniana. See Chamæcyparis lawsoniana.	15 00
macnabiana. Mendocino Cypress.	
8 to 10 in., tr., from pots	10 00
1½ to 2 ft., tr., with balls	
macrocarpa. Monterey Cypress. 8 to 10 in., tr., from pots	10 00
3 to 4 ft., tr., with balls 5 00	10 00
macrocarpa lutea. Golden Monterey Cypress.	
I to 1½ ft., tr., with balls 5 00	
nutkaensis. See Chamæcyparis nutkaensis.	
sempervirens (C. fastigiata). PYRAMIDAL, or ROMAN CYPRESS. 8 to 10 in., tr., from pots	10 00
2 to 3 ft., tr., with balls 5 00	10 00
thyoides. See Chamæcyparis thyoides.	
torulosa (C. majestica). MAJESTIC CYPRESS.	
8 to 10 in., tr., from pots 1 25	10 00
I to 1½ ft., tr., with balls 2 50 Fitzroya patagonica. PATAGONIAN FITZROYA.	22 50
10 to 12 in., tr., from pots 1 50	12 50
Ginkgo biloba (Salisburia adiantifolia). MAIDENHAIR TREE.	30
10 to 12 in., tr., 1 00	8 50
1½ to 2½ ft., tr	12 50
6 to 8 ft., tr	38 50
Juniperus chinensis. Chinese Juniper.	
4 to 6 in., tr., for lining out 1 00	8 50
8 to 10 in., tr., for lining out	12 50
I to $1\frac{1}{2}$ ft., tr., with balls; fine stock	22 50
chinensis aurea. Golden Chinese Juniper.	
6 to 8 in., tr., for growing on	12 50
1 to 1½ ft., tr., with balls 3 50	
chinensis procumbens. Procumbent Chinese Juniper. 6 to 8 in., tr., for lining out	8 50
1 to 1½ ft., tr., with balls	25 00
1½ to 2 ft., tr., balled; beautiful 4 00	37 50
chinensis procumbens aurea. Golden Procumbent Chinese	
JUNIPER. 4 to 6 in., tr., for lining out	12 50
1 to 1½ ft., tr., with balls 3 50	
chinensis variegata. VARIEGATED CHINESE JUNIPER.	100000
2 to 3 ft., tr., with balls 3 75	
communis. Common Juniper. 8 to 10 in., tr., for lining out	6 00 \$50.00
1 to $1\frac{1}{2}$ ft., tr., with balls 1 75	15 00
2 to 3 ft., tr., with balls	20 00
communis aurea. Golden Common Juniper.	70.00
6 to 8 in., tr	10 00
communis hibernica. IRISH JUNIPER.	- 41
6 to 8 in., tr., for lining out	8 50
r to 1½ ft., tr., beautiful little plants	15 00
1 to 1½ ft., tr., with balls 5 00	
communis suecica. Swedish Tuniper.	0
8 to 10 in., tr., for lining out	8 50
2 to 2½ ft., tr. balled; extra choice	20 00
	CIE SECTION OF THE PERSON OF T

CONE-DEARCING, of EVERGREENS, communication		
Juniperus drupacea. Syrian Juniper. Per 10 1 to 1½ ft., tr., balled	100	1,000
excelsa. Greek Juniper.		
I to 1½ ft., tr., balled 7 50		
macrocarpa. (J. neaboriensis). LARGE-FRUITED JUNIPER. 1 to 1½ ft., tr		
nana (J. communis alpina). PROSTRATE JUNIPER.		
8 to 10 in., tr., for lining out	\$6 00	\$50 00
1 to 1½ ft., tr., balled; splendid stock 2 25	20 00	#30 00
1½ to 2 ft., tr., balled; extra choice	25 00	
prostrata. Dwarf Savin.		
6 to 8 in., tr., for growing on 1 25	10 00	
rigida. Stiff Juniper.		
1 to 1½ ft., tr., balled 3 50 2 to 3 ft., tr., with balls 5 00		
sabina. SAVIN JUNIPER.		
8 to 10 in., tr., for lining out	6 00	50 oc
1 to 1½ ft., tr., with balls 2 25	20 00	
1½ to 2 ft., tr., balled 2 75	25 00	
sabina tamariscifolia. TAMARIX-LEAVED SAVIN.		
8 to 10 in., tr., for lining out	8 50	
1 to 1½ ft., tr., balled; very fine 2 25	20 00	
sabina variegata. Variegated Savin. 6 to 8 in., tr., for growing on	10 00	
1 to 1½ ft., tr., balled 2 75	10 00	
scopulorum. Rocky Mountain Cedar.		
1 to 1½ ft., tr., balled 3 50	32 50	
sphærica (J. fortunei). ROUND-FRUITED JUNIPER.		
ı to 1½ ft., tr., balled 3 50		
squamata. Scaly-leaved Juniper. 6 to 8 in., tr., with balls		
6 to 8 in., tr., with balls 1 75	15 00	
virginiana. Red Cedar.		
I to 1½ ft., tr., balled	22 50	
2 to 3 ft., tr., balled 3 00	27 50	
virginiana elegantissima. Lee's Golden Cedar. 3 to 4 ft., tr., with balls		
virginiana glauca. Blue Virginia Cedar.		
1 to 1½ ft., tr., with balls 3 50		
virginiana pendula. WEEPING RED CEDAR.		
1 to 1½ ft., tr., balled 3 50		
Larix americana. American Larch.		
1½ to 2 ft., tr., balled,	22 50	
3 to 4 ft., tr., balled	32 50	
europæa. European Larch.		
1 to 1½ ft., tr., balled	15 00	
3 to 4 ft., tr., with balls 2 50	17 50 22 50	
leptolepis. Japanese Larch.	3-	
1½ to 2 ft., tr., balled 2 00	17 50	
3 to 4 ft., tr., balled 2 50	20 00	
		•
Libocedrus decurrens. Incense Cedar.		
1 to 1½ ft., from pots 2 50	22 50	
I to 1½ ft., from pots 2 50 Picea ajanensis. YESSO SPRUCE.	22 50	
Picea ajanensis. YESSO SPRUCE. 6 to 8 in., tr	22 50	
I to 1½ ft., from pots. 2 50 Picea ajanensis. Yesso Spruce. 6 to 8 in., tr. 1 25 I to 1½ ft., tr., with balls. 7 50		
I to 1½ ft., from pots. 2 50 Picea ajanensis. Yesso Spruce. 6 to 8 in., tr	10 00	
I to 1½ ft., from pots		
I to 1½ ft., from pots. 2 50 Picea ajanensis. Yesso Spruce. 1 25 6 to 8 in., tr 1 25 I to 1½ ft., tr., with balls. 7 50 alcockiana. Sir Alcock's Spruce. 1 25 6 to 8 in., tr 1 25 1½ to 2 ft., tr., balled. 10 00	10 00	
I to 1½ ft., from pots	10 00	25 00
I to 1½ ft., from pots	10 00	25 00
I to 1½ ft., from pots	10 00 10 00 3 00 17 50	25 00
I to 1½ ft., from pots	10 00 10 00 3 00 17 50	25 00
I to 1½ ft., from pots. 2 50 Picea ajanensis. Yesso Spruce. 6 to 8 in., tr	10 00 10 00 3 00 17 50	25 00
1 to 1½ ft., from pots. 2 50	10 00 10 00 3 00 17 50	25 00
I to 1½ ft., from pots. 2 50 Picea ajanensis. Yesso Spruce. 6 to 8 in., tr	10 00 10 00 3 00 17 50 17 50 25 00	25 00

Disco smaller Manuss Course		
Picea excelsa. Norway Spruce. 8 to 10 in., tr., for lining out; extra fine	100	1,000
I to 1½ ft., tr., for lining out	\$2 00	\$15 00
2 to 3 ft., tr., with balls; splendid\$2 00	2 50 17 50	20 00
$3\frac{1}{2}$ to 4 ft., tr., with balls; specimens 5 00	45 00	
5 to 6 ft., tr., with balls, beautiful 7 50	60 00	
excelsa inversa. Weeping Norway Spruce		
8 to 10 in., tr., grafted 2 00	17 50	
1½ to 2 ft., tr., with balls 7 50		
excelsa pygmæa. DWARF NORWAY SPRUCE.		
6 to 8 in., tr 2 00		
8 to 10 in., tr., with balls 3 50 excelsa pyramidalis. Pyramidal Norway Spruce.		
10 to 12 in., tr 2 00		
2 to 3 ft., tr., with balls 5 00		
mariana (P. nigra). BLACK SPRUCE.		
8 to 10 in., tr., for lining out	3 00	25 00
I to $1\frac{1}{2}$ ft., tr., with balls 2 00	17 50	-3
obovata. Siberian Spruce.		
1 to $1\frac{1}{2}$ ft., tr., balled00		
omorika. Servian Spruce.		
8 to 10 in., tr., for lining out 1 25	10 00	
1 to 1½ ft., tr., balled 7 50		
orientalis. ORIENTAL SPRUCE.		
8 to 10 in., tr., for lining out	10 00	
I to 1½ ft., tr., with balls 5 00		
polita. TIGER'S TAIL SPRUCE. 6 to 8 in., tr., for lining out	TO 00	
1 to $1\frac{1}{2}$ ft., tr., with balls 5 00	10 00	
pungens. Colorado Spruce.		
6 to 8 in., tr., for lining out	8 50	
I to $1\frac{1}{2}$ ft., tr., with balls 3 25	30 00	
pungens glauca. Koster's Blue Spruce.		
6 to 8 in., tr., grafted, with balls 2 50	20 00	
8 to 10 in., tr., grafted, with balls 5 00	40 00	
10 to 12 in., tr., grafted, with balls	75 00	
12 to 15 in., tr., grafted, with balls	100 00	
18 to 24 in., tr., grafted, balled		
pungens glauca pendula. Weeping Blue Spruce.		
12 to 15 in., tr., grafted, with balls		
15 to 18 in., tr., grafted, with balls		
18 to 24 in., tr., grafted, with balls25 00		
rubra. Red Spruce.		
6 to 8 in., tr., for lining out	3 50	30 00
I to 1½ ft., tr., with balls 2 00	17 50	
sitchensis (A. menziesi). SITKA SPRUCE.		
8 to 10 in., tr., for lining out 1 25	10 00	
8 to 10 in., tr., for lining out	10 00	
8 to 10 in., tr., for lining out	10 00	
8 to 10 in., tr., for lining out		30 00
8 to 10 in., tr., for lining out	3 50	30 00
8 to 10 in., tr., for lining out		30 00
8 to 10 in., tr., for lining out	3 50	30 00
8 to 10 in., tr., for lining out		
8 to 10 in., tr., for lining out	3 50	
8 to 10 in., tr., for lining out	3 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50	
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50 8 50 8 50	25 00
8 to 10 in., tr., for lining out	3 50 3 00 15 00 8 50 8 50 8 50	

CONE-DEFENDING, of EVERGINEE, Conductor		
Pinus divaricata. JACK PINE. Per 10	100	1,000
8 to 10 in., twice transplanted	\$4 00	\$30 00
I to 1½ ft., tr., with balls\$1 75	15 00	
2 to 3 ft., tr., with balls 2 50	22 50	
echinata. YELLOW PINE.		
6 to 8 in., twice transplanted	4 00	30 00
1 to 1½ ft., tr., with balls	15 00	
1½ to 2 ft., tr., with balls 2 00	17 50	
edulis. Nut Pine; Pinon.	0	
4 to 6 in., tr., for growing on	8 50	
excelsa. Bhotan Pine.		
6 to 8 in., tr., for growing on.	4 50	35 00
1 to 1½ ft., tr., with balls 3 50	32 50	
flexilis. Limber Pine.		
3 to 4 in., tr., for growing on	8 50	
1 to 1½ ft., tr., with balls 3 50		
jeffreyi. Jeffrey's Pine.		
6 to 8 in., tr., for growing on	8 50	
1 to 1½ ft., tr., with balls 2 50	22 50	
koraiensis. Corean Pine.		
4 to 6 in., tr., from pots I oo	8 50	
1 to 1½ ft., tr., with balls 7 50		
lambertiana. Sugar Pine.		
4 to 6 in., tr., from pots 1 00	8 50	
laricio. Corsican Pine.		
6 to 8 in., twice transplanted	4 00	30 00
1 to 1½ ft., tr., with balls 2 50	22 50	
monophylla. SINGLE-LEAVED NUT PINE.		
4 to 6 in., tr., from pots 1 00	8 50	
montana. Swiss Mountain Pine.	- 3	
4 to 6 in., tr., for growing on	4 00	30 00
1 to 1½ ft., tr., with balls 1 75	15 00	30 00
monticola. Mountain White Pine.	-5	
3 to 4 in., tr., for growing on 1 00	8 50	
mughus. Dwarf Pine	0 30	
6 to 8 in., tr., for lining out	4 50	35 00
10 to 12 in., tr., with balls 1 65	15 00	33 00
I to 11/2 ft., tr., with balls; extra quality 2 00	17 50	
1½ to 2 ft., tr., balled; splendid	-7 30	
muricata. BISHOP'S PINE.		
1 to 1½ ft., tr., with balls 2 50	22 50	
murrayana. Lodge-pole Pine.	22 30	
6 to 8 in., tr., for growing on.	4 00	30 00
palustris. Long-leaved Pine.	4 00	30 00
3 yrs., tr., from 4-in. pots 1 25	10 00	
parviflora. Japanese Short-Leaved Pine.	10 00	
I to 1½ ft., tr., with balls 7 50		
peuce. Macedonian Pine.		
1 to 1½ ft., 7 50		
pinaster (P. maritima). CLUSTER PINE.		
4 to 6 in., tr., for growing on.	4 00	30 00
1 to 1½ ft., tr., balled 7 50		
ponderosa. Bull Pine.		
6 to 8 in., tr., for lining out	3 00	25 00
I to 1½ ft., tr., with balls	15 00	
2 to 3 ft., tr., with balls 2 50 pungens. Table Mountain Pine.	22 50	
1½ to 2 ft., tr., with balls 3 50 radiata (P. insignis). Monterey Pine.		
I to 1½ ft., tr., from pots 1 75 rigida. Pitch Pine.	15 00	
I to 1½ ft., tr., with balls 1 75	7 7 00	
1 1/2 to 2 ft., tr., with balls 2 00	15 00	
sabiniana. Digger Pine.	17 50	
8 to 10 in., from pots 1 25	10 00	
1 to 1½ ft., tr., with balls 2 50	22 50	
3 to 4 ft., tr., balled 3 50		
strobus. White Pine.		
2 yrs., tr., for lining out	2 00	15 00
3 yrs., tr., for lining out	3 50	25 00
2 to 3 ft., tr., with balls 2 50	22 50	200 00

CONE-DEARERS, or EVERGREENS, continued		
Pinus strobus, continued Per 10	100	1,000
3 to 4 ft., tr., with balls; splendid stock\$5 oo	\$40 00	\$350 00
4 to 5 ft., tr., with balls; specimens	55 00	500 00
5 to 6 ft., tr., with balls; specimens	75 00	0
6 to 8 ft., tr., with balls; specimens	100 00	
8 to 10 ft., tr., specimens, balled	175 00	
10 to 12 ft., tr., specimens, balled	200 00	
uniterates Conner Dane	200 00	
6 to 8 in., tr., for lining out		
o to 8 in., tr., for thing out	2 00	15 00
8 to 10 in., tr., for lining out	3 00	25 00
1 to 1½ ft., tr., balled 1 75	15 00	
1½ to 2 it., tr., balled 2 00	17 50	
$2\frac{1}{2}$ to 3 ft., tr., balled	20 00	
tæda. Loblolly Pine.		
2 to 3 ft., tr., with balls 2 50	22 50	
thunbergi. JAPANESE BLACK PINE.	22 30	
8 to 10 in., tr., for lining out	F 00	40.00
1 to $1\frac{1}{2}$ ft., tr., with balls	5 00	40 00
to 172 to, the balled	22 50	
2 to 3 ft., tr., balled		
torreyana. Torrey's Pine.		
8 to 10 in., tr., from pots 1 25	10 00	
1½ to 2 ft., tr., balled 3 50		
tuberculata. Knob-cone Pine.		
3 to 4 ft., tr., with balls 3 50	32 50	
virginiana (P. inops). JERSEY PINE.	0- 3-	
1 to 1½ ft., tr., balled 1 75	15 00	
r16 to 2 ft tr halled	_	
1½ to 2 ft., tr., balled	17 50	
Podocarpus. See Cephalotaxus.		
Pseudolarix kæmpferi. Golden Larch.		
1 to 1/2 it., ti., with bans 5 00		
Pseudotsuga mucronata (Abies douglasi). Douglas Spruce.		
6 to 8 in., tr., for lining out	5 00	40 00
1 to 1½ ft., tr., with balls 1 75	15 00	
2 to 2½ ft., tr., with balls 2 00	17 50	
mucronata glauca. Blue Douglas Spruce.	1/ 30	
1½ to 2 ft., tr., balled 5 00		
1/2 to 2 it, the ballette Doronto Convey		
mucronata pendula. WEEPING DOUGLAS SPRUCE.		
1 to 1½ ft., tr., balled 5 00		
2 to 3 ft., tr., balled 7 50		
Retinospora. See Chamæcyparis.		
Salisburia. See Ginkgo.		
Sciadopitys verticillata. Umbrella Pine.		
4 to 6 in., tr., from pots 2 50	22 50	
4 to o rain translad	22 50	
10 to 12 in., tr., balled		
15 to 18 in., tr., balled		
24 to 30 in., tr., balled20 00		
Sequoia gigantea. Big Tree.		
1 to 1½ ft., tr., balled 5 00		
gigantea pendula. WEEPING BIG TREE.		
1 to 1½ ft., tr 7 50		
sempervirens. California Redwood.	0	
8 to 10 in., tr., from pots, for growing on 1 00	8 50	75 00
1 to 1½ ft., tr., balled 3 00	25 00	
Taxodium distichum. BALD CYPRESS.		
2 to 3 ft., tr., with balls I 25	10 00	
Taxus baccata. English Yew.		
1 to 1½ ft., tr., balled; splendid stock 3 50	00 50	
	32 50	
2 to 3 ft., tr., balled; splendid 5 00		
baccata fastigiata. IRISH YEW.		
8 to 10 in., tr., balled 1 00	8 50	
1½ to 2 ft., tr., balled 5 00		
2 to 3 ft., tr., balled 7 50		
canadensis. Canadian Yew.		
8 to 10 in., tr., with balls 2 50	20 50	
	22 50	
cuspidata. JAPANESE YEW.		
8 to 10 in., tr., from pots 1 50	12 50	
12 to 15 in., tr., balled 5 00		
18 to 24 in., tr., balled10 00		
Thuya gigantea (T. plicata; T. lobbi). WESTERN ARBORVITÆ.		
1 to 1½ ft., tr., with balls 3 50		
2 to 3 ft., tr., balled		
japonica (Thuyopsis standishi). JAPANESE ARBORVITÆ.		
1½ to 2 ft., tr., balled 7 50		

CONE-BEARERS, or EVERGREENS, continued			
Thuya occidentalis. American Arborvitæ.	r Io	100	1,000
$1\frac{1}{2}$ to 2 ft., tr., with balls\$2	00 \$	17 50	2,000
$2\frac{1}{2}$ to 3 ft., tr., with balls	75	25 00	
3 to 4 ft., tr., with balls; extra fine 5	00	45 00	
5 to 6 ft., tr., specimens, balled	50		
6 to 8 ft., tr., specimens, balled	00		
occidentalis alba. White-tipped Arborvitæ.			
8 to 10 in., tr., for lining out	75	5 00	
1½ to 2 ft., tr., with balls; extra-fine stock		25 00	
occidentalis aurea. Golden Arborvitæ.	, 0	3	
6 to 8 in., tr., for lining out	P7 =*	۲ 00	
I to 1½ ft., tr., with balls	10	5 00	
2 to 2½ ft., tr., with balls	75	25 00	
occidentalis aurea maculata. Golden-spotted Arborvitæ.	15	25 00	
I to 1½ ft., tr., with balls	FO .	20.00	
2 to 2½ ft., tr., with balls	30	20 00	
3 to 4 ft., tr., with balls; choice plants 5	75	25 00 45 00	
5 to 6 ft., tr., specimens, balled	50	12 00	
occidentalis cristata. Crested Arborvitæ.	30		
1 to 1½ ft., tr., balled	50	20.00	
2 to $2\frac{1}{2}$ ft., tr., with balls	50	20 00	
occidentalis filicoides. FERN-LIKE ARBORVITÆ.	75	25 00	
8 to 10 in., tr., for lining out	75	5 00	
1½ to 2 ft., tr., with balls	50	20 00	
2 to 2½ ft., tr., with balls; extra fine	75	25 00	
5 to 6 ft., tr., balled; splendid	50 (50 00	
occidentalis globosa. Globe Arborvitæ.	50		
8 to 10 in., tr., for lining out		.	
12 to 15 in., tr., for lining out	75	5 00	
$1\frac{1}{2}$ to 2 ft., tr., with balls; extra-fine stock 3	50	8 50	
2 to $2\frac{1}{2}$ ft., tr., balled; superb plants	20 3	32 50 50 00	
occidentalis, Little Gem. DWARF ARBORVITÆ.	25	00 00	
6 to 8 in., tr., with balls			
occidentalis plicata. Siberian Arborvitæ.	50		
8 to 10 in., tr., for lining out			
I to 1½ ft., tr., with balls	75	5 00	
occidentalis pyramidalis. Pyramidal Arborvitæ.	30	20 00	
8 to 10 in., tr., for lining out	<u>سر پور</u>	۳ ۵۵	
I to 1½ ft., tr., with balls; extra fine	75	5 00	
2 to 3 ft., tr., with balls; select	75	25 00	
4 to 5 ft., tr., with balls; splendid	50	52 50	
occidentalis spæthi. Spath's Arborvitæ.	3 .)	
8 to 10 in., tr., with balls	50		
occidentalis wareana. Ware's Siberian Arborvitæ.	3		
8 to 10 in., tr., for growing on	クピ	5 00	
1 to 1½ ft., tr., balled; splendid plants	50 '	20 00	
orientalis (Biota orientalis). Oriental Arborvitæ.			
10 to 12 in., tr., for lining out	25 .	10 00	
1 to 1½ ft., tr., with balls 2	50	20 00	
2 to 3 ft., tr., with balls 5	00		
4 to 5 ft., tr., balled 7	50		
6 to 8 ft., tr., balled10	00		
orientalis aurea. Golden Oriental Arborvitæ.			
8 to 10 in., tr., for lining out 1	00	8 75	
orientalis aurea nana. BERCKMAN'S GOLDEN ARBORVITÆ.		- 73	
8 to 10 in., tr., for growing on	00	8 75	
orientalis compacta. Compact Oriental Arborvitæ.		13	
8 to 10 in., tr., for growing on	00	8 75	
I to 1½ ft., tr., with balls 2	75 2	25 00	
2 to 3 ft., tr., with balls; extra choice	00 4	12 75	
3 to 4 ft., tr., balled; superb	50	, ,	
orientalis pendula (T. filiformis). ORIENTAL WEEPING ARBOR-			
VITÆ.			
8 to 10 in., tr., for growing on	25	00 00	
orientalis pyramidalis. Pyramidal Oriental Arborvitæ.			
I to $1\frac{1}{2}$ ft., tr., with balls	50 3	32 50	
2 to 3 ft., tr., balled; extra choice 5	00 4	12 75	
3 to 4 ft., tr., balled; specimens 7	50		
orientalis semperaurescens. Ever-golden Oriental Arborvitæ.			
8 to 10 in., tr., for growing on 1	00	8 75	

The manage has salis Co. Champanasis mother and		
Thuyopsis borealis. See Chamæcyparis nutkaensis. Per 10	100	1,000
Thuyopsis dolobrata. JAPANESE THUYA.	ee	
8 to 10 in., tr., for growing on	\$8 75 32 50	
2 to 3 ft., tr., with balls	32 30	
standishi. See Thuya japonica.		
Torreya californica (T. myristica). CALIFORNIA NUTMEG.		
1 to 1½ ft., tr., balled 7 50		
nucifera. JAPANESE NUTMEG CEDAR.		
I to 1½ ft., tr., with balls 7 50		
Tsuga canadensis. Canadian Hemlock. 6 to 8 in., tr., for lining out	10 00	\$85 00
10 to 12 in., tr., for lining out 1 25	12 00	100 00
1 to 1½ ft., tr., for lining out 1 75	15 00	
$1\frac{1}{2}$ to 2 ft., tr., with balls; fine stock	30 00	
2 to 3 ft., tr., with balls; superb plants	42 50	
3 to 4 ft., tr., with balls; extra choice	62 75	
caroliniana. Carolina Hemlock.		
1 to 1½ ft., tr., for lining out 2 50	20 00	
$1\frac{1}{2}$ to 2 ft., tr., with balls 5 00	40 00	
2 to 3 ft., tr., with balls; superb plants 50		
hookeriana. Western Hemlock.		
I to 1½ ft., tr., with balls		
1 to 1½ ft., tr., with balls 7 50		
sieboldi. Japanese Hemlock.		
1 to 1½ ft., tr., with balls 7 50		
DECIDUOUS TREES		
Acacia. See Albizzia. Per 10	100	1,000
Acer campestre. EUROPEAN CORK MAPLE.	\$I 75	e 00
$\bar{1}$ to $1\frac{1}{2}$ ft., 2 yrs., tr., for lining out	DI 75	\$15 00
2 to 3 ft., tr\$1 50	12 50	-
2 to 3 ft., tr\$1 50 3 to 4 ft., tr2 50 ginnala. Siberian Maple.		
2 to 3 ft., tr	12 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr \$1 50 3 to 4 ft., tr \$2 50 ginnala. Siberian Maple. 1 to 1½ ft., tr 1 50 japonicum aureum. Golden Japanese Maple. 1 to 1½ ft., tr., fine plants. 7 50 japonicum filicifolium. Fern-Leaved Japanese Maple. 1 to 1½ ft., tr., splendid plants 7 50 japonicum purpureum. Purple Japanese Maple. 1 to 1½ ft., tr., extra fine 7 50 1ætum. Colchicum Maple. 2 to 3 ft., tr 2 50 4 to 5 ft., tr 3 50 lætum rubrum (A. colchicum rubrum). Red Colchicum Maple.	12 50 22 50	
2 to 3 ft., tr \$1 50 3 to 4 ft., tr \$2 50 ginnala. Siberian Maple. 1 to 1½ ft., tr 1 50 japonicum aureum. Golden Japanese Maple. 1 to 1½ ft., tr., fine plants. 7 50 japonicum filicifolium. Fern-Leaved Japanese Maple. 1 to 1½ ft., tr., splendid plants 7 50 japonicum purpureum. Purple Japanese Maple. 1 to 1½ ft., tr., extra fine 7 50 1ætum. Colchicum Maple. 2 to 3 ft., tr 2 50 4 to 5 ft., tr 3 50 lætum rubrum (A. colchicum rubrum). Red Colchicum Maple. 2 to 3 ft., tr 2 50	12 50 22 50	
2 to 3 ft., tr \$1 50 3 to 4 ft., tr \$2 50 ginnala. Siberian Maple. 1 to 1½ ft., tr 1 50 japonicum aureum. Golden Japanese Maple. 1 to 1½ ft., tr., fine plants. 7 50 japonicum filicifolium. Fern-Leaved Japanese Maple. 1 to 1½ ft., tr., splendid plants 7 50 japonicum purpureum. Purple Japanese Maple. 1 to 1½ ft., tr., extra fine 7 50 lætum. Colchicum Maple. 2 to 3 ft., tr 2 50 4 to 5 ft., tr 3 50 lætum rubrum (A. colchicum rubrum). Red Colchicum Maple. 2 to 3 ft., tr 2 50 4 to 5 ft., tr 3 50	12 50 22 50	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr \$1 50 3 to 4 ft., tr \$2 50 ginnala. Siberian Maple. 1 to 1½ ft., tr 1 50 japonicum aureum. Golden Japanese Maple. 1 to 1½ ft., tr., fine plants. 7 50 japonicum filicifolium. Fern-Leaved Japanese Maple. 1 to 1½ ft., tr., splendid plants 7 50 japonicum purpureum. Purple Japanese Maple. 1 to 1½ ft., tr., extra fine 7 50 lætum. Colchicum Maple. 2 to 3 ft., tr 2 50 4 to 5 ft., tr 3 50 lætum rubrum (A. colchicum rubrum). Red Colchicum Maple. 2 to 3 ft., tr 2 50 4 to 5 ft., tr 3 50	12 50 22 50	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr \$1 50 3 to 4 ft., tr \$2 50 ginnala. Siberian Maple. 1 to 1½ ft., tr \$1 50 japonicum aureum. Golden Japanese Maple. 1 to 1½ ft., tr., fine plants. \$7 50 japonicum filicifolium. Fern-Leaved Japanese Maple. 1 to 1½ ft., tr., splendid plants \$7 50 japonicum purpureum. Purple Japanese Maple. 1 to 1½ ft., tr., extra fine \$7 50 lætum. Colchicum Maple. 2 to 3 ft., tr \$2 50 4 to 5 ft., tr \$3 50 lætum rubrum (A. colchicum rubrum). Red Colchicum Maple. 2 to 3 ft., tr \$2 50 4 to 5 ft., tr \$3 50 macrophyllum. Oregon Maple. 1 to 1½ ft., tr \$3 50 macrophyllum. Oregon Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 2 to 3 ft., tr \$7 50 monspessulanum. Montpelier Maple. 3 to 5 1½ ft., tr \$7 50 monspessulanum. Montpelier Maple. 4 to 5 ft., tr \$7 50 monspessulanum. \$7 50 monspes	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	
2 to 3 ft., tr	12 50 22 50 10 00	

Decideo Trees, commune		
Acer palmatum sanguineum. RED JAPANESE MAPLE. Per 1		1,000
palmatum septemlobum. Seven-lobed Japanese Maple.	0	
1 to 1½ ft., tr., extra 7 5	0	
pennsylvanicum. Moosewood, or Striped Maple.		
2 to 3 ft., tr		
3 to 4 ft., tr	0 30 00	
1½ to 2 ft., tr	3 00	\$25 00
6 to 8 ft., tr		
8 to 10 ft., tr	0 40 00	
8 to 10 ft., tr10 0	0	
platanoides globosum. ROUND-HEADED NORWAY MAPLE.		
6 to 8 ft., tr		
platanoides reitenbachi. Reitenbach's Purple Maple.		
6 to 8 ft., tr 5 0		
8 to 10 ft., tr	0	
platanoides schwedleri. Schwedler's Purple Maple.		
6 to 8 ft., tr 5 0		
8 to 10 ft., tr	0	
pseudoplatanus. Sycamore Maple.		
1½ to 2 ft., tr	3 00	25 00
6 to 8 ft., tr 3 2 8 to 10 ft., tr 4 5		
10 to 12 ft., tr., select 5 5	0 50 00	
pseudoplatanus purpurascens. Purple Sycamore Maple.		
8 to 10 ft., tr	0	
2 to 3 ft., tr	5 10 00	
3 to 4 ft., tr 3 5	0 30 00	
5 to 6 ft., tr	0	
2 to 3 ft., tr	3 00	25 00
6 to 8 ft., tr 2 o	0 17 00	
8 to 10 ft., tr		
saccharinum wieri. Wier's Cut-leaved Maple.	0 33 00	
6 to 8 ft., tr 3 o	0 27 00	
8 to 10 ft., tr., extra	0	
3 to 4 ft., tr	5 00	40 00
8 to 10 ft., tr 5 5		
12 to 14 ft., tr	0	
2 to 3 ft., tr., select plants 2 o		
3 to 4 ft., tr., select plants	0	
tataricum. Tartarian Maple. 1 to 1½ ft., tr	0 10 00	
Æsculus glabra. Ohio Buckeye.		
2 yr., tr., 8 to 10 in	7 75	
i to 1½ ft., tr	9 00	
12 to 15 in., tr	3 00	25 00
6 to 8 ft., tr		
8 to 10 ft., tr., extra 8 5 10 to 12 ft., tr., select 0		
hippocastanum flore pleno. Double-flowered Horse-Chest-		
NUT.	10	
8 to 10 ft., tr., select		
2 to 3 ft., tr	00 8 50	
5 to 6 ft., tr 2 5		
parviflora (Æ. macrostachya). Long-flowered Horse-Chest-		
1 to 1½ ft., tr 2 o	0 17 50	
pavia. Smooth-fruited Buckeye.		
3 to 4 ft., tr	32 50	

English subjected Den stowers Honer Committee		
Æsculus rubicunda. RED-FLOWERED HORSE-CHESTNUT. Per		1,000
1 to 1½ ft., tr	\$10 00	
8 to 10 ft., tr., extra\$10		
12 to 14 ft., tr., extra	00	
Ailanthus glandulosa. TREE OF HEAVEN.		
1½ to 2 ft., tr 1	00 8 50	
4 to 5 ft., tr., stocky	75 15 00	
12 to 14 ft., tr., extra stocky 4 (00	
Albizzia julibrissin (Acacia nemu). Mimosa Tree.		
12 to 18 in., tr., pot-grown	50 12 50	
Alnus glutinosa. European, or Black Alder.		
1½ to 2 ft., tr 1 c		
6 to 8 ft., tr., choice 2		
8 to 10 ft., tr., select	30 00	
glutinosa imperialis. Cut-leaved Alder.		
2 to 3 ft., tr	50	
incana. Speckled, or Hoary Alder.		
2 to 3 ft., tr	50 12 50	
6 to 8 ft., tr., choice 2	20 00	
8 to 10 ft., tr., select 3 5	30 00	
rugosa. Smooth Alder.		
3 to 4 ft., tr	50 12 50	
For other species, see under Deciduous Shrubs.		
Amelanchier botryapium. Service Berry.		
2 to 3 ft., tr	25 10 00	
3 to 4 ft., tr		
canadensis. Shad Bush.	,0 12 30	
2 to 3 ft., tr	25 10 00	
3 to 4 ft., tr		
For other species, see under Deciduous Shrubs.	12 30	
Amygdalus. See Persica.		
Aralia chinensis (A. manchurica and A. japonica). CHINESE AN-		
GELICA TREE.		
i to 2 ft., tr	0 8 50	
5 to 6 ft., tr., extra stocky	25 00	
spinosa. Angelica Tree, or Hercules' Club.	0	
I to 2 ft., tr	8 50	
3 to 4 ft., tr., stocky	5 15 00	
Asimina triloba. PAWPAW.		
To to 12 in., tr	5 15 00	
Betula alba. European White Birch.		\$04.00
i to 1½ ft., tr	3 00	\$25 00
4 to 5 ft., tr., choice stock	5 15 00	
8 to 10 ft., tr., extra 3 5	5 25 00	
alba atropurpurea. Purple Birch.	0 30 00	
6 to 8 ft., tr 5 o	0 45 00	
alba fastigiata. Pyramidal White Birch.	0 45 00	
2 to 3 ft., tr 4 0	0 35 00	
alba laciniata pendula. Weeping Cut-leaved Birch.	33 00	
6 to 8 ft., tr 3 7	5 35 00	
alba youngi. Young's Weeping Birch.	00000	
1½ to 2 ft., tr	0	
4 to 5 ft., tr 7 5		
lenta. CHERRY, SWEET, or BLACK BIRCH.		
I to 1½ ft., tr I 2	5 10 00	
4 to 5 ft., tr., select 2 5		
lutea. Yellow Birch.		
2 to 3 ft., tr., choice stock I 5		
5 to 6 ft., tr., very shapely 2 5		
8 to 10 ft., tr., extra fine 5 o	0 45 00	
nigra. RIVER, or RED BIRCH.		
1 to 2 ft., tr., splendid for lining out	3 00	25 00
3 to 4 ft., tr	0 17 50	
papyrifera., PAPER, or CANOE BIRCH.		
2 to 3 ft., tr		
8 to 10 ft., tr., choice 5 of	0 45 00	
populifolia. American White Birch.		
4 to 6 ft., tr	0 22 50	
8 to 10 ft., tr., choice 5 of	0 45 00	
oussonetia papyrifera. Paper Mulberry. 3 to 4 ft., tr	0 75 00	
j to 4 tt., tl	0 15 00	

8 to 10 in., tr	Per 10 \$2 00		1,000
Carpinus betulus. European Hornbeam.	T 05	70.00	60- 00
2 to 3 ft., tr., select			\$85 00
carolinianus. American Hornbeam; Blue Beech.			
4 to 5 ft., tr			120 00
Carya. See Hicoria.	2 00	1/ 30	130 00
Castanea dentata (C. americana). AMERICAN CHESTNUT.			
1 yr., S 3 to 4 ft., tr	T 75	2 00 15 00	15 00
4 to 5 ft., tr			
japonica. Japanese Chestnut.			
g to 4 ft., trpumila. Chinquapin.	1 75	15 00	
2 yr., S	1 00	7 50	
sativa. Spanish Chestnut.			
2 to 3 ft., tr	1 25	10 00	
3 to 4 ft., tr	1 50	12 50	
bignonioides aurea. GOLDEN CATALPA			
6 to 8 ft., trbignonioides nana (C. bungei). ROUND-HEADED CATALPA.	3 50		
2-yr. heads, standards; extra fine	5 00	1	
3-yr. heads, standards; very shapely	7 50		
hybrida. Teas' Hybrid Catalpa. 3 to 4 ft., tr	T 775	T 5 00	
ovata (C. kæmpferi). JAPANESE CATALPA.	1 /3	15 00	
3 to 4 ft., tr			
speciosa. Western Catalpa.	3 50	32 50	
2 to 3 ft., tr			
8 to 10 ft., tr	3 50	30 00	
Cedrela sinensis. CHINESE CEDRELA. 2 to 3 ft., tr	2 50		
8 to 10 ft., tr			
Celtis mississippiensis. Southern Hackberry.			
2 to 3 ft., tr			
occidentalis. NETTLE TREE.			
2 to 3 ft., tr	1 50	12 50	
Cerasus avium. European Cherry.			
2 to 3 ft., tr	1 00	8 50	
4 to 5 ft., tr			
6 to 8 ft., tr	4 50	40 00	
3 to 4 ft., tr	3 25	30 00	
hortensis flore pleno. Japanese Double-Flowering Cherry.			
3 to 4 ft., tr., splendid stock			
mahaleb. MAHALEB.			
1½ to 2 ft., tr			
padus. European Bird Cherry.			
2 to 3 ft., tr	I 00	8 50	
pendula. Japanese Weeping, or Rose-bud Cherry.			
2 to 3 ft., tr., on own roots			
pennsylvanica. WILD RED CHERRY.			
1½ to 2 ft., tr			
4 to 5 ft., trserotina. WILD BLACK CHERRY.	3 00	25 00	
2 yr., S., extra		2 00	15 00
3 to 4 ft., tr., choice stock			
virginiana. CHOKE CHERRY.			
2 to 3 ft., tr			
,	, ,	3	

Cercidiphyllum japonicum. KADSURA TREE.	Per	10	100	1,000
1½ to 2 ft., tr., extra fine				,,,,,,,
4 to 5 ft., tr., splendid trees	• • • • 3	50		
1 to 1½ ft., tr			\$8 50	
chinensis (C. japonica). Oriental Judas Tree.	2	00	18 00	
I to 1½ ft., tr	і	25	10 00	
siliquastrum. European Judas Tree.				
to 1½ ft., tr	· · · · I	25	10 00	
1 to $1\frac{1}{2}$ ft., tr	т	25	10 00	
2 to 3 ft., tr., fine plants	2	00	18 50	
Citrus trifoliata. TRIFOLIATE, or HARDY ORANGE. 8 to 10 in., S			1 50	\$10 00
$1\frac{1}{2}$ to 2 ft., tr		00	8 50	****
Cladrastis lutea (Virgilia lutea). Yellow-wood.	2	00	15 00	
Cornus alternifolia. ALTERNATE-LEAVED DOGWOOD.	2		15 00	
1 to 1½ ft., tr	I	00	8 50	
florida. White-flowering Dogwood. 12 to 15 in., tr., splendid for lining out			5 00	35 00
2 to 3 ft., tr., excellent value	1		15 00	33 00
3 to 4 ft., tr., choice			20 00	
florida pendula. Weeping Dogwood.	3	00		
$2\frac{1}{2}$ to 3 ft., tr., extra fine	6	50		
florida rubra. Red-flowering Dogwood. 3 to 4 ft., tr.,	-	50	ro oo	
For other species, see Deciduous Shrubs.	3	30	50 00	
Cratægus apiifolia. PARSLEY-LEAVED THORN.				
3 to 4 ft., tr	• • • • 3	50		
1½ to 2 ft., tr	і	50	12 50	
crus-galli. Cockspur Thorn.			0	
3 to 4 ft., tr			18 00	
monogyna alba plena. Double White Hawthorn.	-	3.0	3-	
2 to 3 ft., tr				
4 to 5 ft., tr	2	50		
2 to 3 ft., tr				
monogyna punicea. SINGLE PINK HAWTHORN.	2	50		
2 to 3 ft., tr				
monogyna rosea plena. Double Pink Hawthorn.	2	50		
2 to 3 ft., tr				
3 to 4 ft., tr	2	50		
1½ to 2 ft., tr., choice			3 00	25 00
2 to 3 ft., tr., extra 3 to 4 ft., tr., select			8 50	
punctata. Large-fruited Thorn.			12 30	
1½ to 2 ft., tr., for lining out	I	25	10 00	
Cytisus. See Laburnum.	• • • • •	75	15 00	
Diospyros virginiana. Persimmon.				
2 yr., S to 1½ ft., tr		00	2 00 8 50	15 00
Fagus americana. American Beech.			- 30	
10 to 12 in., tr., for lining out		75	3 00. 6 00	25 00 50 00
sylvatica. European Beech.		13		
10 to 12 in., tr., for lining out		7.5	3 00	25 00 50 00
3 to 4 ft., tr., choice	2		17 50	3,000
sylvatica asplenifolia. Cut-leaved Beech. 2 to 3 ft., tr				
sylvatica pendula. WEEPING BEECH.				
3 to 4 ft., tr				
4 10 3 10, 11, 0110100, 111111111111111111	7	30		

DECIDUOUS TREES, continued			
Fagus sylvatica purpurea. Purple Beech.	Per 10	100	1,000
1½ to 2 ft., tr	.\$1 50	\$12 50	,
2 to 3 ft., tr., select	. 3 00	25 00	
4 to 5 ft., tr., select	. 4 00	35 00	
sylvatica purpurea pendula. Weeping Purple Beech.			
3 to 4 ft., tr.,	. 7 50		
4 to 5 ft., tr., extra	.10 00		
sylvatica riversi. River's Purple Beech.			
2 to 3 ft., tr	. 5 00		
Fraxinus americana. WHITE ASH.			
2 to 3 ft., tr	. 75	5 00	\$40 00
4 to 5 ft., tr	. I 50	12 50	
6 to 8 ft., tr	. 2 25	20 00	
anomala. Western Ash.			
3 to 4 ft., tr	. I 25	10 00	
biltmoreana. BILTMORE ASH.			
3 to 4 ft., tr	. I 25	10 00	
excelsior. European Ash.	Ĭ		
1½ to 2 ft., tr	. I 00	8 50	
6 to 8 ft., tr			
10 to 12 ft., tr	_		
lanceolata (F. viridis). GREEN ASH.		· ·	
2 to 3 ft., tr	. 75	5 00	40 00
6 to 8 ft., tr., select			40 00
nigra (F. sambucifolia). BLACK ASH.		-3	
3 to 4 ft., tr	. т 25	10 00	
6 to 8 ft., tr			
oregona. Oregon Ash.	50	20 00	
4 to 5 ft., tr	2 00	15 00	
ornus. Flowering Ash.	. 2 00	15 00	
4 to 5 ft., tr	2 00	T7 50	
	. 2 00	17 50	
pennsylvanica (F. pubescens). RED ASH.		70.00	
1½ to 2 ft., tr	. 1 25	10 00	
quadrangulata. Blue Ash.			
2 to 3 ft., tr	. I 50	12 50	
Gleditsia aquatica. WATER LOCUST.			
1½ to 2 ft., tr	. 1 50	12 50	
japonica. Japanese Locust.			
3 to 4 ft., trtriacanthos. Honey Locust.	. I 75	15 00	
I to 1½ ft., tr	· 75	5 00	40 00
3 to 4 ft., tr., choice triacanthos inermis. ThornLESS HONEY LOCUST.	. 1 50	12 50	
2 to 3 ft., tr., very fine	T ~0		
Gordonia altamaha. Franklinia.	. 1 50		
	0. 70	00.40	
4 to 6 in., tr	2 50	22 50	
Gymnocladus dioicus (G. canadensis). KENTUCKY COFFEE TREE.			
1½ to 2 ft., tr		10 00	
4 to 5 ft., tr		17 50	
6 to 8 ft., tr	3 00	27 50	
Hicoria alha (Carva tamentasa) Ric Rip Hickopy			
2 yrs., tr., 10 to 15 in		3 00	25 00
minima (Carya amara). BITTERNUT.		3 00	23 00
4 to 5 ft., tr	T 75	15 00	
6 to 8 ft., tr	2 75	25 00	
ovata (Carya alba). SHAGBARK HICKORY.	- 13	-3 00	
6 to 8 in., tr		2 00	15 00
pecan (Carya olivæformis). PECAN.			
1½ to 2 ft., tr	I 25	10 00	
3 to 4 ft., tr	I 75	15 00	
Hovenia dulcis. Honey Tree.			
1½ to 2 ft., tr	2 50		
Ilex monticola. DECIDUOUS HOLLY.			
I½ to 2 ft., tr	1 50	12 50	
For other species, see under Broad-leaved Evergreen Trees,			
Broad-leaved Evergreen Shrubs, and Deciduous Shrubs	•		
Juglans cinerea. Butternut.			
1½ to 2 ft., tr	1 50	12 50	
8 to 10 ft., tr	3 75		
3 to 4 ft., tr	2 00	17 50	
0 -0 -7 -0., 02.111111111111111111111111111111111111	2 00	-7 30	

Juglans nigra. BLACK WALNUT. Per 10	100	T 000
1 to 1½ ft., S	\$2 00	\$15 00
3 to 4 ft., tr\$1 75	15 00	• 0
6 to 8 ft., tr	25 00	
8 to 10 ft., tr		
regia. English Walnut. 1½ to 2 ft., tr	8 50	
6 to 8 ft., tr 3 00	27 50	
sieboldiana. Japanese Walnut.	2/ 30	
1 to 1½ ft., tr 1 25	10 00	
2 to 3 ft., tr 2 00	17 50	
Kœlreuteria paniculata. VARNISH TREE.		
3 to 4 ft., tr	12 50	
5 to 6 ft., tr 3 50	30 00	
6 to 8 ft., tr 4 00 Laburnum alpinum. Scotch Laburnum.	37 50	
4 to 5 ft., tr 2 50	20 00	
vulgare (Cytisus laburnum). Golden Chain.	20 00	
1 to 1½ ft., tr	3 00	25 00
6 to 8 ft., tr 3 00	25 00	
8 to 10 ft., tr 4 00	37 50	
Liquidambar styraciflua. Sweet Gum.		
1 to 1½ ft., tr	3 00	25 00
4 to 5 ft., tr	15 00 30 00	
10 to 12 ft., tr 5 00	30 00	
Liriodendron tulipifera. Tulip Tree.		
12 to 15 in., tr., for lining out	3 00	25 00
2 to 3 ft., tr., splendid stock 1 25	10 00	
6 to 8 ft., tr., choice trees	22 50	
8 to 10 ft., tr., extra fine	27 50	
12 to 15 ft., tr., very symmetrical 7 50	50 00	
Maclura. See Toxylon.		
Magnolia acuminata. Cucumber Tree.		
2 to 3 ft., tr 2 00	18 75	
4 to 5 ft., tr 3 00	27 50	
conspicua. Yulan.		
1 to 1½ ft., tr., with balls 7 50 1½ to 2 ft., tr., balled 8 75		
2 to 3 ft., tr., balled		
fraseri. Fraser's Magnolia.		
3 to 4 ft., tr	22 50	
glauca. SWEET, or WHITE BAY.		
i to 1½ ft., tr 3 00 hypoleuca. Silvery Magnolia.		
8 to 10 in., tr., from pots 2 75		
3 to 4 ft., tr., balled 8 50		
kobus. Japanese Magnolia.		
1½ to 2 ft., tr., balled		
3 to 4 ft., tr., balled		
1 to 1½ ft., tr 2 50	22 50	
obovata (M. purpurea; M. discolor). Purple Magnolia.	3	
2 to 3 ft., tr., balled 3 00	27 50	
3 to 4 ft., tr., balled 3 50 parviflora. Late-flowering Japanese Magnolia.	32 50	
1½ to 2 ft., tr., with balls		
parviflora flore pleno. Double-flowered Japanese Magnolia.		
1½ to 2 ft., tr., with balls 50		
salicifolia. WILLOW-LEAVED MAGNOLIA.		
I to 1½ ft., with balls		
1½ to 2 ft., tr., with balls 5 00	47 50	
2 to 3 ft., tr., select, few buds, balled 7 50	72 50	
We can also supply the following forms:		
1½ to 2 ft., tr., with balls 7 50		
2 to 3 ft., tr., select, few buds, balled		
Alexandrina. One of the earliest.		
Amabilis. Almost white.		
Lennei. Reddish purple.		
Nigra. Dark purple.		

Magnolia soulangeana, continued Norbertiana. Late-flowering.	P	er 10	100	1,000
Speciosa. White, with purple base.				
stellata. Starry Magnolia. 1 to 1½ ft., tr	\$	7 50		
$1\frac{1}{2}$ to 2 ft., tr., very fine		000		
thompsoniana. Thompson's Sweet Bay. 1 to 1½ ft., tr		7 50		
tripetala. Umbrella Tree.	• •	7. 30		
2 to 3 ft., tr., fine stock				
4 to 5 ft., tr., choice	• • •	3 00 4 00	27 50 37 75	
watsoni. Watson's Magnolia.		•	0, ,3	
1½ to 2 ft., tr., with balls	I	00		
For other species, see Broad-leaved Evergreen Trees. Malus angustifolia (Pyrus angustifolia). NARROW-LEAVED CRAB.				
8 to 10 in., tr., splendid for lining out			8 50	
baccata (Pyrus baccata). Siberian Flowering Crab.	• • :	2 00	17 50	
1 to 1½ ft., tr., select strain, grafted		1 00	8 50	
coronaria (Pyrus coronaria). WILD CRAB APPLE.			0	
1½ to 2 ft., tr., choice strain, grafted			8 50 25 00	
floribunda (Pyrus floribunda). FLOWERING CRAB.			-3 -5	
1½ to 2 ft., tr., fine strain, grafted	1	00	8 50	
3 to 4 ft., tr		75	25 00	
1½ to 2 ft., tr., select strain, grafted	. i	00	8 50	
3 to 4 ft., tr	• • 3	50	30 00	
floribunda scheideckeri. Double-flowering Crab. 1 to 1½ ft., tr., choice strain, grafted	. I	00	8 50	
3 to 4 ft., tr	. 2	75	25 00	
ioensis bechteli. Bechtel's Double-flowering Crab. 1½ to 2 ft., tr., grafted	. т	00	8 50	
niedzwetzkyana. Red-flowering Crab.			9 30	
1½ to 2 ft., tr., graftedspectabilis (Pyrus spectabilis). Chinese Flowering Crab.	. 2	75	25 00	
1½ to 2 ft., tr., grafted			8 50	
4 to 5 ft., tr	• 3	50	30 00	
I to 1½ ft., tr., grafted			8 50	
2 to 3 ft., trspectabilis riversi. Rivers' Double-flowered Chinese Crae	. 2	75	25 00	
1 to 1½ ft., tr., grafted		00	8 50	
3 to 4 ft., tr	. 2	75	25 00	
I to 1½ ft., tr., grafted	. I	00	8 50	
4 to 5 ft., tr			30 00	
toringo (Pyrus toringo). Toringo, or Dwarf Crab. 1½ to 2 ft., tr., grafted	. I	00	8 50	
3 to 4 ft., tr			25 00	
Melia azederach. Pride of India, or China Tree. 6 to 8 ft., tr	. 3	00	27 50	
azederach umbraculiformis. Texas Umbrella Tree.				
5 to 6 ft., tr., fine stock	• 3	00	25 00 40 00	
Mohrodendron carolinum (Halesia tetraptera). SILVER BELL.			40 00	
2 to 3 ft., tr	. 1	50	12 50	
1 to $1\frac{1}{2}$ ft., tr	. 2	50		
Morus alba. WHITE MULBERRY. 2 to 3 ft., tr	-	25	10 00	
alba pendula. Teas' Weeping Mulberry.			10 00	
3-yr. heads, really superb	. 7	50		
2 to 3 ft., tr	. I	25	10 00	
Negundo aceroides. See Acer negundo. Nyssa aquatica. Cotton Gum.				
ı to 1½ ft., tr	. I	50	12 50	
sylvatica. Tupelo; Sour, or Black Gum.			T2 50	
ostrya virginiana. Hop Hornbeam; Ironwood.			12 50	
3 to 4 ft., tr	. 2	25	20 00	
·				

Oxydendron arboreum. Sourwoop. Per 10		
Oxydendron arboreum. Sourwood. Per 10 1½ to 2 ft., tr., for lining out\$1 25	\$10 00	1,000
2 to 2½ ft., tr	20 00	
3 to 4 ft., tr 3 25	30 00	
Paulownia imperialis. EMPRESS TREE.		
2 to 3 ft., tr	17 50 25 00	
Pavia. See Æsculus.	25 00	
Persica vulgaris alba plena. Double White-flowering Peach.		
5 to 6 ft., 1 and 2 yrs., buds 1 75	15 00	
vulgaris rosea plena. Double Pink-flowering Peach.		
5 to 6 ft., 1 and 2 yrs., buds	15 00	
5 to 6 ft., 1 and 2 yrs., buds 1 75	15 00	
Phellodendron amurense. CHINESE CORK TREE.		
1½ to 2 ft., tr 1 50	12 50	
5 to 6 ft., tr		
2 to 3 ft., tr	8 50	
10 to 12 ft., tr 3 50	30 00	
orientalis. Oriental Plane. 6 to 8 ft., tr	05.00	
8 to 10 ft., tr 4 00	25 00 35 00	
10 to 12 ft., tr 5 50	50 00	
Populus alba. White Poplar; Abele.		
6 to 8 ft., tr	22 50	
6 to 8 ft., tr	22 50	
alba nivea. Silver Poplar.		
8 to 10 ft., tr	22 50	
balsamifera. Balsam Poplar. 6 to 8 ft., tr	22 50	
candicans. BALM OF GILEAD.	22 30	
8 to 10 ft., tr	22 50	
carolinensis. CAROLINA POPLAR. 8 to 10 ft., tr	22 50	
deltoidea. Cottonwood.	22 30	
8 to 10 ft., tr	22 50	
deltoidea vangeerti. Golden Poplar.	00 50	
6 to 8 ft., tr	22 50	
6 to 8 ft., tr 2 50	22 50	
nigra fastigiata. LOMBARDY POPLAR.		
6 to 8 ft., tr	22 50	
3 to 4 ft., tr	10 00	
Prunus. See, also, Cerasus.		
alleghaniensis. Alleghany Plum. 1 to 1½ ft., tr	10 00	
americana. WILD PLUM.	10 00	
4 to 5 ft., tr I 50	12 50	
pissardi. Purple-leaved Plum. 4 to 5 ft., tr	15 00	
Ptelea trifoliata. Hop Tree, or Wafer Ash.	15 00	
4 to 5 ft., tr 1 75	15 00	
trifoliata aurea. Golden Hop Tree.	00.00	
3 to 4 ft., tr	20 00	
1 to 1½ ft., tr 2 50		
Pterostyrax hispida (Halesia hispida). JAPANESE SILVER BELL.		
Pyrus. See Malus, Sorbus, and Cydonia.		
Ouercus alba. White Oak.		
6 to 8 in., S	2 00	\$15 00
3 to 4 ft., tr	25 00	
6 to 8 ft., tr 7 50		
coccinea. Scarlet Oak.		-0
18 to 24 in., S digitata (Q. falcata). Spanish Oak.	2 25	18 50
4 to 6 in., S	2 00	15 00
1 to 1½ ft., tr 1 25	10 00	
imbricaria. Shingle Oak. 1½ to 2½ ft., tr	20 00	
172 to 272 it., ti	20 00	

DECIDOOS TREES, continued		
Ouercus laurifolia. LAUREL-LEAVED OAK. Per 10	100	1,000
3 to 4 ft., tr\$2 75	\$25 00	-,
5 to 6 ft., tr 5 00	45 00	
lyrata. Overcup Oak.	45 00	
2 to 3 ft., tr	20 00	
5 to 6 ft., tr 5 00	45 00	
macrocarpa. Bur, or Mossy-cup oak.		
2 to 3 ft., tr	20 00	
4 to 5 ft., tr 3 50	32 50	
michauxi. BASKET OAK.	•	
4 to 5 ft., tr 3 50	32 50	
nigra (Q. aquatica). WATER OAK.	32 30	
ingle (V. bymoreta). WAIEE CAE.	05.00	
3 to 4 ft., tr	25 00	
palustris. Pin Oak.		
8 to 10 in., S	2 00	\$15 00
2 to 3 ft., tr	20 00	
6 to 8 ft., tr 7 50	70 00	
8 to 10 ft., tr	00 00	
pedunculata (Q. robur). English Oak.		
2 to 3 ft., tr 2 00	. 15 00	
	-	
5 to 6 ft., tr	37 50	
8 to 10 ft., tr		
pedunculata concordia. Golden Oak.		
3 to 4 ft., tr		
pedunculata fastigiata. Pyramidal English Oak.		
3 to 4 ft., tr 6 50		
phellos. WILLOW OAK.		
2 to 3 ft., tr I 50	12 50	
platanoides (Q. bicolor). SWAMP WHITE OAK.	12 30	
2 to 3 ft., tr	20 00	
4 to 5 ft., tr 3 50	32 50	
prinus. Chestnut Oak.		
10 to 15 in., S	2 00	15 00
4 to 5 ft., tr 3 50	32 50	
rubra. RED OAK.		
3 to 4 ft., tr	15 00	
6 to 8 ft., tr 7 50	_	
	70 00	
8 to 10 ft., tr	90 00	
velutina. Black Oak.		
1 to 1½ ft., tr 1 25	10 00	
5 to 6 ft., tr 3 50	32 50	
Rhamnus caroliniana. CAROLINA BUCKTHORN.		
I to 1½ ft., tr I 50	12 50	
	12 30	
Rhus copallina. UPLAND SUMAC.		
2 to 3 ft., tr 1 50	12 50	
cotinoides. Chittamwood.		
3 to 4 ft., tr 5 00		
cotinus. Smoke Tree, or Purple Fringe.		
2 to 3 ft., tr., choice 1 25	10 00	
4 to 5 ft., tr., select 1 50	12 50	
glabra. Smooth Sumac.	12 30	
		10.00
1 to 1½ ft., tr	5 00	40 00
2 to 3 ft., tr	7 50	
3 to 4 ft., tr I 25	10 00	
glabra laciniata. Cut-leaved Sumac.		
2 to 3 ft., tr 2 00	17 50	
hirta (Rhus typhina). STAGHORN SUMAC.		
1½ to 2 ft., tr 1 00	7 50	
4 to 5 ft., tr 1 25	10 00	
hirta laciniata. New Cut-leaved Sumac.	10 00	
3 to 4 ft., tr	12 50	
semialata osbecki. JAPANESE SUMAC.		
2 to 3 ft., tr	17 50	
4 to 5 ft., tr		
For other species, see under Deciduous Shrubs.		
Robinia neo-mexicana. Western Locust.		
1½ to 2 ft., tr		
3 to 4 ft., tr		
pseudacacia. Black Locust.		
4 to 5 ft., tr	10 00	
6 to 8 ft., tr		
viscosa. Clammy Locust.		
_ 4 to 5 ft., tr 2 50		
For other species, see under Deciduous Shrubs.		

DECIDOOUS TREES, continued			
Salix alba (S. regalis). WHITE WILLOW.	r to	100	1,000
Salix alba (S. regalis). WHITE WILLOW. 1½ to 2 ft., tr	00	\$8 50	1,000
$1\frac{1}{2}$ to 2 it, tr	00	8 50	
babylonica annularis. RING-LEAVED WILLOW. 10 to 12 ft., tr	50		
babylonica dolorosa. Wisconsin Weeping Willow. 5 to 6 ft., tr	00	15 00	
caprea. Goat, or Pussy Willow. 1½ to 2 ft., tr			
caprea pendula. KILMARNOCK WEEPING WILLOW.		8 50	
2-yr. heads			
5 to 6 ft., tr		12 50	
pentandra. BAY, or LAUREL-LEAVED WILLOW.		10 00	
3 to 4 ft., tr	25	10 00	
1½ to 2 ft., tr 1 vitellina britzensis. Bronze-barked Willow.	00	8 50	
I 1/2 to 2 ft., tr	00	8 50	
Sassafras officinalis. Sassafras.			
I to 1½ ft., tr	50	12 50	
Sophora japonica. Japanese Sophora; Pagoda Tree.			
1½ to 2 ft., tr 1		10 00	
6 to 8 ft., tr	50	70 00	
japonica pendula. WEEPING SOPHORA.			
6 to 8 ft., tr	00		
2 to 3 ft., tr	25	10 00	
3 to 4 ft., tr	50		
3 to 4 ft., tr	50	12 50	
6 to 8 ft., tr	00	28 50	
aucuparia pendula. WEEPING MOUNTAIN ASH.			
2-yr. heads, select	00		
1 to $1\frac{1}{2}$ ft., tr	25	10 00	
Syringa japonica. Japanese Lilac. 1 to 1½ ft., tr	50	12 50	
Tilia americana. American Linden; Basswood.	30	12 30	
6 to 8 ft., tr., select 5	00	47 50	
8 to 10 ft., tr., extra fine	50	60 00	
dasystyla. Crimean Linden.	30	00 00	
6 to 8 ft., tr	75	35 00	
8 to 10 ft., tr., choice	50	60 00	
europæa. European Linden, or Lime Tree.			
6 to 8 ft., tr 3	75	35 00	
8 to 10 ft., tr., select	50	60 00	
heterophylla. White Basswood. 3 to 4 ft., tr	50		
petiolaris (T. argentea pendula). WEEPING LINDEN. 6 to 8 ft., tr., standards			
platyphyllos. Large-leaved Linden.	00		
4 to 5 ft., tr	50	20 00	
6 to 8 ft., tr 3		35 00	
8 to 10 ft., tr., select	50	60 00	
tomentosa (T. alba and T. argentea). WHITE, or SILVER LINDEN.			
6 to 8 ft., tr		35 00	
8 to 10 ft., tr., superb trees	50	60 00	
Toxylon pomiferum (Maclura aurantiaca) OSAGE ORANGE. 1 to 1½ ft., S., for hedge planting		I 50	\$10 00
	75	5 00	*
Ulmus alata. Wahoo, or Winged Elm.	13	3 00.	45 50
4 to 5 ft., tr	50	30 00	
6 to 8 ft., tr 4		40 00	
8 to 10 ft., tr., beautifully winged			
americana. American Elm.			
4 to 5 ft., tr		12 50	
6 to 8 ft., tr	50	20 00	

DECIDUOUS TREES, continued			
Ulmus campestris. English Elm.	Per 10	100	1,000
3 to 4 ft., tr	\$1 50	\$10 00	
6 to 8 ft., tr			
8 to 10 ft., tr	4 00		
2 to 3 ft., tr			
5 to 6 ft., tr			
6 to 8 ft., tr			
8 to 10 ft., tr			
campestris pendula. Weeping English Elm. 3-yr. heads, extra good			
campestris purpurea. Purple-leaved English Elm.	/ 50		
6 to 8 ft., tr	6 00	55 00	
elliptica. Persian Elm.		33	
1 to 1½ ft., tr	2 50		
pedunculata. ASIATIC ELM.			
5 to 6 ft., tr	4 50		
scabra (U. montana). Scotch, or Wych Elm.			
6 to 8 ft., tr	4 00	35 00	
10 to 12 ft., tr., extra select	0 00	55 00	
scabra pendula. CAMPERDOWN WEEPING ELM. 3-yr. heads, splendid specimens	~ 50		
serotina. Late-flowering Elm.	7 50		
5 to 6 ft., tr.; a meritorious shade tree	5 00	45 00	
8 to 10 ft., tr			
10 to 12 ft., tr			
Viburnum lentago. Sheepberry; Nannyberry.		, ,	
2 to 3 ft., tr., splendid stock	I 50	12 50	
3 to 4 ft., tr., choice			
5 to 6 ft., tr., choice	2 25	20 00	
5 to 6 ft., tr., tree form, stems 24 in	2 50	22 50	
1 to 1½ ft., tr	2 00	17 50	
For other species, see under Deciduous Shrubs.			
Virgilia. See Cladrastis.			
Vitex agnus castus. Chaste Tree.			
ı to 1½ ft., tr	1 50	12 50	
Xanthoceras sorbifolia. Chinese Flowering Chestnut.			
1 to 1½ ft., tr	I 50	12 50	
Xanthoxylum americanum. PRICKLY ASH.			
2 to 3 ft., tr	2 50		
Zelkova acuminata (Z. keaki). JAPANESE ZELKOVA.			
1½ to 2 ft., tr	2 50		
DDOAD I FALVED EVEDODEEN	,	DEEC	
BROAD-LEAVED EVERGREEN		KEES	
Buxus arborescens. TREE Box.	D		
	Per 10		1,000
8 to 10 in., tr	φ1 50	\$12 50	

Buxus arborescens. TREE BOX.	Per 10	100	1,000
8 to 10 in., tr	\$1 50	\$12 50	
For other species, see under Broad-leaved Evergreen Shrubs	s.	, - J-	
Camphora officinalis. Camphor Tree.			
2 to 3 ft., tr., from pots	2 75		
Eriobotrya japonica. Loquat, or Japanese Medlar.			
12 to 18 in., tr., from pots	I 50	12 50	
llex aquifolium. English, or European Holly.			
6 to 8 in., tr	I 25	10 00	
I to I ½ ft., tr., balled	2 00	17 50	
3 to 4 ft., tr., with balls.	10 00	-, 3-	
aquilolium aureo-regina. VARIEGATED HOLLY.			
I to 1½ ft., tr., with balls	10 00		
aquifolium ferox. Hedgehog Holly.			
I to I1/2 ft., tr., with balls	10 00		
aquilolium terox variegata. Variegated Hedgehog Holly.			
I to I1/2 ft., tr., balled	2 50		
aquitolium laurifolia. Entire-leaved Holly.			
I to I1/2 ft., tr., with balls	10 00		
cornuta. Chinese Holly.			
8 to 10 in., tr., with balls	6 00		
crenata. JAPANESE HOLLY.			
4 to 6 in., tr.,	I 00	7 50	\$60 oc
8 to 10 in., tr	I 75	15 00	
12 to 15 in., tr	. 2 00	18 75	
		, ,	

BROAD-LEAVED EVERGREEN TREES, continued Ilex opaca. American Holly. Per 10 100 1,000 t to 1½ ft., tr.....vomitoria. Cassena, or Yaupon. \$35 00 For other species, see under Deciduous Trees, Deciduous Shrubs, and Broad-leaved Evergreen Shrubs. 12 50 Laurocerasus caroliniana (Prunus caroliniana). WILD ORANGE. 17 50 12 50 10 to 12 in., tr., from pots..... 1 50 12 50 2 to 3 ft., tr., with balls..... 000 lusitanica. PORTUGAL LAUREL. 1 to 1½ ft., tr., balled..... 2 50 6 to 8 in., tr., from pots..... 1 50 12 50 25 00 30 00 grandiflora gloriosa. LARGE-FLOWERED MAGNOLIA. 11/2 ft., tr., with balls. For other species, see under Deciduous Trees. Prunus caroliniana. See Laurocerasus, above, Schinus molle. California Pepper Tree. 3 to 4 ft., tr., pot-grown..... 2 75 BROAD-LEAVED EVERGREEN SHRUBS Abelia floribunda. Mexican Abelia. Per 10 1.000\$2 50 \$22 50 grandifiora (A. rupestris). HYBRID ABELIA. \$85 00 10 00 15 00 125 00 22 50 200 00 72 50 Andromeda floribunda. See Pieris floribunda. japonica. See Pieris japonica. polifolia. WILD ROSEMARY. 8 to 10 in., tr...... 1 25 10 00 Aucuba japonica. Japanese Laurel. 12 to 18 in., tr., balled...... japonica aurea maculata. Gold-dust Laurel. 2 25 20 00 6 to 8 in., tr., from pots..... 1 25 10 00 japonica himalaica. ASIATIC LAUREL. 10 to 12 in., tr...... 1 50 12 50 Azalea amœna. HARDY EVERGREEN AZALEA. 25 00 32 50 120 00 12 50 6 to 8 in., tr., with balls. 17 50 For other species, see under Deciduous Shrubs. Berberis aquifolium (Mahonia aquifolium). OREGON GRAPE. 10 00 12 50 I to I½ ft., tr..... 2 00 15 00

BROAD-LEAVED EVERGREEN SHRUBS, continued

BROAD-LEAVED EVERGREEN SHRUBS, continu	led			
	Per		100	1,000
12 to 18 in., tr	§ I	50	\$12 50	
fascicularis. FASCICLED BARBERRY. 1 1/2 to 2 ft., tr	2	00		
ilicifolia. Holly-leaved Barberry. 1 to 1½ ft., tr			10 00	
japonica (Mahonia japonica). JAPANESE MAHONIA. 6 to 10 in., tr	I	25	10 00	
newberti. Newbert's Barberry. 1½ to 2 ft., tr	ı	25	10 00	
repens (Mahonia repens). CREEPING MAHONIA. 6 to 8 in., tr	I	50	12 50	
stenophylla. SMALL-LEAVED BARBERRY. 1 to 1½ ft., tr., specimens	2	50		
For other species, see under Deciduous Shrubs. Buxus japonica aurea. Golden Box.				
8 to 10 in., tr	I	50	10 00	
sempervirens. Boxwood.				
6 to 8 in., tr., splendid for planting out	•		3 50	\$27 50
10 to 12 in., tr., bushes			15 00	
1½ to 2 ft., tr., pyramids			25 00 50 00	
2½ to 3 ft., tr., bushes			30 00	
2½ to 3 ft., tr., pyramids	15	00		
2½ to 3 ft., tr., standards				
3 to 4 ft., tr., pyramids				
sempervirens handsworthi. HANDSWORTH'S BOX.				
8 to 10 in., tr			10 00	
1 to 1½ ft., tr., bushes			25 00	
1 to 1½ ft., tr., pyramids			50 00	
2 to 2½ ft., tr., bushes				
2 to 2½ ft., tr., pyramidssuffruticosa. Dwarf Box.	15	00		
3 to 4 in., tr., splendid stock			2 0 =	25 40
4 to 6 in., tr., very fine			3 25 4 00	27 50 30 00
For other species, see under Broad-leaved Evergreen Trees.			4 00	30 00
Calluna vulgaris. Scotch Heather.				
4 to 6 in., tr., with balls		75	5 00	40 00
vulgaris alba. WHITE HEATHER.		13	3 00	40 00
4 to 6 in., tr., with balls		75	5 00	40 00
Camellia japônica. CAMELLIA.				
1 to 1½ ft., tr., with balls, assorted			47 50	
1½ to 2 ft., tr., balled, assorted	8	00	75 00	
thea (Thea bohea). TEA PLANT.				
i to 1½ ft., tr., with balls	2	00		
Cassandra. See Chamædaphne.				
Chamædaphne calyculata (Cassandra calyculata). LEATHER-LEAF.				
1½ to 2 ft., tr., with balls, choice	2	50	20 00	
Cleyera japonica. Japanese Cleyera.				
1 to 1½ ft., tr., with balls	2	50		
Cotoneaster buxifolia. Box-LEAVED COTONEASTER. 1½ to 2 ft., tr	т	<i>~</i> ~	T	
horizontalis. Prostrate Cotoneaster.	1	75	15 00	
8 to 10 in., tr	I	25	10 00	
microphylla. Small-leaved Cotoneaster. 1 to 1½ ft., tr	т	5 0	12 50	,
microphylla glacialis. Dwarf Cotoneaster.				
rotundifolia. ROUND-LEAVED COTONEASTER.			12 50	
10 to 12 in., trsimoni. Shining-leaved Rose Box.			10 00	
thymifolia. Thyme-leaved Cotoneaster.	Ι	25	10 00	
I to 1½ ft., tr	I	50	12 50	
Cratægus pyracantha. See Pyracantha.				
Daphne blagayana. White Garland Flower. 4 to 6 in., tr., with balls	7	50		
cneorum. GARLAND FLOWER.				
8 to 10 in., tr., with balls	3	50		
Dendrium buxifolium (Leiophyllum buxifolium). SAND MYRTLE.				
10 to 12 in., tr., with balls	I	75	15 00	

BROAD-LEAVED EVERGREEN SHRUBS, continued

Elæagnus macrophylla. Broad-leaved Oleaster. Per 1	0 700	1 000
10 to 12 in., tr\$2 5	0 100	1,000
reflexa. Bronze Oleaster. 1½ to 2 ft., tr	0 6 70 70	
2 to 3 it., tr.,	0 \$12 50 5 20 00	
reflexa variegata. VARIEGATED OLEASTER. 12 to 15 in., tr., with balls	^	
For other species, see under Deciduous Shrubs.	0	
Ephedra distachya. Two-spiked Ephedra. 12 to 15 in., tr	5 10 00	
Erica carnea. Moor Heath.		
2 yrs., tr., with balls 1 5 stricta. Corsican Heath.	0 12 50	
2 yrs., tr., with balls 1 5	0 12 50	
tetralix. Cross-leaved Heath. 2 yrs., tr., with balls	0 12 50	
vagans. Cornish Heath.		
2 yrs., tr., with balls 1 50 Escallonia virgata. Escallonia.	0 12 50	
18 to 24 in., tr., from pots 1 50	0 12 50	
Euonymus japonicus. Evergreen Euonymus. 8 to 10 in., tr., for growing on	2 00	\$05.00
1 to $1\frac{1}{2}$ ft., tr 1 2	3 00 5 10 00	\$25 OC
japonicus aureo-variegatus. Variegated Euonymus.	20 00	
10 to 12 in., tr., pot-grown 2 50	22 50	
japonicus microphyllus (Ē. pulchellus). SMALL-LEAVED EUONY-		
12 to 15 in., tr., balled 1 25	10 00	
patens. Many-flowered Euonymus.	22 50	
1 to 1½ ft., tr., a splendid hardy shrub 2 50	22 50	
For other species, see under Deciduous Shrubs. Fuchsia corallina. CORAL FUCHSIA.		
1 to 1½ ft., tr., from pots. Hardy South 1 50	12 50	
gracilis. SLENDER FUCHSIA. 10 to 12 in., tr., from pots	T0 50	
riccartoni. Riccarton Fuchsia.		
I to 1½ ft., tr., from pots	12 50	
12 to 18 in., tr., with balls I 50	12 50	
jasminioides fortunei. Large-flowered Cape Jasmine. 12 to 18 in., tr., with balls	12 50	
jasminioides radicans. NARROW-LEAVED CAPE JASMINE.		
6 to 8 in., tr	12 50	
19 to 12 in., tr., with balls; for forcing 1 75	15 00	
Ilex glabra. INKBERRY, or WINTERBERRY. 8 to 10 in., tr		
For other species, see under Deciduous Shrubs, Deciduous		
Trees, and Broad-leaved Evergreen Trees. Illicium anisatum (I. religiosum). ANISE TREE.		
1 to $1\frac{1}{2}$ ft., tr., with balls 2 50		
Kalmia angustifolia. NARROW-LEAVED LAUREL. 10 to 12 in., tr., with balls 2 00	15 00	
latifolia. Mountain Laurel, or Calico Bush.		
10 to 12 in., tr., with balls 3 75 1 to 1½ ft., tr., with balls 4 00	35 00 37 50	
$1\frac{1}{2}$ to 2 ft., tr., with balls 4 50	40 00	
2 to 2½ ft., tr., with balls 5 00 2½ to 3 ft., tr., with balls 6 00	45 00 50 00	425 00
Leiophyllum. See Dendrium.		.0
Leucothoe acuminata. PIPE-wood. 1 to 1½ ft., tr., with balls		
catesbæi. Catesby's Leucothoe.	0	
6 to 8 in., tr	8 50	75 OC 90 OC
I to 1½ ft., tr., balled	22 50	
Ligustrum japonicum. JAPANESE PRIVET.		
2 to 3 ft., tr	15 00	
2 to 3 ft., tr.; beautiful flowering shrub I 50	12 50	
4 to 5 ft., tr	25 00	

1,000 \$50 00 75 00

BROAD-LEAVED EVERGREEN SHRUBS, continued

Ligustrum sinense. CHINESE PRIVET. Per 1	
1½ to 2 ft., tr	5 \$6 00
3 to 4 ft., tr 1 2	
For other species see under Deciduous Shrubs. Mahonia. See Berberis.	
Myrtus communis. True Myrtle.	
6 to 8 in., tr., from pots 1 7	
Nandina domestica. Japanese Nandina.	5 20 00
1 to 1½ ft., tr., with balls 2 50	0
Nerium oleander. OLEANDER. 12 to 18 in., tr., from pots, assorted	0 12 50
Osmanthus aquifolium. HOLLY-LEAVED OLIVE.	
1 to 1½ ft., tr., with balls	0 22 50 0 27 50
fragrans (Olea fragrans). FRAGRANT OLIVE.	
Pernettya mucronata. PRICKLY HEATH.	25 00
8 to 10 in., tr., balled 3 00	0 25 00
speciosa. Cranberry Heath. 8 to 10 in., tr., with balls 3 oc	25.00
Phillyrea angustifolia. NARROW-LEAVED FILARIA.	
2 to 3 ft., tr	0 15 00
decora (P. vilmoriniana). Broad-leaved Filaria. 10 to 12 in., tr., from pots	0 22 50
Photinia serrulata. Evergreen Photinia.	
I to 1½ ft., tr., with balls 2 50 Pieris floribunda (Andromeda floribunda). Mountain Fetter Bush.	5
12 to 15 in., tr., with balls; extra10 od	80 00
japonica (Andromeda japonica). Japanese Fetter Bush. 8 to 10 in., tr., with balls	20 00
12 to 15 in., tr., with balls 6 25	5 57 50
Pittosporum tobira. Tobira. Tobira. to 1½ ft., tr., with balls	0 25 00
Pyracantha coccinea (Cratægus pyracantha). Evergreen, or Pyra-	23 00
CANTHA THORN. 12 to 15 in., tr	12 50
coccinea lalandi. Laland's Pyracantha.	
Phododondron orbitishium (R. milamianum) Dwinn Bronophy	0 12 50
Rhododendron arbutifolium (R. wilsonianum). DWARF RHODODEN-DRON.	
8 to 10 in., tr., with balls; fine hardy sort 3 oc	
12 to 15 in., tr., with balls; superb plants 3 50 catawbiense. Catawba Rhododendron.	30 00
8 to 10 in., tr., with balls 2 75	25 00
10 to 12 in., tr., with balls 3 50 1½ to 2 ft., tr., with balls 8 50	30 00
2 to 2½ ft., tr., with balls	
catawbiense hybridum. CATAWBA HYBRID RHODODENDRON. Any of the following varieties:	
I to 1½ ft., tr., with balls	
$1\frac{1}{2}$ to 2 ft., tr., with balls	100 00
2½ to 3 ft., tr., with balls 50	
A. Lincoln. Crimson. Album elegans. Large flowers; blush, changing to white.	
Album grandiflorum. Blush-white; large truss.	
Album superbum. White, with blush tint. Anna Parsons. Soft red.	
Atrosanguineum. Deep blood-red.	
Betty Parsons. Reddish purple. Caractacus. Rich purplish crimson.	
Catawbiense album. White.	
Charles Bagley. Cherry-red. Charles Dickens. Dark scarlet.	
Delicatissimum. Blush-white, tinted pink.	
Everestianum. Rosy lilac, spotted and fringed. F. D. Godman. Crimson.	
General Grant. Bright red.	
Giganteum. Light rose; large truss.	
H. H. Hunnewell. Dark, rich crimson. James Bateman. Clear, rosy scarlet.	
Lady Armstrong. Pale rose, beautifully spotted.	

28 Biltmore Nursery, Biltmore, North Carolina BROAD-LEAVED EVERGREEN SHRUBS, continued Rhododendron catawbiense hybridum, continued Lee's Purple. Dark purple. Mrs. Milner. Rich crimson. Per 10 100 1,000 Parsons' Gloriosum. Soft rose. Parsons' Grandiflorum. Clear rose. President Lincoln. Soft rose. Purpureum elegans. Fine purple. Purpureum grandiflorum. Purple; large truss and flowers. Roseum elegans. Rose. Roseum superbum. Light rose. maximum. Rose Bay, or Great Laurel. \$45 00 \$425 00 50 00 450 00 myrtifolium. Myrtle-leaved Rhododendron. 6 to 8 in., tr., with balls; fine, hardy sorts. 10 to 12 in., tr., with balls; superb plants. 2 50 punctatum. Early-flowering Rhododendron. Skimmia oblata. Japanese Skimmia. 4 yrs., with balls..... 2 50 Thea bohea. See Camellia thea. Veronica buxifolia. NEW ZEALAND SPEEDWELL. 15 00 2 yrs., balled...... 1 75 15 00 Viburnum odoratissimum. Fragrant Viburnum. 15 00 1 to $1\frac{1}{2}$ ft., tr., from pots..... 2 00 17 50 tinus. LAURUSTINUS. 12 to 15 in., tr., from pots...... 1 75 15 00 **DECIDUOUS SHRUBS** Acanthopanax pentaphyllum (Aralia pentaphylla). FIVE-LEAVED Per 10 IOO 1,000 ANGELICA. 2 to 3 ft., tr.....\$1 00 \$8 50 Adelia acuminata (Forestiera acuminata). Pointed-leaved Adelia. 12 50 16 00 ligustrina (Forestiera ligustrina). PRIVET-LEAVED ADELIA. 1½ to 2 ft., tr...... 1 50 12 50 Alnus alnobetula (A. viridis). GREEN, or MOUNTAIN ALDER. Amelanchier rotundifolia. ROUND-LEAVED JUNEBERRY. 1 to 1½ ft., tr. 12 50 For other species, see under Deciduous Trees. Amorpha canescens. LEAD PLANT. 10 to 12 in., tr...... 1 00 fruticosa. FALSE INDIGO. 12 50 10 00 3 00 \$25 00 Azalea arborescens. FRAGRANT AZALEA. 10 00

1½ to 2 ft., tr., with balls; superb plants..... 5 00

17 50 22 50

Azalea gandavensis, continued	Per	10	100	1,000
Any of the following named varieties: $1\frac{1}{2}$ to 2 ft., tr., with balls; superb plants	\$ -2			,,,,,,
Daviesi. Pure white.	47	30		
Geant des Batailles. Deep crimson. Guelder Roos. Bright orange.				
Louis Aime Van Houtte. Double; vermilion-red.				
Mina Van Houtte. Double; rosy pink. Narcissiflora. Double; light yellow.				
Princesse d'Orange. Salmon-pink. Sanguinea. Scarlet.				
lutea (A. calendulacea). FLAME-COLORED AZALEA.				
8 to 10 in., tr., with balls	2	00	\$17 50	
12 to 15 in., tr., with balls	2	50	22 50 30 00	
mollis. Japanese Azalea.	. 3	3.	30 00	
10 to 12 in., tr., with balls; select	3	00	25 00	
I to 1½ ft., tr., with balls; extra fine	5	75 00		
Any of the following named varieties: 1½ to 2 ft., tr., with balls; superb plants	7	50		
Anthony Koster. Yellow, shaded orange.	•	30		
Byron. Double; pure white. Charles Rogier. Rose, margined with white.				•
Frederic de Merode. Scarlet.				
Frere Orban. Clear yellow, tinged with rose. General Goffinet. Rosy lilac.				
Murillo. Double; rosy purple. Prince Albert. Salmon and white.				
Virgille. Double; clear yellow.				
nudiflora. PINKSTER FLOWER.				
1 to $1\frac{1}{2}$ ft., tr., with balls	3	50 50	22 50 30 00	
pontica. Common Pontic Azalea.				
1 to $1\frac{1}{2}$ ft., tr., balled	3	75 00		
vaseyi (Rhododendron vaseyi). CAROLINA AZALEA. 1 to 1½ ft., tr., with balls	2	50	30 00	
2 to 3 ft., tr., balled	5	75	30 00	
viscosa. Small White Azalea. 8 to 10 in., tr., with balls			,	
12 to 15 in., tr., with balls			17 50 22 50	
For other species, see under Broad-leaved Evergreen Shrubs.				
Baccharis halimifolia. GROUNDSEL BUSH. 1 to 1½ ft., tr., choice plants	I	00	8 50	\$75 00
2 to 3 ft., tr., select	I	25.	10 00	80 00
Benzoin benzoin (Lindera benzoin). Spice Bush.	1	50	12 50	
2 to 3 ft., tr	I	50	12 50	
3 to 4 ft., tr., choice	I 2	75	15 00 17 00	
Berberis asiatica. ASIATIC BARBERRY.			-, -,	
3 to 4 ft., tr	I	50	12 50	
canadensis. Canadian Barberry. 1 to 1½ ft., tr	Ţ	00	8 50	
2 to 3 ft., tr			10 00	
heteropoda. Turkestan Barberry. 12 to 18 in., tr		00	8 50	
3 to 4 ft., tr			10 00	·
sinensis. Chinese Barberry. 3 to 4 ft., tr., heavy	I	25	10 00	
thunbergi. THUNBERG'S BARBERRY.				
8 to 12 in., tr., splendid for growing on		75	3 oo 6 50	25 00 60 00
1½ to 2 ft., tr	I	50	13 50	
vulgaris. Common European Barberry. 1½ to 2 ft., tr., select stock		7 =	6 00	
2 to 3 ft., tr., fine stock		75 25	10 00	

DECIDOOOS SI MODS, continued				
Berberis vulgaris atropurpurea. Purple-leaved Barberry.	Per	r IO	100	1,000
1½ to 2 ft., tr., splendid stock	\$0	75	\$6 00	
2 to 3 ft., tr., select	I	25	10 00	
For other species, see under Broad-leaved Evergreen Shrubs.				
Buckleya distichophylla. Buckleya.				
1 yr., on Tsuga canadensis	7	50		
Buddleia intermedia. Hybrid Buddleia.				
1½ to 2 ft., tr	2	00	17 50	
japonica (B. curviflora). JAPANESE BUDDLEIA.				
1½ to 2 ft., tr	2	00	15 00	
lindleyana. CHINESE BUDDLEIA.				
2 to 3 ft., tr			12 50	
3 to 4 ft., tr	2	00	17 50	
variabilis. Sweet-scented Buddleia.				
1½ to 2 ft., tr		50	12 50	
Butneria fertilis (Calycanthus lævigatus and C. glaucus). CAROLINA				
ALLSPICE, or SWEET SHRUBS.				
I to 2 ft., tr., splendid stock		65	5 00	\$45 00
2 to 3 ft., tr., select	I	25	10 00	
3 to 4 ft., tr., specimens	I	75	15 00	
florida (Calycanthus floridus). STRAWBERRY SHRUB.				
2 to 3 ft., tr., splendid stock	1	25	10 00	
3 to 4 ft., tr., select	I	75	15 00	
2 to 3 ft., tr	3	00		
Callicarpa americana. French Mulberry.				
ı to 1½ ft., tr	Ι	00		
purpurea. Purple-fruited Callicarpa.			0	
I to 1½ ft., tr	1	00	8 50	
2 to 3 ft., tr., splendid stock	Ι	25	10 00	
Calycanthus. See Butneria.				
Caragana arborescens. Siberian Pea Shrub.				
10 to 12 in., tr., for lining out		50	4 50	
2 to 3 ft., tr	I	50	12 50	
chamlagu. Mongolian Pea Shrub.				
18 to 24 in., for lining out			3 50	27 50
2 to 3 ft., tr., splendid stock	I	25	10 00	
Caryopteris mastacanthus. Blue Spirea.				
12 to 18 in., tr	I	25	10 00	
Ceanothus americanus. RED ROOT; NEW JERSEY TEA.				
8 to 10 in., tr	I	00	8 50	
hybridus. Gloire de Versailles.				
1 to 1½ ft., tr	I	7.5		
Cephalanthus occidentalis. Button Bush.				
2 to 3 ft., tr	т	25	10 00	
Chimonanthus fragrans. ORIENTAL SWEET SHRUB.		-3		
1 to 1½ ft., tr		25	TO 00	
· - ·	1	25	10 00	
Clethra acuminata. Mountain Pepper Bush.	_			
1½ to 2 ft., tr			15 00	
2 to 3 ft., tr	2	50	20 00	
1 to 1½ ft., tr., fine stock		7 =	6 00	50 00
$1\frac{1}{2}$ to 2 ft., tr., extra fine			8 50	30 00
2 to $2\frac{1}{2}$ ft., tr., select	T	25	10 00	
3 to 4 ft., tr., specimens			12 50	
Colutea arborescens. Bladder Senna.		5-	3.	
I to 1½ ft., tr	т	00	8 50	
	1	-	0 30	
Comptonia peregrina (Myrica asplenifolia). SWEET FERN.			FO 40	
1 to 1½ ft., tr	1	50	12 50	
Corchorus. See Kerria.				
Coriaria japonica. Japanese Coriaria.				
1 to 1½ ft., tr., from pots	2	00	15 00	
myrtifolia. MYRTLE-LEAVED CORIARIA.				
I to I1/2 ft., tr., from pots	2	00	15 00	
Cornus alba (C. sibirica). SIBERIAN RED OSIER.				,
1½ to 2 ft., tr	1	00	8 00	
3 to 4 ft., tr			10 00	
alba spæthi. Yellow-leaved Dogwood.		J		
I to 1½ ft., tr	т.	50	12 50	
2 00 2/2 100, 02	-	30	12 30	

DECIDUOUS SHRUBS, continued		
Cornus amomum (C. sericea). SILKY DOGWOOD. Per 10	100	1,000
2 to 3 ft., tr., extra fine\$1 00	\$8 00	2,000
3 to 4 ft., tr., select 1 25	10 00	
candidissima (C. paniculata). PANICLED DOGWOOD.		
1½ to 2 ft., tr., fine stock 1 00	8 00	
3 to 4 ft., tr., select	10 00	
circinata. Round-leaved Dogwood.	10 00	
1 to 1½ ft., tr., nice 1 25	10 00	
mas (C. mascula). Cornelian Cherry.	10 00	
1½ to 2 ft., tr	8 00	
sanguinea. European Red Osier.	8 00	
1½ to 2 ft., tr	9 00	
stolonifera. Red Osier Cornel.	8 00	
	0	
1½ to 2 ft., tr	8 00	
stolonifera flaviramea. Golden-twigged Osier.	0	
1½ to 2 ft., tr	8 00	
For other species, see Deciduous Trees.		
Coronilla emerus. Scorpion Senna.		
1½ to 2 ft., tr		
Corylus americana. HAZELNUT.		
2 to 3 ft., tr., extra fine	12 50	
4 to 5 ft., tr., extra fine	17 50	
avellana. Filbert.	-1 30	
1½ to 2 ft., tr 1 75	15 00	
avellana laciniata. Cut-leaved Hazel.	15 00	
1½ to 2 ft., tr 2 00	T = 40	
maxima purpurea. Purple-leaved Filbert.	17 50	
$1\frac{1}{2}$ to 2 ft., tr	T.0	
rostrata. Beaked Hazelnut.	12 50	
I to 1½ ft., tr 1 50		
•	12 50	
Cotoneaster acutifolia. Pointed-leaved Cotoneaster.		
2 to 3 ft., tr 1 25	10 00	
multiflora. CHINESE COTONEASTER.		
1½ to 2 ft., tr 1 25	10 00	
3 to 4 ft., tr 2 00	17 50	
nummularia. Broad-leaved Cotoneaster.		
2 to 3 ft., tr 1 75		
For other species, see under Broad-leaved Evergreen Shrubs.		
Cratægus uniflora. One-flowered Thorn.		
2 to 3 ft., tr., splendid for low hedge 1 75		
For other species, see under Deciduous Trees.		
- 1		
Cydonia japonica (Pyrus japonica). JAPANESE, or FLOWERING		
Quince.		
2 yrs., S., 12 to 18 in	2 00	\$15 00
2 to 3 ft., tr I 00	8 50	
japonica candida. White Japanese Quince.		
I to 1½ ft., tr 1 25	10 00	
japonica rosea. Pink Japanese Quince.		
I to 1½ ft., tr I 25	10 00	
maulei (Pyrus maulei). DWARF FLOWERING QUINCE.		
I to 1½ ft., tr 1 25	10 00	
Cytisus scoparius (Genista scoparia). Scotch Broom.		
1½ to 2 ft., tr	12 50	
· ·	12 30	
Daphne genkwa. JAPANESE DAPHNE.		
15 to 18 in., tr., with balls 5 oo		
mezereum. Mezereon Daphne.		
1½ to 2 ft., tr 3 50		
For other species, see under Broad-leaved Evergreen Shrubs.		
Desmodium. See Lespedeza, under Herbaceous Perennials.		
Deutzia crenata candidissima. Double White Deutzia.		
2 to 3 ft., tr	6 00	
3 to 4 ft., tr., fine	8 50	
5 to 6 ft., tr., superb specimens 1 50	12 50	
crenata flore roseo plena. Double Pink Deutzia.	12 30	
	6	
2 to 3 ft., tr	6 00	
3 to 4 ft., tr	8 50	
5 to 6 ft., tr	12 50	
crenata, Pride of Rochester. LARGE-FLOWERED DEUTZIA.		
2 to 3 ft., tr	6 00	
3 to 4 ft., tr 1 00	8 50	
4 to 5 ft., tr 1 25	10 00	

DECIDOOUS SHRUBS, continued			
	er 10	100	1,000
2 to 3 ft., tr\$0		\$6 00	
3 to 4 ft., tr	1 00	8 50	
crenata wellsi. Wells' White Deutzia. 2 to 3 ft., tr		6 00	
3 to 4 ft., tr	75	6 00 8 50	
gracilis. Slender Deutzia.		0 30	
10 to 12 in., tr	65	5 00	
$1\frac{1}{2}$ to 2 ft., tr	00	8 50	
gracilis rosea. Slender Pink Deutzia.			
1 to 1½ ft., tr	75	6 00	
2 to 3 ft., tr., fine	1 00	8 50	
10 to 12 in., tr	7-	6 00	
1½ to 2 ft., tr		8 50	
parviflora. Small-flowered Deutzia.		0 30	
1 to 1½ ft., tr	25	10 00	
scabra. Rough-leaved Deutzia.			
2 to 3 ft., tr	75	6 00	
3 to 4 ft., tr	00	8 50	
18 to 24 in., tr		10 00	
2 to 3 ft., tr		12 50	
Diervilla diervilla (D. trifida). Bush Honeysuckle.	. 30	12 30	
I to $1\frac{1}{2}$ ft., tr	50	12 50	
florida (Weigelia amabilis and W. rosea). Rose-colored Wei-	. 50	12 30	
GELIA.			
12 to 18 in	65	5 00	
2 to 3 ft., tr	25		
Any of the following forms:			
1½ to 2 ft., tr		8 50	
2 to 3 ft., tr	25	10 00	
Isolene. White or flesh, with yellow spot in throat.			
Kosteriana variegata. Leaves bordered with yellow.			
Nana variegata. Leaves variegated with white.			
hybrida. Hybrid Weigelia.			
Any of the following forms:			
1½ to 2 ft., tr 1	00	8 50	
2 to 3 ft., tr	25	10 00	
Conquete. Deep pink; very large flowers.			
Desboisi. Deep rose; profuse.			
Edouard Andre. Dark brownish purple.			
Eva Rathke. Flowers carmine-red; very floriferous.			
Gustav Mallet. Pink; very pretty.			
Mme. Lemoine. Blush-white, changing to pink.			
Steltzneri. Dark rose; very floriferous.			
rivularis. Gattinger's Bush Honeysuckle.			
3 to 4 ft., tr	25	10 00	
sessilifolia. High Bush Honeysuckle. 3 to 4 ft., tr		TO 50	
	50	12 50	
Dirca palustris. Leatherwood. 1 to 1½ ft., tr			
the state of the s	50		
Elæagnus angustifolia (E. hortensis). Russian Olive.		0	
ı½ to 2 ft., tr I longipes. Goumi.	00	8 50	
3 to 4 ft., tr	-0	12 50	
parvifolia. Small-leaved Silver Thorn.	30	12 30	
2 to 3 ft., tr	50	12 50	
umbellata. JAPANESE OLEASTER.	30	30	
2 to 3 ft., tr	25	10 00	
4 to 5 ft., tr I			
For other species, see under Broad-leaved Evergreen Shrubs.			
Euonymus alatus. Winged Burning Bush.			
12 to 15 in., tr		17 50	
2 to 3 ft., tr	00	25 00	
americanus. Strawberry Bush.			
1½ to 2 ft., tr		12 50	
2 to 3 ft., tr	50		
europæus. European Spindle Tree.			
3 to 4 ft., tr	25	10 00	

Euonymus hamiltonianus. Hamilton's Spindle Tree. Per		100	1,000
3 to 4 ft., tr		\$10 00	
i to 1½ ft., tr sieboldianus. Siebold's Spindle Tree.	50		
2 to 3 ft., tr	25	10 00	
Exochorda alberti. Turkestan Pearl Bush.			
grandiflora. Pearl Bush.	50	20 00	
1½ to 2 ft., tr 1		10 00	
2 to 3 ft., tr	50	12 50	
ı to 1½ ft., tr ı phillyræoides. Fontanesia.	25	10 00	
3 to 4 ft., tr	50	12 50	
Forestiera. See Adelia. Forsythia intermedia. Hybrid Golden Bell.			
2 to 3 ft., tr I	00	8 00	
4 to 5 ft., tr	50	12 50	
2 to 3 ft., tr., extra fine I		10 00	
3 to 4 ft., tr., choice I suspensa fortunei (F. fortunei). FORTUNE'S GOLDEN BELL.	50	12 50	
3 to 4 ft., tr	50	12 50	
I to 1½ ft., tr., splendid for lining out		3 00	\$25 00
2 to 3 ft., tr., extra-fine stock	00	8 00	
3 to 4 ft., tr., select I 4 to 5 ft., tr., select I		10 00	
Fothergilla carolina (F. gardeni and F. alnifolia). DWARF FOTHER-	30	12 00	
GILLA.			
8 to 10 in., tr		12 50	
12 to 15 in., tr., extra choice	00	17 50	
18 to 24 in., tr	50	22 50	
parvifolia. SMALL-LEAVED FOTHERGILLA. 18 to 24 in., tr.,		17 50	
Genista germanica. GERMAN GENISTA.		, ,	
18 to 24 in., tr., from pots 1 præcox. Early-flowering Genista.	25	10 00	
6 to 10 in., from pots	25	10 00	
r to 1½ ft., tr., balled	75	15 00	
tinctoria. Dyer's Greenweed.			
8 to 10 in., tr	75	15 00	
1½ to 2 ft., tr	50	12 50	
3 to 4 ft., tr., choice	50	12 50	
5 to 6 ft., tr., extra fine		15 00	
Hibiscus syriacus. Rose of Sharon.			
Any of the following varieties: 1 to 1½ ft., tr		2 00	2
2 to 3 ft., tr	50	3 00 8 00	25 00
3 to 4 ft., tr		10 00	
4 to 5 ft., tr		15 00	
5 to 6 ft., tr	00	17 50	
Ardens. Double; bluish purple.			
Bicolor. Double; white, with red marks.			
Boule de Feu. Double; red.			
Carneo-plenus. Double; flesh-color, with red marks. Cœlestis. Single blue.			
Elegantissimus. Double; white, shaded with rose.			
Jeanne d'Arc. Double; pure white.			
Pæoniflorus. Double; rosy purple. Purpureus novus. Double; reddish purple.			
Rubis. The deepest red of the singles.			
Totus albus. Single; pure white.			
Variegatus. Foliage variegated with creamy white. Violaceus. Both double and single forms; violet-purple.			
violaceus. Both double and single forms; violet-purple.			

Himsels shamed dear Co. Droversons &			
	Per 1		1,000
1 to 1½ ft., tr			
Hydrangea arborescens. WILD HYDRANGEA.	1 2	5 10 00	
2 to 3 ft., tr	T ~	0 70 50	
arborescens sterilis. HILLS OF SNOW.	1 3	0 12 50	
I yr., tr		0 70 50	
2 yrs., tr			
hortensis. Japanese, or Garden Hydrangea.	2 0	0 15 00	
Any of the following forms:			
With marginal flowers radiant: Japonica and Rosalba.			
With all of the flowers radiant: Otaksa, Ramulis pictis and			
Thomas Hogg.			
ı yr., tr	10	0 8 50	
2 yrs., tr	I 2	5 10 00	
3 yrs., tr	I 5	0 12 50	
paniculata. Panicled Hydrangea.			
3 to 4 ft., tr., extra fine			
4 to 5 ft., tr., select	I 7	5 15 00	
paniculata grandiflora. LARGE-FLOWERED HYDRANGEA.			
10 to 12 in., tr., for lining out	.	3 00	\$25 00
1½ to 2 ft., tr., extra fine	7		60 00
paniculata præcox. Early-flowering Hydrangea.	1 0	0 8 50	
1½ to 2 ft., tr	т 2	f TO 00	
quercifolia. OAK-LEAVED HYDRANGEA.	1 2	5 10 00	
I to 1½ ft., tr			
	2 0	0 17 50	
radiata. SILVER-LEAVED HYDRANGEA.			
1½ to 2 ft., tr	1 5	0 12 50	
Hypericum aureum. LARGE-FLOWERED ST. JOHN'S WORT.			
12 to 18 in., tr			
2 to 3 ft., tr	I 2	5 10 00	
calycinum. AARON'S BEARD.			
ı yr., tr., strong	7	5 5 00	40 00
densifiorum. Dense-flowered St. John's Wort.			
1½ to 2 ft., tr., fine plants	I 2	5 10 00	
glomeratum. Mountain St. John's Wort.			
I to I½ ft., tr	I 2	5 10 00	
lobocarpum. Gattinger's St. John's Wort.			
$1\frac{1}{2}$ to 2 ft., tr	I 5	0 12 50	
moserianum. Gold-flower.			
2 yrs., tr., from pots; choice	I 2	5 10 00	
nudiflorum. Naked-flowered St. John's Wort.			
3 to 4 ft., tr	I 5	0 12 50	
prolificum. Shrubby St. John's Wort.			
1½ to 2 ft.,	I 2	5 10 00	
Ilex verticillata. Black Alder, or Winterberry.			
1 to 1½ ft., tr	1 7	5 15 00	
For other species, see under Deciduous Trees, Broad-leaved			
Evergreen Trees and Broad-leaved Evergreen Shrubs.			
Indigofera dosua. Indigo.			
1½ to 2 ft., tr	2 5	0	
Itea virginica. VIRGINIAN WILLOW.			
I to I½ ft., tr., splendid stock	1 0	0 8 50	75 00
$1\frac{1}{2}$ to $\tilde{2}$ ft., tr., extra fine			• •
2 to 2½ ft., tr., choice	I 5	0 12 50	
3 to 4 ft., tr., select	I 7	5 15 00	
Jasminum fruticans. Shrubby Jasmine.			
1 to 1½ ft., tr	1 0	0 8 50	
humile. Italian Yellow Jasmine.			
$1\frac{1}{2}$ to 2 ft., tr., from pots	1 0	0 8 50	
nudiflorum. NAKED-FLOWERED JASMINE.			
1 to 1½ ft., tr	1 0	0 8 50	
2 to 3 ft., tr., select	I 2	5 10 00	
officinale. True Jasmine, or Jessamine.			
I to 1½ ft., tr., from pots	1 0	0 8 50	
primulinum. LARGE-FLOWERED JASMINE.			
1½ to 2 ft., tr., from pots	I 5	0 12 50	
Kerria japonica (Corchorus japonica). GLOBE-FLOWER.			
1½ to 2 ft., tr	1 2	5 10 00	

DECIDOOOS SHROBS, continued			
Kerria japonica argenteo-variegata. SILVER KERRIA.	er 10	100	1,000
1½ to 2 ft., tr\$	I 25	\$10 00	-,
japonica flore pleno. Double-flowered Kerria.	3	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1½ to 2 ft., tr	T 25	10 00	
	3	10 00	
Lagerstræmia indica. CRAPE MYRTLE			
1 to 1½ ft., tr	1 50	12 50	
Lespedeza bicolor. Shrubby Bush Clover.			
2 yrs., tr	I 25	10 00	
3 yrs., tr		12 50	
Leucothoe racemosa (Andromeda racemosa). SWAMP LEUCOTHOE.			
2 to 3 ft., tr	T 25	10 00	
3 to 4 ft., tr		15 00	
recurva. Mountain Leucothoe.	1 /3	15 00	
	T 50	T2 50	
For other species, see under Broad-leaved Evergreen Shrubs.	1 50	12 50	
Ligustrum amurense. Amoor River Privet.			
12 to 18 in., tr., for lining out		2 50	\$20 00
2 to 3 ft., tr., fine stock	I 00	7 50	50 00
3 to 4 ft., tr., extra fine	I 25	10 00	
ciliatum. Bright-fruited Privet.			
2 to 3 ft., tr., extra good	I 00	8 50	
3 to 4 ft., tr., select		10 00	
ibota. Ibota Privet.	3		
2 to 3 ft., tr., extra fine	T 00	8 00	70 00
4 to 5 ft., tr		10 00	, 5 55
ibota regelianum (L. regelianum). REGEL'S PRIVET.	- 25	10 00	
		9	
I to I½ ft., tr., fine stock		8 50	
2 to 3 ft., tr., choice	1 25	10 00	
ovalifolium. California Privet.			
1½ to 2 ft., tr., splendid stock		4 00	30 00
2 to 3 ft., tr., choice		7 50	50 00
3 to 4 ft., tr., extra choice	I 25	10 00	
vulgare. European Privet, or Prim.			
1½ to 2 ft., tr	I 00	8 50	
For other species, see under Broad-leaved Evergreen Shrubs.			
Lindera. See Benzoin.			
Lonicera bella. Zabel's Honeysuckle.			
2 to 3 ft., tr., either white, pink or rose-color		8 50	
3 to 4 ft., tr., either white, pink or rose-color	I 25	10 00	
fragrantissima. ÉARLY FRAGRANT HONEYSUCKLE	, i		
2 to 3 ft., tr	I 25	10 00	75 00
3 to 4 ft., tr		12 50	, ,
		12 30	
gracinges. Nodding Honeysuckle. 1 to 1½ ft., tr	T 00	8 50	
involucrata. Western Fly Honeysuckle.	1 00	0 30	
		0	
10 to 15 in., tr		8 50	
2 to 3 ft., tr	1 50	12 50	
minutiflora. TINY-FLOWERED HONEYSUCKLE.		C	
1½ to 2 ft., tr		8 50	
3 to 4 ft., tr	1 25	10 00	
morrowi. Japanese Bush Honeysuckle.			
1½ to 2 ft., tr	I 00	8 50	
muendeniensis. Muenden Honeysuckle.			
2 to 3 ft., tr., new and noteworthy	1 25		
muscaviensis. Muskau Honeysuckle.			
4 to 5 ft., tr., new and noteworthy	1 50	12 50	
notha. Hybrid Bush Honeysuckle.			
1½ to 2 ft., tr., extra	00	8 50	
pyrenaica. Pyrenees Honeysuckle.		3-	
2 to 3 ft., tr	T 25		
ruprechtiana. MANCHURIAN HONEYSUCKLE.	3		
3 to 4 ft., tr., choice	T 25		
spinosa (L. alberti). LARGE-FRUITED HONEYSUCKLE.	- 25		
		TO 50	
I to 1½ ft., tr., very vigorous	50	12 50	
standishi. Standish's Bush Honeysuckle.			
2 to 3 ft., tr., select	50	12 50	
syringantha. LILAC-FLOWERED HONEYSUCKLE.			
I to 1½ ft., tr.; a distinct and meritorious shrub	I 50		
tatarica. Tartarian Honeysuckle.	3		
2 to 3 ft., tr., splendid plants	. 00	8 50	
2 to 4 ft tr choice stock	. 00		
3 to 4 ft., tr., choice stock	25	10 00	
5 to 6 ft., tr., extra fine	. 50	12 50	

DECIDOOOS SI INODS, continued			
Lonicera tibetica. TIBETAN HONEYSUCKLE. 3 to 4 ft., tr.; a distinct and meritorious shrub	Per 10	\$10 00	1,000
xylosteum. Fly Honeysuckle.			
2 to 3 ft., tr	I 25	10 00	
Lycium vulgare. MATRIMONY VINE, or BOX THORN. 2 to 3 ft., tr., cut back	T 00	7 50	\$ 60 00
Muehlenbeckia complexa. New Zealand Polygonum.	1 00	7 50	\$00 00
2 yrs., from pots	I 75		
Myrica asplenifolia. See Comptonia.			
caroliniensis. Waxberry, or Bayberry.	,		
10 to 12 in., tr	1 50		
2 to 3 ft., tr	I 50	12 50	
gale. Sweet Gale.			
Neviusia alabamensis. Snow Wreath.	I 75	15 00	
4 to 5 ft., tr	I 50	12 50	
Opulaster opulifolius (Physocarpus opulifolius and Spirae opulifolia		3-	
NINEBARK.			
3 to 4 ft., tr., extra good	I 25	10 00	90 00
4 to 5 ft., tr., select and heavy opulifolius aureus. Golden Ninebark.	1 50	12 50	
2 to 3 ft., tr	I 00	7 50	
3 to 4 ft., tr	I 25	10 00	90 00
Pæonia moutan. See under Herbaceous Perennials.			
Paliurus aculeatus. Christ's Thorn.			
1 to 2 ft., tr	1 50	12 50	
Philadelphus coronarius. Common Mock Orange, or Syringa.			
2 to 3 ft., tr	1 00	8 50	82 50
coronarius aureus. Golden Mock Orange. 1 to 1½ ft., tr	. 1 00	8 50	
coronarius dianthiflorus. Double-flowered Mock Orange.		. 3-	
2 to 3 ft., tr	1 25	10 00	
3 to 4 ft., tr	I 25	10 00	
floridus. Flowery Mock Orange. 3 to 4 ft., tr	1 50	12 50	
gloriosus. Southern Mock Orange. 3 to 4 ft., tr		12 50	
gordonianus. Gordon's, or Western Mock Orange. 2 to 3 ft., tr.		10 00	
grandiflorus. Large-flowered Mock Orange.	1 43	10 00	
2 to 3 ft., tr.; cut back; splendid		8 50	82 50
3 to 4 ft., tr., extra fine	I 25	10 00	90 00
3 to 4 ft., tr	1 50	12 50	
inodorus. Scentless Mock Orange.			
3 to 4 ft., tr.; extra good	1 50	12 50	
2 to 3 ft., tr., extra fine	I 00	8 50	82 50
4 to 5 ft., tr., select	1 50	12 50	100 00
laxus. Drooping Mock Orange. 4 to 5 ft., tr	T 50	12 50	
lemoinei. Hybrid Mock Orange.		12 50	
2 to 3 ft., tr	I 25	10 00	
Also any of the following forms: 1 to 1½ ft., tr	. I 25	10 00	
2 to 3 ft., tr		12 50	
Boule d'Argent and Mont Blanc.			
lewisi. Western Mock Orange. 1 to 1½ ft., tr	. T 25	10 00	
nepalensis. Himalayan Mock Orange.	*3		
2 to 3 ft., tr	. I 25	10 00	
pekinensis. Chinese Syringa. 1 to 1½ ft., tr	. 1 00	8 50	
purpureo-maculatus. Purple-spotted Mock Orange.		0 30	
I ft., tr	. 1 50		
satsumi. JAPANESE MOCK ORANGE. 3 to 4 ft., tr	. 1 25	10 00	
schrenki. Manchurian Mock Orange.			
I to I½ ft., tr	. 1 50		

	Per 10	100	1,000
1 to 1½ ft., tr		\$8 50 12 50	
Photinia villosa (Pourthiæa arguta). DECIDUOUS PHOTINIA.	1 30	12 50	
4 to 6 ft., tr	1 25	10 00	
Physocarpus. See Opulaster.			
Pieris mariana (Andromeda mariana). STAGGER-BUSH. 6 to 10 in., tr., balled	T 25	10 00	
I to 1½ ft., tr., balled	2 00	17 50	
Potentilla fruticosa. Shrubby Cinquefoil.			
2 to 3 ft., tr		8 50	
3 to 4 ft., tr	1 25	10 00	
Prunus besseyi. WESTERN SAND CHERRY. 2 to 3 ft., tr	I 25	10 00	
incana. DWARF GRAY ALMOND.			
1½ to 2 ft., tr	1 50		
japonica (Prunus nana and P. sinensis; Amygdalus pumila). Double-flowered Almond.			
I to 1½ ft., tr., either white or rose	1 00	8 50	
2 to 3 ft., tr., either white or rose	1 50	12 50	
i to $1\frac{1}{2}$ ft., tr	I 50		
pumila. SAND CHERRY.			
2 to 3 ft., tr	I 25	10 00	
triloba. Flowering Plum. 4 to 5 ft., tr	T 50	12 50	
For other species, see under Deciduous Trees.	1 30	12 30	
Ptelea. See under Deciduous Trees.			
Punica granatum. Pomegranate.			
I to 1½ ft., tr., from pots	1 25		
Pyrus arbutifolia. See Aronia arbutifolia. nigra. See Aronia nigra.			
Rhamnus cathartica. Common Buckthorn.			
2 to 3 ft., tr	1 50	12 50	
crenata. Japanese Buckthorn. 3 to 4 ft., tr	I 50	12 50	
frangula. Alder Buckthorn.			
3 to 4 ft., tr	1 50	12 50	
Rhodora canadensis. Rhodora.			
I to 1½ ft., tr., with balls	2 00		
Rhodotypus kerrioides. WHITE KERRIA.			
1½ to 2 ft., tr 2 to 3 ft., tr	I 00	8 50 10 00	
Rhus aromatica (R. canadensis). Sweet-scented Sumac.	1 23	10 00	
1 to 1½ ft., tr	2 50	20 00	
michauxi (R. pumila). DWARF SUMAC.			
6 to 10 in., tr	5 00		
Ribes alpinum. Mountain Currant.			
ı to 1½ ft., tr	1 50	12 50	
aureum. Missouri, or Flowering Currant.	т оо	7 50	
2 to 3 ft., tr	I 25	10 00	
curvatum. Southern Gooseberry.			
gordonianum. Pink-flowered Currant.	1 25	10 00	
1½ to 2 ft., tr	1 50	12 50	
nigrum. European Black Currant.	•	T.O. 7.5	
2 to 3 ft., trsanguineum. Red-flowered Currant.	1 50	12 50	
2 to 3 ft., tr	2 00	17 50	
Robinia hispida. Rose Acacia.			
I to 1½ ft., tr	I 25	10 00	

Rosa acicularis. American Prickly Rose. Per 10	100	1,000
Rosa acicularis. AMERICAN PRICKLY ROSE. Per 10 2 to 3 ft., tr	\$12 50	
1½ to 2 ft., tr	10 00	
i to 1½ ft., tr 1 25 altaica. Black-fruited Rose.	10 00	
i to 1½ ft., tr i 50 arkansana. Arkansas Rose.	12 50	
i to 1½ ft., tr i 50 arvensis (R. repens). European Running Rose.	12 50	
3 to 4 ft., tr 1 50	12 50	
blanda. Meadow Rose. 2 to 3 ft., tr	12 50	
3 to 4 ft., tr	15 00	
to to 12 in., tr., from pots 1 25 canina. Dog Rose.	10 00	\$95 00
2 to 3 ft., tr	8 50	
1 to 1½ ft., tr 1 00	8 50	75 00
2 to 3 ft., tr., choice stock	10 00	90 00
gallica. Provence Rose.	8 50	
humilis. Low, or PASTURE ROSE. 1 to 1½ ft., tr		
2 to 3 ft., tr 1 25	8 50	75 00 90 00
lævigata. Cherokee Rose. 1 to 1½ ft., tr	10 00	
1½ to 2 ft., tr	12 50	
1 to 1½ ft., tr 1 00	8 50	82 50
2 to 3 ft., tr	12 50	
I to 1½ ft., tr I 50 macrantha. White Provence Rose.	12 50	
I to 1½ ft., tr	12 50	
i to 1½ ft., tr 1 50 moschata grandiflora. Musk Rose.	12 50	
2 to 3 ft., tr 1 50	12 50	
multiflora. Japanese Climbing Rose. 2 to 3 ft., tr	8 50	80 00
3 to 4 ft., tr	10 00	
2 to 3 ft., tr	12 50	
2 to 3 ft., tr	12 50	
2 to 3 ft., tr	12 50	
I to 1½ ft., tr I 50	12 50	
rubiginosa. Sweet Brier. 1 to 1½ ft., tr	12 50	
rubrifolia. Red-leaved Rose. 1 to 1½ ft., tr	12 50	
rugosa. Wrinkled Japanese Rose. 1 to 1½ ft., tr	8 50	75 00
2 to 3 ft., tr 1 25	10 00	85 00
sericea. Silky Rose. 1 to 1½ ft., tr 1 50	12 50	
setigera. Prairie Rose. 1 to 1½ ft., tr	8 50	70 00
2 to 3 ft., tr I 25	10 00	85 00
3 to 4 ft., tr	12 50	120 00
1 to 1½ ft., tr	12 50	
watsoni. Watson's Rose.		
i to 1½ ft., tr i 50 wichuraiana. Memorial Rose.	12 50	
2 to 3 ft., tr 75	6 00	50 00

DECIDOOUS SHROBS, continued					
Roses, Bourbon. Any of the following varieties:	er :	01	10	0	1,000
ı yr., field-grown\$	I	50 \$	12	50	
2 yrs., field-grown	1	75	15		
Bourbon Queen. Deep rose.		ŭ			
Champion of the World. Deep rosy pink.					
Hermosa. Bright rose.					
Shakespeare. Rose-color.					
Souvenir de la Malmaison. Delicate flesh.					
Roses, Brier. Any of the following varieties:					
ı yr., field-grown	I	50	12	50	
2 yrs., field-grown					
Austrian Copper Persian Yellow					
Austrian Yellow Rubiginosa flore pleno					
Harrison's Yellow Soleil d'Or					
Roses, Lord Penzance Sweet Briers. Any of the following:					
ı yr., field-grown					
2 yrs., field-grown	I	15	15	00	
Amy Robsart. Satiny rose.					
Anne of Geierstein. Velvety crimson.					
Brenda. Peach-blush.					
Catherine Seyton. Soft, rosy pink.					
Edith Bellenden. Pale rose.					
Flora McIvor. White, flushed with rose.					
Lady Penzance. Soft coppery rose.					
Lord Penzance. Fawn and lemon-yellow.					
Lucy Ashton. White, with pink edges.					
Lucy Bertram. Crimson, with white center.					
Meg Merrilies. Rosy crimson. Rose Bradwardine. Clear rose.					
Roses, Climbing Tea and Noisette. Any of the following:					
ı yr., field-grown	I !	50	12	50	
2 yrs., field-grown	I '	75	15	00	
Climbing Clothilde Soupert. White, shaded rose.			_		
Gainsborough. Soft pink.					
Gloire de Dijon. Creamy white, with blush tint.					
Keystone. Lemon-yellow.					
Lamarque. White, with lemon-yellow center.					
Marechal Niel. Golden yellow.					
Mary Washington. Pure white.					
Wary Washington. Fure white					
Mrs. Robert Peary. Pure white.					
Reine Marie Henriette. Glowing crimson.					
Roses, Hardy Climbing. Any of the following varieties:					
ı yr., field-grown			7	00	
2 yrs., field-grown	I	25	10	00	
Anna Maria. Blush-pink.					
Baltimore Belle. Blush.					
Pride of the South. Rich satin-pink.					
Pride of Washington. Bright amaranth, rose center.					
Queen of the Prairies. Bright pink.					
Russell's Cottage. Dark velvety crimson.					
Tennessee Belle. Blush-rose.					
Triumphant. White, with flesh tint.					
Roses, Ayrshire. Any of the following varieties:					
	T .	20	P	00	
ı yr., field-grown				00	
2 yrs., field-grown	1	25	10	00	
Mme. Darbly. Flesh-colored.					
Queen of the Belgians. Cream-white.					
Roses, Hybrid Perpetual. Any of the following varieties:					
ı yr., field-grown	I :	25	10	00	
2 yrs., field-grown			12	50	
Abel Carriere. Dark velvety crimson, fiery center.					
Alfred Colomb. Bright cherry-red to deep crimson.					
American Beauty. Rosy crimson.					
Anne de Diesbach. Brilliant carmine.					
Clio. Flesh-color, with rosy pink center.					
Dinsmore. Glowing crimson.					
Duke of Edinburgh. Bright crimson.					
Fisher Holmes. Velvety crimson, with brilliant center.					
François Levet. Cherry-rose.					
Frau Karl Druschki. Pure white.					
General Jacqueminot. Glowing crimson.					
Giant of Battles. Fiery crimson.					
Gloire de Lyonnaise. Salmon, with yellow shade.					

DECIDOOS SI INOBS, continued					
Roses, Hybrid Perpetual, continued	Per	IO	10	0	1,000
John Hopper. Bright rose, carmine center.					
Mme. Charles Wood. Bright scarlet, fading crimson.					
Mme. Gabriel Luizet. Pink, or coral-rose.					
Mme. Masson. Bright rose.					
Mme. Plantier. White.					
Magna Charta. Pink, suffused with carmine.					
Margaret Dickson. White.					
Marshall P. Wilder. Bright crimson.					
Mrs. John Laing. Bright pink.					
Paul Neyron. Deep rose.					
Prince Camille de Rohan. Velvety crimson, very dark.					
Ulrich Brunner. Cherry-red, flamed with scarlet.					
Roses, Hybrid Tea. Any of the following varieties:					
1 yr., field-grown	Q.		\$ T0	~~	
2 yrs., field-grown				-	
Belle Siebrecht. Deep pink.	• •	13	15		
Gruss an Teplitz. Fiery crimson.					
Kaiserin Augusta Victoria. Creamy white.					
La France. Silvery pink.					
Mme. Abel Chatenay. Rosy carmine.					
Mme. Caroline Testout. Satiny rose.					
Souvenir du President Carnot. Blush-rose, deeper center.					
Roses, Japanese. Any of the following varieties:					
ı yr., field-grown			12	50	
2 yrs., field-grown	. I	75	15	00	
Chedane Guinnoseaux. Reddish crimson.					
Conrad F. Meyer. Silvery rose.					
Mme. Charles F. Worth. Reddish carmine.					
Mme. Georges Bruant. Pure white.					
New Century. Reddish carmine; very double and free.					
Sir Thomas Lipton. Pure white; very double.					
Souvenir de Philemon Cochet. Pure white; very unique.					
Roses, Monthly, or China. Any of the following varieties:					
	_				
ı yr., field-grown			12		
2 yrs., field-grown	. 1	75	15	00	
Cerisette. Rose-color.					
Eugene Beauharnais. Brilliant amaranth.					
Fellenburg. Deep rosy red.					
Gloire de Rosomanes. Glowing crimson.					
Serratipetala. Bright rose, deepening to crimson.					
Viridiflora. Green.					
Roses, Moss. Any of the following varieties:					
ı yr., field-grown	. I	50	12	50	
2 yrs., field-grown	. I	75	15	00	
Blanche Moreau. Pure white.					
Crimson Globe. Crimson.					
Henry Martin. Pink, tinged with crimson.					
John Cranston. Violet-red.					
Pink Moss. Deep pink.					
Princess Adelaide. Pale rose.					
Roses, Old-fashioned. Any of the following varieties:					
		F0	TO	-0	
ı yr., field-grown			12		
2 yrs., field-grown Both white and red	. 2	00	17	50	
Cabbage, or Provence. Both white and red.					
Common Blush. Pink.					
Damask. Deep rose.					
Maiden's Blush. Blush-white.					
Old Blush. Large, full, double, blush.					
Tuscany. Dark velvety crimson.					
Roses, Polyantha. Any of the following varieties:					
ı yr., field-grown					
2 yrs., field-grown	. I	75	15	00	
Baby Rambler. Crimson-red.					
Blush Cluster. Pink.					
Clothilde Soupert. White, shaded silvery rose.					
Marie Pavie. Creamy white, flushed with rose.					
Polyantha grandiflora. White.					
Roses, Rambler. Any of the following varieties:					
ı yr., field-grown	. I	00	8 5	50	
2 yrs., field-grown	. I	25	10 0		
Crimson Rambler. Glowing crimson.					
Helene. Carmine-red.					

Roses, Rambler, continued	Per 10	100	1,000
La Guirlande. Nankeen and pink, changing to white.	~ 02 20		1,000
Leuchstern. Pink, with white center.			
Philadelphia Rambler. Glowing crimson. Pink Rambler (Psyche). Pink.			
Queen Alexandra. Rich rose.			
Rambling Rector. White.			
Rubin. Glowing crimson.			
White Rambler (Thalia). White. Yellow Rambler (Aglaia). Light yellow.			
Roses, Striped. Any of the following varieties:			
ı yr., field-grown			
2 yrs., field-grown	2 50		
Cottage Maid. White, striped with rose. Œillet Panache. White, with red stripes.			
York and Lancaster. White, striped with red.			
Roses, Tea. Any of the following varieties:			
ı yr., field-grown			
2 yrs., field-grown	I 75	15 00	
Devoniensis. White, with rosy center.			
Maman Cochet. Clear pink, changing to silvery rose.			
Mme. Lambard. Rosy fawn, shaded carmine.			
Mrs. B. R. Cant. Rich red. Papa Gontier. Cherry-red.			
Perle des Jardins. Golden yellow.			
Safrano. Apricot-yellow.			
The Bride. Pure white.			
White Maman Cochet.			
Roses, Wichuraiana Hybrid. Any of the following varieties:	7.00	0	e
ı yr., field-grown	I 25	10 00	\$70 00
Adelaide Moulle. Rose and pale yellow.	3	, 10 00	
Alberic Barbier. Creamy white, canary-yellow center.			
Alexander Tremouillet. White, tinted rose and salmon. Auguste Barbier. Violet-lilac, with white center.			
Debutante. Soft pink.			
Dorothy Perkins. Clear shell-pink.			
Edmond Proust. Pale rose and carmine.			
Elisa Robichon. Lilac-rose. Emile Fortepaule. White, with sulphur center.			
Ferdinand Roussel. Vinous red.			
François Foucard. Yellow.			
Gardenia. Pale yellow, fading white.			
Hiawatha. Single; bright ruby-red, light center. Jersey Beauty. Pale yellow.			
Lady Gay. Rich cherry-pi k.			
May Queen. Coral-rose, light and brilliant.			
Pink Roamer. Rich pink; single. Rubra. Single; red.			
South Orange Perfection. Blush-pink, turning white.			
Sweetheart. Bright pink, changing to white.			
Universal Favorite. Pale rose.			
Valentin Beaulieu. Bright pink. White Dorothy Perkins.			
Wm. C. Egan. Rose-pink.			
Rubus laciniatus. Cut-leaved Blackberry.			
1½ to 2 ft., tr	. 1 50	12 50	
odoratus. Flowering Raspberry.			
2 to 3 ft., tr	. I 50	12 50	
parviflorus (R. nutkanus). Western Flowering Raspberry. 1 to 1½ ft., tr	. T 50	12 50	
rosæflorus. Strawberry-Raspberry.	. 1 30	12 50	
1½ to 2 ft., tr	. I 75	15 00	
Salix humilis. PRAIRIE WILLOW.			
2 to 3 ft., tr	. I 25	10 00	
incana (S. rosmarinifolia). ROSEMARY WILLOW.			
1½ to 2 ft., tr	. I 75	15 00	
2 to 3 ft., tr	. Т 25	10 00	
sericea. Silky Willow.	· ·		
2 to 3 ft., tr	. I 25	. 10 00	

Salix tristis. DWARF GRAY WILLOW.	Per		7.00	
1 to 1½ ft., tr	\$1	50	\$12 50	1,000
For other species, see under Deciduous Trees.	Ψ-	3-	411 30	
Sambucus canadensis. American Elder.				
2 to 3 ft., tr	I	00	8 00	
3 to 4 ft., tr	I	25	10 00	
nigra. European Elder.				
2 to 3 ft., trnigra laciniata. Cut-leaved Elder.	I	50	12 50	
2 to 3 ft., tr	т	75	15 00	
pubens (S. racemosa). RED-BERRIED ELDER.	-	13	15 00	
2 to 3 ft., tr			10 00	
3 to 4 ft., tr		50	12 50	
Schizonotus discolor (Spiræa ariæfolia). WHITE BEAM-LEAVED SPIREA				
10 to 12 in., tr	I	25	10 00	
Spartium junceum. Spanish Broom.				
1 to 1½ ft., tr	I	50	12 50	
Spiræa, Early-flowering forms—				
arguta. Hybrid Snow Garland.	-		0	
1½ to 2 ft., tr			8 50	
blanda. Large White-flowered Spirea.	1	25	10 00	
3 to 4 ft., tr	I	25		
blumei. Blume's Spirea.		- 5 ,		
r to 1½ ft., tr., flowers white, profuse	I	25		
bracteata (S. rotundifolia). ROUND-LEAVED SPIREA.				
I to 1½ ft., tr., pure white flowers	Ι	25	10 00	
cantonensis. Lance-leaved Spirea. 1½ to 2 ft., tr., single white		~ ~	. = 00	
3 to 4 ft., tr., choice	т	75	8 50	
cantonensis flore pleno (S. reevesiana). LANCE-LEAVED DOUBLE			0 30	
Spirea.				
1 to 1½ ft., tr			8 00	
2 to 3 ft., tr., extra fine			10 00	
3 to 4 ft., tr., select	I	50	12 50	
chamædrifolia. GERMANDER-LEAVED SPIREA. 3 to 4 ft., tr., white flowers		-0		
conferta. Dense-flowered Spirea.	1	50		
12 to 18 in., tr., pretty white flowers	I	00	8 50	
crenata. Crenate-Leaved Spirea.			3	
$1\frac{1}{2}$ to 2 ft., tr	I	00	8 50	
gemmata. Floriferous Spirea.				
8 to 10 in., tr., densely white flowering	I	00		
media. Oriental Spirea.				
1 to 1½ ft., tr., early white blossoms	I	00		
pikowiensis (S. nicoudierti). PIKOW SPIREA.	_			
1 to 1½ ft., tr., cream-white flowers			10 00	
prunifolia. Plum-leaved Spirea.	1	50	12 50	
2 to 3 ft., tr., single white	Т	25	10 00	
prunifolia flore pleno. BRIDAL WREATH.	_	-3	10 00	
2 to 3 ft:, tr., fine stock	I	25	10 00	\$85 00
3 to 4 ft., tr., choice			12 50	100 00
schinabecki. Schinabeck's Spirea.				
I to 1½ ft., tr., white flowers	I	00	8 50	
thunbergi. Snow Garland.				
12 to 18 in., tr		75	5 00	40 00
2 to 3 ft., tr., extra			8 50	80 00
triloba. Lobed-Leaved Spirea.		-3	10 00	
10 to 12 in., tr	I	00	8 50	
vanhouttei. VAN HOUTTE'S BRIDAL WREATH.				
1 to 1½ ft., tr			3 00	25 00
1½ to 2 ft., tr., choice		75	5 00	40 00
2 to 3 ft., tr., select			7 50	60 00
3 to 4 ft., tr., select	T	50	10 00	85 00
Spiræa, Summer-flowering forms—		30	12 30	100 00
alba. Meadow Sweet.				
1½ to 2 ft., tr., extra choice		85	7 50	
2 to 3 ft., tr., select			9 00	

DECIDOOS SI MODS, continued				
Spiræa albiflora (S. callosa alba). DWARF WHITE SPIREA.			00	1,000
12 to 15 in., tr., fine plants	\$1	00 \$3	50	
ariæfolia. See Schizonotus discolor.	1	25	, 00	
bethlehemensis rubra. BETHLEHEM SPIREA.				
1 to 1½ ft., tr			3 50	
3 to 4 ft., tr	Ι	25 10	00	
I to 1½ ft., tr		8= /	7 50	
3 to 4 ft., tr) 00	
billardi longipedunculata. Long-panicled Spirea.			7	
1½ to 2 ft., tr			00	
bumalda, Anthony Waterer. CRIMSON SPIREA.	1	25 10	00	
I to 1½ ft., tr., extra choice	ĭ	00 {	50	
2 to 3 ft., tr., select			00	
californica. Red-Plumed Spirea.	_	(
2 to 3 ft., tr canescens. Canescent Spirea.	Ι	00 {	3 50	
12 to 15 in., tr., creamy white	I	00 {	3 50	
coccinea. Himalayan Spirea.				
2 to 3 ft., tr., rose-red inflorescence	I	00 . 8	3 50	
2 to 3 ft., tr., rose-colored plumes	т.	00 5	50	
3 to 4 ft., tr			00	
eximia. Elegant Spirea.				
3 to 4 ft., tr., rose-red	1	25 10	00	
1½ to 2 ft., tr., both white and rose forms	Т	00 8	50	
fortunei semperflorens. Fortune's Everblooming Spirea.			, , , ,	
2 to 3 ft., tr., free-flowering, rose-red	I	00 8	50	
foxi. Fox's Spirea. 2 to 3 ft., tr., rose-red	т ,	00 8	50	
fræbeli. Fræbel's Spirea.			, ,,	
2 to 3 ft., tr., dark rosy purple	I	3 00	50	
japonica (S. callosa). JAPANESE SPIREA. 1 to 1½ ft., tr., rose-red	т ,	20 8	50	
2 to 3 ft., tr., extra choice			00	
latifolia. Meadow Queen.				
2 to 3 ft., tr., white plumes lenneana. Lenne's Spirea.	I :	25 10	00	
2 to 3 ft., tr., rose-colored inflorescence	1 (00 8	50	
macrophylla (S. japonica macrophylla). Broad-leaved Spirea.				
2 to 3 ft., tr., rosy red	I 2	25 10	00	
1 to 1½ ft., tr., select	I	00 8	50	
menziesi. Menzies' Spirea.				
2 to 3 ft., tr., deep rose			50	
3 to 4 ft., tr	Ι :	25 10	00	
2 to 3 ft., tr., flesh-colored	т (nn 8	50	
opulifolia. See Opulaster opulifolius.			3-	
pachystachys. PALE PINK SPIREA.				
ı to 1½ ft., tr	I	00 8	50	
pruinosa. Pruinose Spirea. 2 to 3 ft., tr., rose	T /	20 9	50	
revirescens. Everblooming Spirea.	1 (0	20	
2 to 3 ft., tr., bright rosy red	1 (00 8	50	
sansousiana. Sans Souci Spirea.				
I to 1½ ft., tr., light carminesyringiflora. LILAC-FLOWERED SPIREA.	1 (00 8	50	
I to 1½ ft., tr	I	00 8	50	
tomentosa. Steeple-Bush; Hardhack.				
2 to 3 ft., tr., rose-colored			50	
3 to 4 ft., tr., choicevirginiana. Virginian Spirea.	1 2	5 10	00	
I to 1½ ft., tr., white blossom	I	00 8	50	
3 to 4 ft., tr	I 2	25 10	00	
Staphylea colchica. Colchican Bladder-nut.				
pinnata. European Bladder-nut.	2 5	50		
I to 1½ ft., tr	I 7	5 15	00	
	,	-3		

DECIDOOS SHROBS, continued		
Staphylea trifolia. AMERICAN BLADDER-NUT. Per	10 100	7.000
Staphylea thomas American Beables Not.		1,000
3 to 4 ft., tr\$1		
5 to 6 ft., tr		
6 to 8 ft., tr 2	00	
Stephanandra flexuosa. Stephanandra.		
1½ to 2 ft., tr		\$90 00
2 to 3 ft., tr 1	50 12 50	100 00
tanakae. Large-leaved Stephanandra.		
1 to 1½ ft., tr	50 12 50	
	30 12 30	
Stuartia pentagyna. Alleghany Stuartia.		
1 to 1½ ft., tr 2	50	
pseudo-camellia. Japanese Stuartia.	•	
2 to 3 ft., tr	75 25 00	
	15 25 00	
Styrax americana. American Storax.		
I to 2 ft., tr I	75 15 00	
2 to 3 ft., tr 2		
japonica. Japanese Storax.	1/ 30	
1½ to 2 ft., tr	00 17 50	
obassia. Broad-leaved Storax.		
2 to 3 ft., tr 2	75 25 00	
Symphoricarpos acutus. Pointed-leaved Snowberry.		
1 to 1½ ft., tr., splendid rockery plant	00	
montanus. Mexican Snowberry.		
2 to 3 ft., tr., berries pink	00 8 50	
occidentalis. Western Snowberry; Wolfberry.	330	
1 to 1½ ft., tr	5 00	40 00
2 to 3 ft., tr 1	00 8 50	
ovatus. Ovate-leaved Snowberry.		
I to I1/2 ft., tr., pretty, dense shrub	00 . 8 50	
Too 1/2 it., ti., process, dense shrub	00 . 0 50	
racemosus. Snowberry.		
1 to 1½ ft., tr	00 8 50	
2 to 3 ft., tr	25 10 00	
3 to 4 ft., tr		
rotundifolius. Round-leaved Snowberry.	00	
	0	
2 to 3 ft., tr	00 8 50	
symphoricarpos (S. vulgaris). CORAL-BERRY, OF INDIAN CURRANT.		
1 to 1½ ft., tr	75 5 00	40 00
2 to 3 ft., tr		70 00
3 to 4 ft., tr	25 10.00	85 00
Syringa chinensis (S. rothomagensis). ROUEN LILAC.		
$1\frac{1}{2}$ to 2 ft., tr., fine plants	25 10 00	
2 to 3 ft., tr., extra choice	50 12 50	
3 to 4 ft., tr., extra choice	75 15 00	
josikea. Hungarian Lilac.	13 -3	
1 to 1½ ft., tr., choice	25 10 00	
pekinensis. Chinese Lilac.		
2 to 3 ft., tr	75 15 00	
persica. Persian Lilac.		
I to 1½ ft., tr., fine	25 10 00	
2 to 3 ft., tr., fine		
3 to 4 ft., tr., fine	00 17 50	
persica alba. White Persian Lilac.		
I to I½ ft., tr., choice stock	25 10 00	
2 to 3 ft., tr., extra quality		
3 to 4 ft., tr., select plants	00 17 50	
persica laciniata. Cut-leaved Lilac.		
2 to 3 ft., tr 2	00 17 50	
villosa. Himalayan Lilac.		
10 to 12 in., tr	00 7 50	
villosa emodi. Narrow-leaved Himalayan Lilac.	/ 30	
$1 \text{ to } 1\frac{1}{2} \text{ ft., tr.}$	75 15 00	
vulgaris. Common Lilac.		
1/6/ / 6 / 1	75 5 00	
		85 00
2 to 3 ft., tr., extra good		_
3 to 4 ft., tr., select	35 12 50	100 00
vulgaris alba. Common White Lilac.		
	00 8 50	
I to I½ ft., tr., fine	00 8 50	
Any of the following named varieties:		
1 to 1½ ft., tr 1	25 10 00	85 00
1½ to 2 ft., tr		100 00
2 to 3 ft., tr		
3 to 4 ft., tr 2	50 20 00	

Syringa, Forms with Single Flowers

Ambroise Verschaffelt. Light pink. Charles X. Dark lilac-red. Crampel. Bluish lilac. De Croncels. Rosy mauve. Dr. Lindley. Pinkish lilac. Frau Bertha Dammann. White. Geant des Batailles. Bluish lilac. Gloire de Lorraine. Mauve. Gloire de Moulins. Light pink.

Jaques Callot. Violet-red.
Ludwig Spaeth. Dark blue.
Marie Legraye. White.
Mlle. Fernande Viger. White.
President Hayes. Violet-blue.
Rubra de Marly. Ruddy violet.
Scipion Cochet. Royal purple.
Toussaint Louverture. Violet-purple.
Virginalis alba. White.

Forms with Double Flowers

Alphonse Lavalle. Bluish lilac.
Belle de Nancy. Pink, with white center.
Comte Horace de Choiseul. Violet-red.
Condorcet. Blue.
Dr. Masters. Lilac.
Dr. Troyanowsky. Azure-lilac.
Francisque Morel. Rosy lilac.
Jean Bart. Violet-rose.
La Lorraine. Light violet-purple.
Lamarck. Lilac-blue, fading rose.
La Tour d'Auvergne. Violet-purple.
Le Gaulois. Rosy lilac.
Lemoinei fl. pl. Rose, fading lilac.
Linne. Lilac-rose.
Louis Henry. Violaceous pink.
Mme. Abel Chatenay. White.
Larix gallica (T. pentandra). French Tame

Mme. Briot. Lilac-blue.
Mme. Casimir Perier. White.
Mme. de Miller. White.
Mme. Lemoine. Pure white.
Mme. Leon Simon. Rosy violet.
Mathieu de Dombasle. Mauve.
Maxime Cornu. Pinkish lilac.
Michael Buchner. Pale lilac.
Monument Carnot. Lilac-blue.
President Carnot. Pale blue.
Prince de Beauveau. Violet-rose.
Pyramidalis. Pale blue.
Rubella plena. Violet-red.
Senator Volland. Violet-red.
William Robinson. Deep mauve.

Mme. Abel Chatenay. White.				
Tamarix gallica (T. pentandra). FRENCH TAMARISK.	Per	10	100	1,000
2 to 3 ft., tr	\$1	00 \$	8 50	1,000
4 to 5 ft., tr	I	50 1	2 50	
gallica indica (T. indica). Indian Tamarisk.			. 3	
2 to 3 ft., tr	I	00	8 50	
4 to 5 ft., tr	I	25 -1	0 00	
germanica. GERMAN TAMARISK.				
1 to 1½ ft., tr			8 50	
2 to 3 ft., tr	I	25 1	00 00	
juniperina (T. plumosa and T. japonica). JAPANESE TAI			_	
2 to 3 ft., tr			8 50	
4 to 5 ft., tr	ı	25 I	0 00	
odessana. Caspian Tamarisk.			•	
2 to 3 ft., tr			8 50	
4 to 5 ft., tr	I	25 1	0 00	
parviflora (T. tetandra). EARLY-FLOWERING TAMARISK.	_		0	
2 to 3 ft., tr			8 50	
4 to 5 ft., tr	I	25 1	0 00	
Ulex europæus. Furze, Gorse, or Whin.				
1 to 1½ ft., tr., from pots	I	50 1	2 50	
europæus fl. pl. Double-flowered Furze.				
10 to 15 in., tr., from pots	I	75 1	5 00	
nanus. DWARF FURZE.				
12 to 15 in., tr., from pots	I	75 I	5 00	
Viburnum acerifolium. Maple-leaved Viburnum.				
$1\frac{1}{2}$ to 2 ft., tr	I	75 1	5 00	
alnifolium (V. lantanoides). Hobble-bush.				
2 to 3 ft., tr	2	25 2	00 00	
cassinoides. WITHE-ROD.				
1 to 1½ ft., tr			2 50	
3 to 4 ft., tr	2	00 1	7 50	
dentatum. Arrow-wood.				_
2 to 3 ft., tr., choice			7 50	\$60 00
3 to 4 ft., tr., select			0 00	85 00
4 to 5 ft., tr., select	I	50 1	2 50	
dilatatum. JAPANESE BUSH CRANBERRY.				
2 to 3 ft., tr	2	00 1	7 50	
lantana. WAYFARING TREE.				
2 to 3 ft., tr	I	50 1	2 50	
macrocephalum sterile. CHINESE SNOWBALL.				
I to 1½ ft., tr	2	50 2	2 50	
nudum. Large Withe-rod. 2 to 3 ft., tr				
			2 50	
3 to 4 ft., tr	2	00 1	7 50	

Viburnum opulus. High Bush Cranberry. 1½ to 2 ft., tr	Per \$1		100 \$8 50	1,000
opulus nanum. DWARF CRANBERRY BUSH. 6 to 8 in., tr			8 50	
opulus sterile. Snowball, or Guelder Rose.			0 50	
2 to 3 ft., tr., choice 3 to 4 ft., tr., select			10 00	
sieboldi (V. japonicum). Siebold's Viburnum.	1	50	12 50	
1 to 1½ ft., tr	I	50	12 50	
tomentosum. Single-flowered Japanese Snowball. 2 to 3 ft., tr	T	25	10 00	
tomentosum plicatum (V. plicatum). JAPANESE SNOWBAL		~ 3	10 00	
1 to 1½ ft., tr., fine stock			8 50	
2 to 3 ft., tr., choice 3 to 4 ft., tr., extra fine			12 50 15 00	
4 to 5 ft., tr			20 00	
Weigelia. See Diervilla.				
Xanthorrhiza apiifolia. Yellow-root, or Brook-feather.				
ı yr., tr			3 00	\$25 00
2 yrs., tr			6 00	40 00
4 yrs., t r		_	12 50	
Xolisma ligustrina (Andromeda ligustrina). PRIVET ANDROMED				
1 to 1½ ft., tr., with balls 2 to 3 ft., tr., with balls	2	00	12 50 17 50	
Zenobia cassinifolia (Andromeda speciosa). ZENOBIA.				
1 to 1½ ft., tr., with balls	3	50		
VINES				
Actinidia arguta. SILVER VINE.	Per		100	1,000
2 yrs., tr., strong	562	00	\$17 50	
kolomitka Rricha i raver Silver Vive			ψ1/ 30	
kolomitka. Bright-leaved Silver Vine. 2 yrs., tr., strong			17 50	
2 yrs., tr., strong Akebia quinata. Five-leaved Akebia.	2	00	17 50	
2 yrs., tr., strong	2	00	17 50 8 50	\$75 00
2 yrs., tr., strong Akebia quinata. Five-leaved Akebia.	2	00	17 50	\$75 00
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P	2 I EPPER	00 00 25	8 50 10 00	\$75 00
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong.	2 I EPPER	00 00 25	17 50 8 50	\$75 00
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong.	2 I EPPER	00 00 25	8 50 10 00	\$75 00
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER.	2 I EPPER 2	00 00 25 00 75	17 50 8 50 10 00 17 50 15 00	\$75 00
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong.	2 I EPPER 2	00 00 25 00 75	17 50 8 50 10 00	\$75 00
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice.	2 I EPPER 2	00 00 25 00 75	17 50 8 50 10 00 17 50 15 00	\$75 00
2 yrs., tr., strong. Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy.	2 I EPPER 2 I	00 00 25 00 75	17 50 8 50 10 00 17 50 15 00 12 50 8 50	
2 yrs., tr., strong. Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice.	2 I EPPER 2 I	00 25 00 75 50	17 50 8 50 10 00 17 50 15 00 12 50	\$75 °°° 45 °°°
Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. 1 yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe.	2 I EPPER 2 I	00 25 00 75 50 00	17 50 8 50 10 00 17 50 15 00 12 50 8 50	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. 4 mpelopsis arborea (Vitis bipinnata and Cissus stans). P Vine. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. i yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants.	2 I EPPER 2 I	00 25 00 75 50 00	17 50 8 50 10 00 17 50 15 00 12 50 8 50	
Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. 1 yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe.	2 I EPPER 2 I	00 25 00 75 50 00	17 50 8 50 10 00 17 50 15 00 12 50 8 50	
Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. 4 mpelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice. veitchi. JAPANESE, or BOSTON IVY. I yr., tr 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. JAPANESE SUPPLE JACK. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine.	2 I EPPER 2 I	00 00 25 00 75 50 00 50	17 50 8 50 10 00 17 50 15 00 8 50 8 50 15 00	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. i yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. Japanese Supple Jack. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine.	2 I EPPER 2 I	00 00 25 00 75 50 00 50	17 50 8 50 10 00 17 50 15 00 12 50 8 50 5 00 8 50	
Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. 4 mpelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice. veitchi. JAPANESE, or BOSTON IVY. I yr., tr 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. JAPANESE SUPPLE JACK. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine.	2 I EPPER 2 I I	00 25 00 75 50 00 50 75 25	17 50 8 50 10 00 17 50 15 00 8 50 8 50 15 00	
Akebia quinata. FIVE-LEAVED AKEBIA. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. SIMPLE-LEAVED AMPELOPSIS. 2 yrs., tr., strong. heterophylla. ASIATIC CREEPER. 2 yrs., tr., strong. quinquefolia. VIRGINIA CREEPER. 2 yrs., tr., choice. veitchi. JAPANESE, or BOSTON IVY. I yr., tr 2 yrs., tr. Aristolochia macrophylla (A. sipho). DUTCHMAN'S PIPE. 2 yrs., tr., strong. Berchemia racemosa. JAPANESE SUPPLE JACK. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). CROSS VINE. 2 yrs., Bougainvillæa glabra. BOUGAINVILLEA. 2 to 3 ft., tr., from pots. Brunnichia cirrhosa. BRUNNICHIA.	EPPER 1 1 1 1	00 25 00 75 50 00 50 75 25	17 50 8 50 10 00 17 50 15 00 8 50 8 50 16 00 17 50	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. I yr., tr 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. Japanese Supple Jack. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine. 2 yrs., Bougainvillæa glabra. Bougainvillea. 2 to 3 ft., tr., from pots. Brunnichia cirrhosa. Brunnichia. Strong plants; a splendid vine.	EPPER	00 25 00 75 50 00 50 75 25	17 50 8 50 10 00 17 50 15 00 12 50 8 50 5 00 8 50 15 00	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P Vine. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. I yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. Japanese Supple Jack. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine. 2 yrs., Bougainvillæa glabra. Bougainvillea. 2 to 3 ft., tr., from pots. Brunnichia cirrhosa. Brunnichia. Strong plants; a splendid vine. Celastrus orbiculatus (C. articulatus). Japanese Bittersweet.	2 I EPPER I I I I	00 00 25 00 75 50 00 50 75 25 00 25	17 50 8 50 10 00 17 50 15 00 8 50 8 50 16 00 17 50	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P Vine. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. I yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. Japanese Supple Jack. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine. 2 yrs., Bougainvillæa glabra. Bougainvillea. 2 to 3 ft., tr., from pots. Brunnichia cirrhosa. Brunnichia. Strong plants; a splendid vine. Celastrus orbiculatus (C. articulatus). Japanese Bittersweet. 2 to 3 ft., tr 3 to 4 ft., tr	2 I EPPER I I I I	00 00 25 00 75 50 00 50 75 25 00 25	17 50 8 50 10 00 17 50 15 00 12 50 8 50 5 00 8 50 15 00 17 50 10 00	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P Vine. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. I yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong plants. Berchemia racemosa. Japanese Supple Jack. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine. 2 yrs., Bougainvillæa glabra. Bougainvillea. 2 to 3 ft., tr., from pots. Brunnichia cirrhosa. Brunnichia. Strong plants; a splendid vine. Celastrus orbiculatus (C. articulatus). Japanese Bittersweet.	EPPER I I I I I	00 00 25 00 75 50 00 50 75 25 00 25	17 50 8 50 10 00 17 50 15 00 12 50 8 50 5 00 8 50 15 00 17 50 10 00 17 50 10 00 8 50	
Akebia quinata. Five-leaved Akebia. 2 yrs., tr., choice plants. 3 yrs., tr., choice plants. Ampelopsis arborea (Vitis bipinnata and Cissus stans). P VINE. 2 yrs., tr., strong. cordata. Simple-leaved Ampelopsis. 2 yrs., tr., strong. heterophylla. Asiatic Creeper. 2 yrs., tr., strong. quinquefolia. Virginia Creeper. 2 yrs., tr., choice. veitchi. Japanese, or Boston Ivy. 1 yr., tr. 2 yrs., tr. Aristolochia macrophylla (A. sipho). Dutchman's Pipe. 2 yrs., tr., strong. Berchemia racemosa. Japanese Supple Jack. 2 yrs., tr., strong. Bignonia crucigera (B. capreolata). Cross Vine. 2 yrs., Bougainvillæa glabra. Bougainvillea. 2 to 3 ft., tr., from pots. Brunnichia cirrhosa. Brunnichia. Strong plants; a splendid vine. Celastrus orbiculatus (C. articulatus). Japanese Bittersweet. 2 to 3 ft., tr. 3 to 4 ft., tr. 3 to 4 ft., tr.	EPPER	00 00 25 00 75 50 00 50 75 25 00 25	17 50 8 50 10 00 17 50 15 00 12 50 8 50 5 00 8 50 15 00 17 50 10 00 17 50 10 00	

VINES, continued

	Per 10		1,000
flammula. Sweet Clematis. 2 yrs., tr		\$10 00	
hybrida. LARGE-FLOWERING CLEMATIS. Any of the following varieties.	_	10 00	
2 yrs., tr		15 00	
3 yrs., tr	2 00	17 50	
Jackmani. Velvety purple.			
Lady Caroline Neville. Nearly white, with mauve strip Lilacina floribunda. Satiny blue.	e.		
Miss Bateman. White.			
Mme. Edouard Andre. Violet-red. The President. Rich violet-blue.			
The Queen. Delicate lavender. ligusticifolia. Western Virgin's Bower.			
montana. Mountain Clematis.			\$75 00
orientalis (C. graveolens). YELLOW-FLOWERED CLEMATIS.		12 50	
2 yrs., tr		8 00	
viorna. Leather-flower. 2 yrs., tr	1 00	0 00	
virginiana. Virgin's Bower.		12 50	
vitalba. Traveler's Joy.		10 00	
viticella. European Sweet Clematis.		10 00	
3 yrs., tr		12 50	
2 yrs., tr	. 75	15 00	
Euonymus radicans. CLIMBING EUONYMUS.			
2 yrs., tr., extra fine		8 50	75 00
3 yrs., tr., extra fine and heavy radicans variegata. Variegated Euonymus. 2 yrs., tr		10 00	
Gelsemium sempervirens. CAROLINA YELLOW JASMINE.	3	10 00	
2 yrs., tr	-	12 50 17 50	
Hedera helix. English Ivy.	2 00	1/ 50	
ı yr., tr.	e	3 00 6 00	20 00
Lonicera chinensis. Purple-leaved, or Chinese Honeysuckle.	75	0 00	50 00
2 yrs., tr		10 00	
3 yrs., tr., extra strongetrusca. Etruscan Honeysuckle. 2 yrs., tr., strong		12 50	
flava. Yellow Honeysuckle.		12 50	
glaucescens. Douglas' Honeysuckle.		12 50	
2 yrs., tr		12 50 15 00	
2 yrs., tr., extra		15 00 17 50	
italica. Italian Honeysuckle. 2 yrs., tr		10 00	
japonica (L. halliana and L. brachypoda). JAPANESE HONEY-SUCKLE.			
1 yr., tr	75	3 00 6 00	25 00
3 yrs., tr., select and strongjaponica aureo-reticulata. Golden-leaved Honeysuckle.		8 00	
2 yrs., tr	75	6 00	
periclymenum. Woodbine.	1 00	8 50	
periclymenum belgica (L. belgica). Monthly Fragrant Honeysuckle.			
2 yrs., tr	1 25	10 00	

VINES, continued

VINES, continued		
Lonicera sempervirens. TRUMPET, or CORAL HONEYSUCKLE. Per 10	100	1,000
ı yr., tr	\$5 00	\$40 00
2 yrs., tr\$1 25	10 00	140 00
3 yrs., tr., select and heavy I 50	12 50	
sullivanti. Glaucous Honeysuckle.	12 30	
2 yrs., tr	12 50	
3 yrs., tr., select and heavy 1 75	15 00	
Menispermum canadense. Moonseed.		
2 yrs., tr I 50	12 50	
Passiflora cærulea. Passion Flower.		
2 yrs., tr., from pots 1 75		
2 yrs., tr., from pots	15 00	
cærulea, Constance Elliott. White Passion Flower.		
2 yrs., from pots 1 75	15 00	
Periploca græca. Silk Vine.		
2 yrs., tr I 25	10 00	
	10 00	
Pueraria thunbergiana (Dolichos japonicus). Kudzu Vine.		
ı yr., tr ı 25	10 00	
2 yrs., tr I 50	12 50	
Tecoma grandiflora. CHINESE TRUMPET VINE.		
2 yrs., tr 1 75	15 00	
3 yrs., tr 2 00	17 50	
radicans. American Trumpet Vine.	-7 30	
2 yrs., tr	10 00	
3 yrs., tr I 50	12 50	
Vitis æstivalis. Summer Grape.		
2 yrs., tr I 25	10 00	
cordifolia. FROST GRAPE.		
2 yrs., tr 1 25	TO 00	
	10 00	
labrusca. Fox Grape.		
2 yrs., tr 1 25	10 00	
rotundifolia. Muscadine.		
2 yrs., tr I 25	10 00	
Wistaria chinensis. Chinese Wistaria.		
WISTSTIN CHINEUSIS. UHINESE WISTARIA.		
2 yrs., tr I 25	10 00	
2 yrs., tr	10 00	
2 yrs., tr I 25		
2 yrs., tr	15 00	
2 yrs., tr	15 00	
2 yrs., tr	15 00	
2 yrs., tr	15 00	
2 yrs., tr	15 00	
2 yrs., tr	15 00 15 00 17 50	
2 yrs., tr	15 00	
2 yrs., tr	15 00 15 00 17 50	
2 yrs., tr	15 00 15 00 17 50	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria.	15 00 15 00 17 50	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75	15 00 15 00 17 50 12 50 15 00	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00	15 00 15 00 17 50 12 50 15 00	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria.	15 00 15 00 17 50 12 50 15 00 15 00 17 50	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75	15 00 15 00 17 50 12 50 15 00 17 50 15 00	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria.	15 00 15 00 17 50 12 50 15 00 15 00 17 50	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75	15 00 15 00 17 50 12 50 15 00 17 50 15 00	
2 yrs., tr., strong	15 00 15 00 17 50 12 50 15 00 17 50 15 00 17 50	
2 yrs., tr., strong	15 00 15 00 17 50 12 50 15 00 17 50 15 00 17 50	OS
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75	15 00 15 00 17 50 12 50 15 00 17 50 15 00 17 50	OS
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 1 75 3 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 CRNAMENTAL GRASSES AND BAN Arundinaria auricoma. Golden Variegated Cane. Per 10	15 00 15 00 17 50 12 50 15 00 17 50 15 00 17 50	OS 1,000
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 1 75 3 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 CRNAMENTAL GRASSES AND BAN Arundinaria auricoma. Golden Variegated Cane. Per 10	15 00 15 00 17 50 12 50 15 00 17 50 17 50 17 50	
2 yrs., tr., strong	15 00 17 50 17 50 15 00 15 00 17 50 17 50	
2 yrs., tr., strong	15 00 17 50 17 50 12 50 15 00 17 50 15 00 17 50 MBO(
2 yrs., tr., strong	15 00 15 00 17 50 12 50 15 00 17 50 17 50 17 50	
2 yrs., tr., strong	15 00 17 50 17 50 15 00 15 00 17 50 15 00 17 50 MBO(\$30 00	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 y	15 00 17 50 17 50 12 50 15 00 17 50 15 00 17 50 MBO(
2 yrs., tr., strong	15 00 17 50 17 50 15 00 15 00 17 50 15 00 17 50 MBO(\$30 00	
2 yrs., tr. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 y	15 00 17 50 17 50 15 00 15 00 17 50 15 00 17 50 MBO(\$30 00	
2 yrs., tr., strong. 175 chinensis alba. White Wistaria. 175 2 yrs., tr., strong. 175 3 yrs., tr. 175 2 oo chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 150 3 yrs., tr. 150 3 yrs., tr. 150 3 yrs., tr. 175 macrostachys. Large-flowered American Wistaria. 175 3 yrs., tr. 175 4 y	15 00 15 00 17 50 12 50 15 00 15 00 17 50 17 50 17 50 17 50 17 50 17 50	
2 yrs., tr., strong	15 00 17 50 17 50 12 50 15 00 15 00 17 50 17 50 17 50 17 50 17 50 17 50 17 50	
2 yrs., tr., strong. 1 25 3 yrs., tr., strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 1 75 4 yrs., tr	15 00 15 00 17 50 12 50 15 00 15 00 17 50 17 50 17 50 17 50 17 50 17 50	
2 yrs., tr. strong. 1 75 chinensis alba. White Wistaria. 1 75 chinensis alba. White Wistaria. 1 75 3 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 1 50 3 yrs., tr. 1 50 3 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 CRNAMENTAL GRASSES AND BAN Arundinaria auricoma. Golden Variegated Cane. Per 10 Strong plants, with balls. \$3 50 japonica (Bambusa metake). Japanese Cane. Strong plants, with balls. 3 50 macrosperma. Large American Cane. Strong plants, with balls. 2 75 simoni. Tall Chinese Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50	15 00 17 50 17 50 12 50 15 00 17 50 15 00 17 50 17 50 17 50 18 00 17 50 18 00 17 50 19 00 19 00 20 00 20 00	1,000
2 yrs., tr. strong. 1 75 chinensis alba. White Wistaria. 2 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 50 frutescens. American Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 1 75 3 yrs., tr. 1 75 3 yrs., tr. 2 00 CRNAMENTAL GRASSES AND BAN Arundinaria auricoma. Golden Variegated Cane. Per 10 Strong plants, with balls. \$3 50 japonica (Bambusa metake). Japanese Cane. Strong plants, with balls. 3 50 macrosperma. Large American Cane. Strong plants, with balls. 2 75 simoni. Tall Chinese Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small divisions, for lining out	15 00 17 50 17 50 12 50 15 00 17 50 15 00 17 50 17 50 17 50 17 50 30 00 20 00 30 00 20 00 3 00	
2 yrs., tr. strong 1 75 chinensis alba. White Wistaria. 2 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 CRNAMENTAL GRASSES AND BAN Arundinaria auricoma. Golden Variegated Cane. Per 10 Strong plants, with balls. \$3 50 japonica (Bambusa metake). Japanese Cane. Strong plants, with balls. 3 50 macrosperma. Large American Cane. Strong plants, with balls. 2 75 simoni. Tall Chinese Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 2 75 Arundo donax. Great Reed. Small divisions, for lining out. Clumps, 2 to 3 strong eyes. 1 50	15 00 17 50 17 50 12 50 15 00 17 50 15 00 17 50 17 50 17 50 18 00 17 50 18 00 17 50 19 00 19 00 20 00 20 00	1,000
2 yrs., tr., strong	15 00 17 50 17 50 12 50 15 00 17 50 15 00 17 50 17 50 17 50 17 50 30 00 20 00 30 00 20 00 3 00	1,000
2 yrs., tr. strong 1 75 chinensis alba. White Wistaria. 2 yrs., tr., strong. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 2 00 chinensis flore pleno. Double-flowered Wistaria. 2 yrs., tr. 1 50 3 yrs., tr. 1 75 macrostachys. Large-flowered American Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 multijuga. Japanese Wistaria. 2 yrs., tr. 1 75 3 yrs., tr. 2 00 CRNAMENTAL GRASSES AND BAN Arundinaria auricoma. Golden Variegated Cane. Per 10 Strong plants, with balls. \$3 50 japonica (Bambusa metake). Japanese Cane. Strong plants, with balls. 3 50 macrosperma. Large American Cane. Strong plants, with balls. 2 75 simoni. Tall Chinese Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 3 50 tecta. Small American Cane. Strong plants, with balls 2 75 Arundo donax. Great Reed. Small divisions, for lining out. Clumps, 2 to 3 strong eyes. 1 50	15 00 17 50 15 00 17 50 15 00 17 50 15 00 17 50 15 00 17 50 17 50 18 00 17 50 20 00 30 00 20 00 30 00 20 00	1,000
2 yrs., tr., strong	15 00 17 50 15 00 17 50 15 00 17 50 15 00 17 50 15 00 17 50 17 50 18 00 17 50 20 00 30 00 20 00 30 00 20 00	1,000

ORNAMENTAL GRASSES and BAMBOOS, continued Bambusa disticha (B. nana). DWARF BAMBOO. Per 10 100 1,000 Strong clumps, balled.....\$3 50 \$30 00 palmata. PALMATE-LEAVED BAMBOO. Strong clumps, balled..... 3 50 30 00 tessellata. LARGE-LEAVED BAMBOO. Strong clumps, balled...... 3 50 30 00 veitchi. VEITCH'S BAMBOO. 30 00 Carex morrowi (C. japonica). EVERGREEN SEDGE. Strong plants..... 85 6 00 Erianthus ravennæ. Plume Grass. Strong plants..... 1 25 Eulalia. See Miscanthus. Gynerium argenteum. PAMPAS GRASS. Strong plants..... 1 75 15 00 Miscanthus japonicus (Eulalia japonica). JAPANESE EULALIA. Strong plants.... 6 00 75 japonicus variegatus. Striped Eulalia. Strong plants..... 75 6 00 japonicus zebrinus. Zebra Grass. 6 00 Strong plants.... (Eulalia gracillima univittata). NARROW-LEAVED EULALIA. Strong plants.... 6 00 Phalaris arundinacea variegata. RIBBON GRASS. Strong plants..... 5 00 Phragmites communis. Common Reed. Strong plants..... 6 00 Phyllostachys aurea. Golden Bamboo. Strong plants, with balls..... 5 00 45 00 mitis. TALL BAMBOO. Strong plants, with balls..... 5 00 45 00 nigra. Black-stemmed Bamboo. Strong plants, with balls 5 00 45 00 ruscifolia (Bambusa viminalis). Ruscus-leaved Bamboo. Strong plants, with balls 5 00 45 00 Uniola latifolia. SPIKE GRASS. 6 00 HARDY FERNS Adiantum pedatum. MAIDENHAIR FERN. Per 10 100 1,000 Strong plants.....\$1 00 \$7 00 \$50 00 Asplenifolium. See Dryopteris and Polystichum. Asplenium filix-fæmina. Lady Fern. Strong plants..... I oo 50 00 platyneuron. EBONY SPLEENWORT. Strong plants 1 00 50 00 Dicksonia punctilobula. HAY-SCENTED FERN. Strong plants..... 1 00 50 00 7 00 Dryopteris marginalis. Evergreen Wood Fern. 50 00 Strong plants..... 1 oo Osmunda cinnamomea. CINNAMON FERN. 50 00 Strong plants..... 1 00 7 00 Extra-strong crowns..... 1 50 12 50 claytonia. Chayton's Fern. Strong plants..... 1 00 7 50 Extra-strong crowns..... 1 50 12 00 regalis. ROYAL FERN. Strong plants..... 1 00 7 00 50 00 Extra-strong crowns..... 1 50 Polystichum acrostichoides. CHRISTMAS FERN. Strong plants..... 1 00 7 00 50 00 Pteris aquilina. BRACKEN. Strong plants 1 00 50 00 7 00

AQUATIC AND BOG PLANTS

AQUATIC AND BUG FLA	INI)	
Brasenia purpurea. WATER SHIELD. Strong plants	Per 10	100	1,000
Caltha palustris. Marsh Marigold.		96	
Strong plants		\$6 00	
Strong plants		4 00	\$30 00
Strong tubers			
Strong tubers	1 50	12 50	
Strong tubers tuberosa. Tuberous White Water Lily.	1 25	10 00	
Strong tubers			,:
Strong plants	I 25	10 00	
Strong plants	1 00	8 00	
Pontederia cordata. Pickerel-weed. Strong plants	1 00	8 00	
Sagittaria latifolia. Arrowhead. Strong plants	1 00	8 00	
Saururus cernuus. Lizard's Tail. Strong plants		8 00	
Scirpus lacustris. Bulrush. Strong plants.	T 00	8 00	
Typha latifolia. CAT-TAIL. Strong plants.			
Strong plants	1 00	8 00	
HERBACEOUS PERENNIA	ALS		
Acanthus mollis. Bear's Breech. 1 yr., tr., strong plants	Per 10	100	1,000
Achillea ptarmica fl. pl., The Pearl.			
2 yrs., strong plants		6 00	
2 yrs., strong plants		6 00	
2 yrs., strong plants	75	6 00	
Strong plants. Althæa rosea. Hollyhock.	75	6 00	
Strong plants, double or single	1 00	8 00	
Alyssum saxatile compactum. Gold Tuft. Strong plants.	75	6 00	1 + 8.
Amsonia tabernæmontana. Amsonia. Strong plants	1 00	8 00	
Anemone canadensis (A. pennsylvanica). CANADIAN WINDFLOWER. Strong, field-grown plants	75	, 6 00	;
ionomico Tanasinen Witamerowan		6 00	
Strong, field-grown plants Any of the following varieties: Alba Queen Charlotte	4		
Lady Ardilaun Rosea purpurea Prince Henry Whirlwind			
Anthemis nobilis. CHAMOMILE.			
Strong plantstinctoria kelwayi. Golden Marguerite.		0 00	• .
Strong plants	75	6 00	
Strong, field-grown plantscanadensis. American Columbine.	75	6 00	
Strong, field-grown plants	75	6 00	
Strong, field-grown plants	75	6 00	
Strong, field-grown plants	75	6 00	
Arabis alpina. Rock Cress. Strong plants	75	6 00	
Armeria maritima. SEA THRIFT. Strong plants	75	6 00	

Aruncus aruncus (Spiræa aruncus). Goat's Beard Strong, field-grown plants	Per 10		1,000
astilboides (Spiræa astilboides). JAPANESE Go Strong, field-grown plants	AT'S BEARD.		
Asclepias tuberosa. BUTTERFLY WEED.			
Field-grown plants		5 6 00)
Field-grown plants	8,	5 7 00	
Aster amethystinus Aster lævis	Aster novæ-angliæ Aster patens		
Aster lowrieanus Aster macrophyllus	Aster puniceus		
Astilbe chinensis (Spira chinensis). Chinese As	TILBE.		
Strong clumpsjaponica. Japanese Astilbe.		8 00	
Strong clumps	I O	8 00	
Baptisia australis. Blue Indigo. Field-grown plants	I O	7 00	
Belemcanda. See Gemmingia.			
Bellis perennis. English Daisy.			
Strong plants, pot-grown	50	3 50	
Bocconia cordata. Plume Poppy. Strong plants		r 77 FO	
Boltonia asteroides. FALSE CHAMOMILE.		5 7 50	•
Strong plants	7.	5 6 00	
latisquama. Broad-scaled Boltonia.		•	
Strong plants		5 6 00	
Brauneria purpurea (Echinacea and Rudbeckia)			
Strong, field-grown plants	I O	0 7 00	
Callirhoe involucrata. POPPY MALLOW.			
Strong plants			1
Strong plants medium calycanthema. Canterbury Bells.	7.	5 6 00	
Strong plants persicifolia. Peach Bells.		5 6 00	
Strong plants		5 6 00	•
pyramidalis. Chimney Bellflower. Strong plants		5 6 00	•
rotundifolia. Blue Bell of Scotland. Strong plants		5 6 00	
Cassia marilandica. American Senna.			
Strong plants Cerastium tomentosum. Snow-in-Summer.	7.	5 6 00	
Strong plants	7.	5 6 00	
Ceratostigma plumbaginoides (Plumbago lar pentæ)	. LEADWORT.	. 0	
Strong plants	I 00	0 8 00	
Strong plants		5 6 00	
Chrysanthemum. HARDY POMPON CHRYSANTHEMU		- 6.00	
Strong plants, splendid varieties hybridum. Shasta Daisy.	7.	5 6 00	•
Strong plants	7	5 6.00	
Cimicifuga racemosa. BLACK SNAKEROOT. Strong plants		0 8 00	•
Clematis davidiana. David's Herbaceous Clema Strong plants		5 6 00	
integrifolia. Entire-leaved Herbaceous CL Strong plants	EMATIS.		
Convallaria majalis. LILY-OF-THE-VALLEY.		0 .00	
Clumps	7.	6 00	
Large clumps Coreopsis integrifolia. SOUTHERN TICKSEED.	I 2	5 10 00	
Strong plants; a meritorious novelty	I 2	5 10 00	-
lanceolata. Lance-leaved Tickseed.			
Strong plants rosea. Pink Tickseed.	7.	5 6 00	
Strong plants	7.	5 6 00	

HERBACEOUS FEREINNIALS, continued			
Coreopsis tripteris. TALL TICKSEED. Per Strong plants		100 6 00	1,000
Coronilla varia. Crown Vetch. Strong plants	75	6 00	
Corydalis nobilis. Fumitory.			
Strong plants Delphinium formosum. Showy Larkspur.	75	6 00	
Strong plantsgrandiflorum. Chinese Larkspur.	75	6 00	
Strong plants Desmodium. See Lespedeza.	75	6 00	
Dianthus barbatus. SWEET WILLIAM.			
Strong plantsdeltoides. Maiden Pink.	75	6 00	
Strong plants plumarius. Scotch Pink.	75	6 00	
Strong plants Dicentra eximia. Allegheny Bleeding Heart.	75	6 00	
Strong plants	75	6 00	
Strong plantsspectabilis. Bleeding Heart.	75	6 00	
Strong plants Dictamnus fraxinella. GAS PLANT.	75	6 00	
Strong plants, either white or red	00	8 00	
Digitalis purpurea. FOXGLOVE. Strong plants	75	6 00	
Echinacea. See Brauneria.			
Epigæa repens. Trailing Arbutus, or Mayflower. Strong plants, with balls	50	12 50	
Funkia lancifolia. NARROW-LEAVED DAY-LILY.	3-		
Strong plants ovata. Broad-leaved Day-Lily.	75 .	6 00	
Strong plantssubcordata. White-flowered Day-Lily.	75	6 00	
Strong plants Gaillardia grandiflora. BLANKET FLOWER.	75	6 00	
Strong plants	75	6 00	
Strong plants, with balls I	50	12 50	
Galium verum. Bedstraw. Strong plants	75	6 00	
Gemmingia chinensis (Belemcanda and Pardanthus). BLACKBERRY LILY. Strong plants	75	6 00	
Geranium sanguineum. CRANESBILL. Strong plants	75	6 00	
Geum atrosanguineum. AVENS.		6 00	
Strong plants Gypsophila paniculata. BABY'S BREATH.	75		
Strong plants	75	6 00	
Hedysarum coronarium. French Honeysuckle. Strong plants	75	6 00	
Helenium autumnale. YELLOW STAR. Strong plants	75	6 00	
Helianthemum chamæcistus (H. vulgare). Rock Rose. Strong plants	75	6 00	
Helianthus dowellianus. Dowell's Sunflower. Strong plants	75	6 00	
mollis. HAIRY SUNFLOWER. Strong plants	75	6 00	
multiflorus fl. pl. Double Hardy Sunflower. Strong plants	75	6 00	
orgyalis. Linear-leaved Sunflower.			
Strong plants Soleil d'Or. Double Golden Sunflower.	75	6 00	
Strong plants Heliopsis pitcheriana. Ox-Eye.	75	6 00	
Strong plants	75	6 00	

Hemerocallis dumortieri. DWARF ORANGE LILY.		100	1,000
Strong plants		\$6 00	
Strong plants		6 00	
Strong plants fulva kwanso. Double Orange Lily.	75	6 00	
Strong plantsthunbergi. Late-flowering Lemon Lily.	75	6 00	
Strong plants	75	6 00	
Strong plants Heuchera sanguinea. Coral Bells.	75	6 00	
Strong plants Hibiscus militaris. Halbert-leaved Rose Mallow.	75	6 .00	
Strong plants moscheutos. Marsh, or Rose Mallow.	75	6 00	
Strong plants oculiroseus. Crimson Eye.	75	6 00	
Strong plants Hudsonia montana. Mountain Hudsonia.	75	6 00	
Strong plants Iberis sempervirens. HARDY CANDYTUFT.	3 00		
Strong plants Iris cristata. Crested Iris.	75	6 00	
Strong plants florentina. Orris Root.	75	6 00	\$50 00
Strong plantsgermanica. German Iris.	75	6 00	
Strong plants. Assorted from a choice collection	75	6 00	50 00
Strong plants. Assorted from a choice collection missouriensis. Western Blue Flag.	75	6 00	50 00
Strong plantspumila. European Dwarf Iris.	75	6 00	
Strong plantssibirica. Siberian Iris.	75	6 00	50 00
Strong plantsverna. American Dwarf Iris.	75	6 00	50 00
Strong plants versicolor. Blue Flag.	75	6 00	50 00
Strong plants Lathyrus latifolius. Everlasting, or Hardy Sweet Pea.	75	6 00	50 00
Strong plants	85	7 00	
ı yr., tr	75	6 00	
Lespedeza japonica. White-flowered Lespedeza. 2 yrs., tr		10 00	75 00
3 yrs., tr		12 50	
2 yrs., tr	50	10 00	75 00
Liatris pycnostachya. BLAZING STAR. Strong plants	75	6 00	
Linum perenne. PERENNIAL FLAX. Strong plants.	75	6 00	
Liriope graminifolia (Ophiopogon spicatus). Purple Snake-Beard. Strong plants	75	6 00	
Lupinus polyphyllus. Lupine. Strong plants	85	7 00	
Lychnis chalcedonica. MALTESE CROSS. Strong plants	75	6 00	
flos-cuculi. RAGGED ROBIN. Strong plants	75	6 00	
haageana. Hybrid Campion. Strong plants	75	6 00	
viscaria splendens. Double-flowered Lychnis. Strong plants		8 50	
Lysimachia clethroides. Loosestrife. Strong plants	75	6 00	
nummularia. Moneywort. Strong plants	75	6 00	50 00
Lythrum roseum superbum. Rosy Loosestrife.			30 00
Strong plants	75	6 00	

Lythrum salicaria. Purple Loosestrife. Pe Strong plants	r 10	100 \$6 00	1,000
Marshallia grandiflora. LARGE-FLOWERED MARSHALLIA. Strong plants. A meritorious novelty		8 00	
Monarda didyma. Oswego Tea. Strong plants.		6 00	
Nierembergia rivularis. WHITE CUP. Strong plants.		8 00	
Opuntia vulgaris. Prickly Pear.			
Strong plants		12 50	
Strong plants terminalis. JAPANESE SPURGE.	75	6 00	\$50 00
Strong plants	75	6 00	50 00
Strong plants moutan. TREE PEONY. A choice collection of double and single	50	12 00	
varieties. Strong plants	00	50 00	
sinensis. Peony. A superb collection of double and single varieties, embracing a wide range of colors.			
Strong plants In mixtures, assorted to colors:		12 00	
Strong plants tenuifolia. Cut-leaved Peony.	00 .	6 00	
Strong plants, both double and single varieties I Papaver bracteatum. LEAFY-STEMMED POPPY.	75	15 00	
Strong plantsorientale. Oriental Poppy.	75	6 00	
Strong plants	75	6 00	
Pardanthus. See Gemmingia. Pentstemon barbatus torreyi. SCARLET BEARD-TONGUE.			
Strong plantscampanulatus. Mexican Beard-Tongue.		6 00	
Strong plantsdigitalis. Foxglove Beard-Tongue.	75	6 00	
Strong plants	75	6 00	
Strong plants	75	6 00	
glaberrima. Smooth Phlox. Strong plants.	75	6 00	
ovata. Mountain Phlox. Strong plants	75	6 00	
paniculata. Garden Phlox. A superb collection of varieties, embracing a wide range of colors.			
Strong plantsreptans. Creeping Phlox.	60	5 00	40 00
Strong plantssubulata. Moss Pink. Splendid assortment of colors, such as white, lilac, rose, and purple.	75	6 00	
Strong plants	60	5 00	40 00
Strong plants	75	6 00	
FLOWER. Strong plants	75	6 00	
Plumbago. See Ceratostigma. Polygonum cuspidatum. JAPANESE POLYGONUM.			
Strong plants Potentilla tridentata. Evergreen Cinquefoil.	00	8 50	
Strong plants	75	6 00	
Pyrethrum hybridum. Persian Daisy. Strong plants.	75	6 00	
uliginosum. GIANT DAISY. Strong plants	75	6 00	
Ranunculus repens. Buttercup. Strong plants	75	6 00	
Rosmarinus officinalis. Rosemary. Strong plants	75	6 0 0	
Rudbeckia laciniata, Golden Glow. Double-flowered Rud-	73	, ,	
Strong plants	75	6 00	

Rudbeckia purpurea. See Brauneria. speciosa (R. newmanni). Cone-flower.	r 10	100	1,000
Strong plants\$0 subtomentosa. Sweet Cone-flower.	75	\$6 00	
Strong plants	75	6 00	
Strong plants	75	6 00	
Strong plantsalbum. White Stonecrop.	75	6 00	
Strong plantsjaponicum. Japanese Stonecrop.	75	6 00	
Strong plants 1 maximum atropurpureum. Purple Stonecrop.	00		
Strong plants	00		
Strong plantssexangulare. Dark Green Stonecrop.	75	6 00	
Strong plantsspectabile. Brilliant Stonecrop.	75	6 00	
Strong plants	75	6 00	\$50 00
Strong plantsspurium. Trailing Stonecrop.	75	6 00	
Strong plants ternatum. WILD STONECROP.	75	6 00	
Strong plants Shortia galacifolia. Shortia.	75	6 00	
Strong plants, with balls	00	17 50	
Strong plants	00		
Stokesia cyanea. Stokes' Aster.			
Strong plants Tanacetum balsamita. Costmary.		6 00	
Strong plantsvulgare crispum. Curly-leaved Tansy.	75	6 00	
Strong plants	75	6 00	
Strong plantsvulgaris. Common Thyme.	75	6 00	
Strong plants Tradescantia montana. Mountain Spiderwort.	75	6 00	
Strong plantsreflexa. Glaucous Spiderwort.	75	6 00	
Strong plantsvirginica. Common Spiderwort.	75	6 00	
Strong plantsvirginica alba. White-flowered Spiderwort.	75	6 00	
Strong plants	75	6 00	
Strong plants	75	6 00	
SWEET. Strong plants	75	6 00	
purpurea (Spiræa palmata). JAPANESE MEADOWSWEET. Strong plants	85	7 00	
Veronica rupestris. Rock Speedwell. Strong plants	75	6 00	
spicata. European Speedwell. Strong plants	75	6 00	
Vinca major. Larger Periwinkle.	75	6 00	50 00
minor.	75	6 00	50 00
Yucca filamentosa. Adam's Needle, or Bear Grass. 2 yrs., tr		7 50	60 00
3 yrs., tr		12 50	
2 yrs., tr glauca. Rocky Mountain Yucca.	25	10 00	
2 yrs., tr	25	10 00	

INDEX

Abelia. 24 Calycanthus. 30 Ephedra. 36 Abies. 3, 4 Camellia. 25 Acacia. 12, 14 Campanula. 51 Erianthus. 40 Acanthopanax. 28 Camphora. 23 Ecica. 26 Acanthus. 50 Acanthopanax. 28 Caryolans. 40 Actillea. 12, 10 Caregana. 30 Eriobotrya. 23 Ecica. 26 Acanthus. 50 Acanthus. 50 Actillea. 12, 10 Caregana. 30 Eriobotrya. 23 Ecica. 26 Acanthus. 50 Actillea. 12, 10 Caregana. 30 Eriobotrya. 23 Ecica. 26 Ecica. 20 Ecica. 26 Ecica. 27 Ecica. 26 Ecica. 27 Ecica. 27 Ecica. 26 Ecica. 27 E	Page	Page	Page
Acacida 12, 14 Acanthopanax 28 Camphora 23 Acanthus 50 Achilda 40 Actindia 40	Abelia24		
Acanthopanax	Abies	Camellia25	Epigæa52
Acanthopanax	Acacia	Campanula51	Erianthus49
Acer. 12 13 Carex 49 Escallonia 26 Acthillea 50 Carya 15 15 Eualalia 26 Acthillea 50 Carya 15 17 Eualalia 26 Acthillea 50 Carya 15 17 Eualalia 26 Euonymus 26 23 33 34 Adelia 26 Euonymus 26 37 37 37 37 37 37 37 3	Acanthopanax28	Camphora23	Erica
Acer. 12 13 Carex 49 Escallonia 26 Acthillea 50 Carya 15 15 Eualalia 26 Acthillea 50 Carya 15 17 Eualalia 26 Acthillea 50 Carya 15 17 Eualalia 26 Euonymus 26 23 33 34 Adelia 26 Euonymus 26 37 37 37 37 37 37 37 3	Acanthus50	Caragana30	Eriobotrya23
Actinidia.			Escallonia
Actinidia.	Achillea50	Carpinus	Eulalia49
Addiantum		Carya	Euonymus26, 32, 33, 47
### Agrostemma			Exochorda33
Agrostemma. 50 Alianthus. 14 Catalpa. 15 Ajuga. 50 Ceanothus. 30 Akebia. 46 Cedela. 15 Albizzia. 14 Albizzia. 14 Albizzia. 14 Allous. 14, 28 Celastrus. 46 Althæa. 50 Althæa. 50 Celtis. 15 Almus. 51 Alyssum. 50 Cephalanthus. 30 Amelanchier. 14, 28 Celtis. 15 Ampopla. 28 Cerastium. 51 Ampopla. 28 Cerastium. 51 Ampopla. 28 Cerastium. 51 Ampopla. 28 Ampopla. 28 Cerastium. 51 Ampopla. 29 Cerastium. 51 Ampopla. 29 Cerastium. 51 Ampopla. 29 Cerastium. 51 Ampopla. 29 Cerastium. 51 Ampopla. 21 Cerastium. 51 Ampopla. 21 Cerastium. 51 Ampopla. 21 Cerastium. 51 Ampopla. 21 Cerasus. 15 Ce	Adiantum49	Cassandra25	Fagus
Ailanthus. 14 Catalpa. 15 Forestiera. 28, 33 Alyuga. 50 Cedrela. 15 Forestiera. 30 Akebia. 46 Cedrus. 44 Alnus. 14, 28 Celastrus. 46 Celastrus. 46 Funkia. 52 Ambelanchier. 14, 28 Cephalotaxus. 44 Cerasus. 50 Cephalotaxus. 44 Cerasus. 50 Cerasus. 50	Æsculus13		Fitzroya 6
Ajuga	Agrostemma50		Fontanesia33
Akebia 46 Cedrus 15 Fothergilla 33 Albizzia 14 Cedrus 4 Fraxinus 17 Alnus 14,28 Cedrus 46 Fruchsia 26 Althea 50 Althea 50 Althea 50 Cephalanthus 30 Amelanchier 14,28 Cephalotaxus 4 Gaillardia 52 Amorpha 28 Cerastium 51 Ampelopsis 46 Cerasus 51 Ampelopsis 46 Cerasus 51 Amydalus 14, 20, 28, 37 Andromeda 24,27,28,35,37,46 Cercidiphyllum 16 Geminigia 52 Andromeda 24,27,28,35,37,46 Cercidiphyllum 16 Geminigia 52 Andromeda 24,27,28,35,37,46 Cercidiphyllum 51 Anemone 50 Anthemis 50 Arabis 50 Arabis 50 Arabis 50 Chamæcyparis 4,5 Genista 31,33 Anemone 7,0 Aralia 14,28 Araucaria 4 Chrysanthemum 51 Arundiania 48 Cledata 50 Arundiaria 51 Arundiaria 49 Arundo 48 Cleyera 25 Asclepias 51 Colutea 30 Arundiaria 51 Arundiaria 51 Arundiaria 51 Arundiaria 61 Asplenium 40 Convallaria 51 Coroposis 51,52 Aster 51 Coroposis 51 Coroposis 52 Aster 51 Coroposis 52 Asclepias 53 Arundia 52 Coronila 52 Coronila 53 Arundia 54 Coroposis 52 Asclepias 53 Arundia 54 Coroposis 52 Asclepias 53 Arundia 54 Coroposis 54 Arundia 64 Coroposis 64 Ar 55 Arundia 64 Ar 50 Arundia 64 Ar 50 Arundia 64 Ar 50 Aru	Ailanthus14		Forestiera 28, 33
Albizzia			
Alnus.	Akebia46		
Althea 50 Celtis 15 Funkia 52 Amelanchier. 14, 28 Cephalanthus. 30 Gaillardia 52 Amelanchier. 14, 28 Cephalotaxus. 4 Galax. 52 Ampelopsis. 46 Cerastium. 51 Galium. 52 Ampelopsis. 46 Cerasus. 15 Galium. 52 Amsonia. 50 Cercidiphyllum. 16 Gerdenia. 52 Gardenia. 52 Andromeda 24, 27, 8, 53, 53, 74 Cercidiphyllum. 16 Gerdenia. 52 Andromeda 24, 27, 8, 53, 53, 74 Cercidiphyllum. 16 Germingia. 52 Andromeda 24, 27, 8, 53, 53, 74 Cercidiphyllum. 16 Germingia. 52 Andromeda 24, 27, 8, 53, 53, 74 Cercidiphyllum. 16 Germingia. 52 Anthemis. 50 Chamæcyparis. 4, 5 Geranium. 52 Anthemis. 50 Chamæcyparis. 4, 5 Geranium. 52 Aralia. 14, 28 Chamacdaphne. 25 Geum. 52			
Apresum 50 Cephalanthus 30 Gaillardia 52 Amerlanchier 14, 28 Amorpha 28 Ampelopsis 40 Cerasus 51 Cerasus 51 Amygdalus 14, 20, 28, 37 Andromeda 24,27,28,35,37,40 Anemone 50 Anthemis 50 Anthemis 50 Anthemis 50 Arabia 50 Arabia 50 Arabia 50 Arabia 50 Aralia 60 Arabis 50 Arabis 50 Arabia 60 Arabis 50 Aralia 74, 28 Chimonanthus 60 Araucaria 60 Araucaria 74 Arctostaphylos 24 Chimonanthus 71 Arctostaphylos 24 Chimicfluga 51 Chysanthemum 51 Chymonaldus 17 Arctostaphylos 24 Chimicfluga 51 Chymonaldus 17 Aronia 28 Cladrastis 16 Arundiania 48 Cletra 30 Arundo 48 Cletra 30 Arundo 48 Cletra 30 Asplenifolium 49 Casplenifolium 49 Carctoliphyllum 16 Carcia Mamadaphne 25 Carlia 30 Casplenifolium 49 Carctoliphyllum 16 Cercis 16 Chamæcyparis 4, 5 Chamæcyparis 4, 5 Chamæcaphre 25 Chamacaphre 25 Chamacaphre 25 Chamacaphre 25 Chamacaphre 25 Chamacaphre 25 Chamacaphyllum 16 Cercis 16 Ce			
Amelanchier			Funkia52
Amorpha. 28 Cerastium 51 Galium 52 Ampelopsis. 46 Cerasus 15 Gerasus 26 Amsonia 50 Carasus 15 Geratoria 26 Amsonia 50 Carasus 15 Geratoria 26 Amsonia 50 Carasus 15 Geratoria 26 Anconoe 30 Chamædaphne 25 Gerista 31, 33 Anthemis. 50 Chamædaphne 25 Gerista 31, 33 Arabis 50 Chionanthus 30 Geranium 52 Arabis 50 Chionanthus 30 Geranium 52 Arabia 14, 28 Chionanthus 30 Geranium 52 Arabia 14, 28 Chionanthus 30 Geranium 52 Arabia 14, 28 Chionanthus 30 Geranium 52 Arabis 50 Chionanthus 30 Geranium 52 Arabis 60 Chionanthus 30 Geranium 52 Arabis 70 Chionanthus 30 Geranium 52 Chionanthus 16 Gordonia 17 Gordonia 17 Arctostaphylos 40 Citrus 16 Gordonia 17 Arundinaria 48 Clehra 30 Clematis 47, 51 Arundinaria 48 Clehra 30 Helesium 49 Arundo 48 Cleyera 30 Cletra 30 Helerium 52 Asclepias 51 Colutea 30 Helerium 52 Asclepias 51 Coropias 30 Helerium 52 Asplenium 49 Corolaus 30 Helerium 52 Aster 51 Coropis 51, 52 Aster 51 Coropis 51, 52 Bambusa 49 Coronilla 30 Helerium 52 Barberis 44, 25, 29, 30 Barchemia 46 Coronilla 31, 52 Barberis 44, 25, 29, 30 Berchemia 46 Coronilla 31, 52 Belis 51 Coropis 51, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berberis 44, 55, 29, 30 Berchemia 46 Coronilla 31, 52 Berdemia 51 Coropis 51, 52 Berderis 44, 55, 29, 30 Berchemia 46 Coroni	Alyssum50		Gaillardia52
Ampelopsis. 46 Cerasus. 15 Gardenia 26 Amsonia 50 Ceratostigma 51 Gesmium 47 Amygdalus. 14, 20, 28, 37 Cercidiphyllum. 16 Gemista. 31, 33 Anemone. 50 Aquilegia. 50 Chamæcyparis. 4, 5 Chamæcyparis. 4, 5 Chamæcyparis. 4, 5 Chamæcyparis. 4, 5 Chamæcyparis. 50 Chamæcyparis. 51 Geum. 52 Ginkgo. 62 Arabis. 50 Chimonanthus. 30 Geranium. 52 Chelone. 72 Chelone. 73 Chimonanthus. 16 Gordonia. 17 Araucaria. 4 Chrysanthemum. 51 Gordonia. 17 Araucaria. 4 Chrysanthemum. 51 Gordonia. 17 Araucaria. 4 Chrysanthemum. 51 Gordonia. 17 Aruncus. 40 Cissus. 40 Gypsophila. 52 Arundinaria. 48 Clematis. 16 Halesia. 17, 19, 20 Aronia. 28 Cledrastis. 16 Halmondenforo. 33 Arundinaria. 48 Clethra. 30 Arundo. 48 Cleyera. 25 Colutea. 30 Asplenifolium. 40 Convallaria. 51 Comptonia. 30 Hedera. 47 Asplenifolium. 40 Convallaria. 51 Corcopsis. 51 Corcopsis. 51 Sacter. 51 Sacter. 51 Corcopsis. 51 Sacter. 52 Sacter. 51 Sacter. 52 Sacter. 51 Sacter. 52 Sa			Galax52
Amsonia.			Galium52
Amygdalus. 14, 20, 28, 37 Cercidiphyllum. 16 Gemista. 31, 33 Andromeda 24,27,28,35,37,46 Cercis. 16 Genista. 31, 33 Anthemis. 50 Chamædaphne. 25 Geum. 52 Aquilegia. 50 Chelone. 51 Ginkgo. 6 Arabis. 50 Chelone. 51 Geum. 52 Arabis. 50 Chimonanthus. 30 Gleditsia. 17 Aracacaria. 4 Chrysanthemum. 51 Gordonia. 17 Arctostaphylos. 24 Cirsicifuga. 51 Gyprorium. 49 Armeria. 50 Cladrastis. 16 Halesia. 17, 19 9 Arundo. 48 Cleyera. 25 Hedora. 47 Arundo. 48 Cleyera. 25 Hedysarum. 52 Assienicilium. 49 Corocoria. 30 Hedera. 47 Aspleniciloium. 49 C			Gardenia26
Andromeda 24,27,28,35,37,46 Anemone			Gelsemium47
Anthemis. 50 Anthemis. 50 Anthemis. 50 Aquilegia. 50 Aquilegia. 50 Arabis. 50 Chalmædaphne. 25 Chelone. 51 Chalmædaphne. 25 Chelone. 51 Chalmædaphne. 25 Chelone. 51 Chidonanthus. 30 Chidonanthus. 30 Chidonanthus. 30 Chidonanthus. 30 Chidonanthus. 30 Chidonanthus. 31 Chidonanthus. 30 Chidonanthus. 31 Chidonanthus. 30 Chidonanthus. 31 Chidonanthus. 32 Chidonanthus. 31 Chidonanthus. 31 Chidonanthus. 32 Chidonanthus. 31 Chidonanthus. 32 Chidonanthus. 31 Chidonanthus. 32 Chidonanthu			Gemmingia52
Anthemis. 50 Aquilegia. 50 Aquilegia. 50 Arabis. 50 Arabis. 50 Arabis. 50 Arabis. 50 Chelone. 51 Chelone. 51 Chimonanthus. 30 Gleditsia. 17 Gordonia. 17 Araccaria. 4 Arctostaphylos. 24 Aristolochia. 46 Cissus. 46 Armeria. 50 Aronia. 28 Cladrastis. 16 Arundus. 51 Clematis. 47, 51 Arundus. 51 Clematis. 47, 51 Arundo. 48 Arundo. 48 Arundo. 48 Arundo. 48 Arundo. 48 Arundo. 48 Cleyera. 25 Asciepias. 51 Asplenifolium. 49 Coronalia. 30 Asplenifolium. 49 Assimina. 14 Comptonia. 30 Asplenifolium. 49 Assimina. 51 Coriaria. 30 Asplenifolium. 49 Astible. 51 Coriaria. 30 Astible. 51 Coriaria. 30 Astible. 51 Coriaria. 30 Aucuba. 24 Azalea. 24, 28, 29 Bambusa. 49 Baccharis. 29 Gorydalis. 52 Bambusa. 49 Barchemia. 51 Coronalis. 51 Bellis. 51 Corpadis. 51 Coronalis. 52 Bambusa. 49 Berberis. 24, 25, 29, 38 Berchemia. 51 Bellis. 51 Cryptomeria. 55 Beranchia. 51 Berchemia. 46 Berchemia. 46 Berchemia. 46 Berchemia. 46 Berchemia. 46 Berchemia. 51 Berchemia. 46 Berchemia. 46 Berchemia. 51 Beranchia. 52 Beranchia. 51 Beranchia. 52 Beranchia. 53 Beranchia. 54 Beranchia. 55 Braunchia. 54 Braunichia. 54 Braunichia. 54 Braunichia. 54 Braunichia. 54 Braunichia. 55 Braunichia. 51 Beranchia. 52 Braunichia. 53 Braunichia. 54 Braunichia. 55 Braunichia. 55 Braunichia. 56 Braunichia. 57 Braunichia. 57 Braunichia. 57 Braunichia. 57 Braunichia. 57 Braunichia. 58 Braunichia. 59 Braunichia. 51 Beranchia. 50 Braunichia. 51 Beranchia. 52 Beranchia. 53 Beranchia. 55 Braunichia. 54 Braunichia. 54 Braunichia. 55 Braunichia. 55 Braunichia. 56 Braunichia. 57 Braunichia. 57 Braunichia. 57 Braunichia. 58 Braunichia. 57 Braunichia. 58 Braunichia. 59 Braunichia.			Genista31, 33
Aquilegia			
Arabis.			
Aralia 14, 28		Chelone51	
Aractostaphylos. 244 Aristolochia. 466 Armeria. 50 Armeria. 28 Aruncus. 51 Clematis. 47, 51 Clematis. 47, 51 Halienia. 17, 10, 20 Halienia. 33 Arundinaria. 48 Arundo. 48 Arundo. 48 Asclepias. 51 Colutea. 30 Clethra. 30 Clethra. 30 Arundinaria. 14 Asplenium. 49 Aspleniilm. 49 Arundo. 48 Arundo. 49 Arundo. 40 Arundo. 49 Arundo. 40 Arundola. 51 Ardocalia. 51 Ardocalia. 51 Are		Chimonanthus30	Gleditsia17
Arctostaphylos		Chionanthus16	Gordonia17
Arsiolochia		Chrysanthemum51	
Armeria. 50 Citrus. 16 Cladrastis. 16 Cladrastis. 16 Cladrastis. 16 Clematis. 47, 51 Halmsmelis. 33 Aruncus. 51 Clematis. 47, 51 Hamsmelis. 33 Aruncus. 51 Clethra. 30 Cletyera. 25 Saclepias. 51 Colutea. 30 Asimina. 14 Comptonia. 30 Asimina. 14 Comptonia. 30 Asplenifolium. 49 Corovallaria. 51 Helianthus. 52 Asplenium. 49 Corovallaria. 51 Helianthus. 52 Astilbe. 51 Corocoris. 30, 35 Astilbe. 51 Corocoris. 51, 52 Coriaria. 30 Helysarum. 52 Astilbe. 51 Corocoris. 30, 35 Astilbe. 51 Corocoris. 30, 35 Azalea. 24, 28, 29 Coromila. 31, 52 Baccharis. 29 Coromila. 31, 52 Baccharis. 29 Corydalis. 52 Coromila. 31, 52 Bambusa. 49 Bambusa. 49 Bambusa. 51 Coromila. 31, 52 Bellis. 51 Coromila. 31, 52 Bellis. 51 Coromila. 31, 52 Bellis. 51 Corydomeria. 51 Corytomeria. 51 Corytomeria. 51 Belemcanda. 55, 52 Curpressus. 56, 61 Cydonia. 31 Berberis. 24, 25, 29, 30 Berchemia. 46 Cydonia. 31 Decumaria. 46 Bignonia. 46 Daphne. 25, 31 Delphinium. 52 Berberis. 51 Dendrium. 25 Broussonetia. 14 Decumaria. 47 Bocconia. 51 Delphinium. 52 Dendrium. 25 Broussonetia. 14 Dicksonia. 51 Delphinium. 52 Broussonetia. 14 Dicksonia. 51 Delphinium. 52 Broussonetia. 14 Dicksonia. 46 Dicksonia. 46 Brasenia. 50 Dendrium. 25, 31 Brunnichia. 46 Dicksonia. 46 Dicksonia. 46 Brasenia. 50 Dictamnus. 52 Dictamnus. 53 Dictamnus. 54 Dicksonia. 49 Dicksonia. 40 Di	Arctostaphylos24		
Aruncius. 51 Aruncius. 51 Clematis. 47, 51 Arundo. 48 Arundo. 48 Cleyera. 25 Asclepias. 51 Comptonia. 30 Asplenifolium. 49 Aspleniium. 49 Acorrorus. 30, 35 Astilbe. 51 Acoropsis. 51, 52 Astilbe. 51 Acoropsis. 51, 52 Astilbe. 51 Acoropsis. 51, 52 Azalea. 24, 28, 29 Baccharis. 29 Baccharis. 29 Barbusa. 49 Baptisia. 51 Cotoneaster. 25, 31 Belmcanda. 51, 52 Corydalis. 52 Bellis. 51 Cratagus. 6, 25, 27, 31 Belemcanda. 51, 52 Cryptomeria. 5 Berberis. 24, 25, 29, 30 Berchemia. 46 Betula. 14 Betula. 15 Berberis. 24, 25, 29, 30 Berchemia. 46 Betula. 14 Betula. 15 Berousnia. 46 Betula. 17 Betuncia. 51 Bocconia. 51 Bocconia. 51 Bocconia. 51 Bocconia. 51 Bocconia. 51 Bocconia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Bouddleia. 30 Brananichia. 46 Buckleya. 30 Brananichia. 46 Buckleya. 30 Brananichia. 46 Buckleya. 30 Bumelia. 15 Bumelia. 15 Bumelia. 15 Bumelia. 30 Bumelia. 15 Bumelia. 15 Bumelia. 15 Bumelia. 15 Bumelia. 30 Bumelia. 15 Bumelia. 15 Burnichia. 46 Buckleya. 30 Bumelia. 30 Bumelia. 15 Bumelia. 30			Gypsophila52
Aruncus. 51 Arundinaria 48 Clebra. 30 Arundo. 48 Arundo. 48 Asclepias. 51 Asclepias. 51 Asplenifolium. 49 Asplenifolium. 49 Asplenifolium. 49 Asplenim. 49 Asplenim. 49 Asplenim. 49 Asplenim. 49 Asplenim. 49 Aster 51 Astibe. 51 Astibe. 51 Astibe. 51 Astibe. 51 Acoriaria. 30 Aucuba. 24 Cornoilla. 31, 52 Baccharis. 29 Baccharis. 29 Baccharis. 29 Baccharis. 29 Barbusa. 49 Baptisia. 51 Belemcanda. 51, 52 Bellis. 51 Belemcanda. 51, 52 Cotoneaster. 25, 31 Bellis. 51 Belemcanda. 51, 52 Cotoneaster. 25, 31 Bellis. 51 Belemcanda. 51, 52 Cotoneaster. 25, 31 Benzoin. 29 Berberis. 24, 25, 29, 30 Berchemia. 46 Betula. 14 Bignonia. 46 Bigtonia. 40 Biota. 4, 10, 11 Bocconia. 51 Bocconia. 51 Boltonia.			Halesia17, 19, 20
Arundinaria. 48 Clethra. 30 Hedera. 47 Arundo. 48 Cleyera. 25 Asclepias. 51 Colutea. 30 Hedenium. 52 Asclepias. 51 Comptonia. 30 Helianthemum. 52 Asplenifolium. 49 Convallaria. 51 Helianthus. 52 Asplenium. 49 Corchorus. 30, 35 Helianthus. 52 Aster. 51 Coreopsis. 51, 52 Heliopsis. 52 Aucuba. 24 Cornus. 16, 30, 31 Hesperis. 53 Actilbe. 51 Coriaria. 30 Hesperis. 53 Aucuba. 24 Cornus. 16, 30, 31 Hesperis. 53 Aucuba. 24 Cornus. 16, 30, 31 Hesperis. 53 Heuchera. 53 Aucuba. 24 Corydalis. 52 Corydalis. 52 Hemerocallis. 53 Heuchera. 54 Heuchera. 55 Heuch			Halimondendron33
Arundo. 48			Hamamelis33
Asclepias			
Asimina. 14 Comptonia. 30 Helianthemum. 52 Asplenifolium. 49 Corchorus. 30, 35 Heliopsis. 52 Aster. 51 Astilbe. 51 Corcopsis. 51, 52 Hemerocallis. 53 Astilbe. 51 Cornus. 16, 30, 31 Heuchera. 53 Azalea. 24, 28, 29 Baccharis. 29 Barbusa. 49 Corylus. 31 Heuchera. 53 Heuchera. 53 Azalea. 51 Coronilla. 31, 52 Hemerocallis. 53 Heuchera. 54 Helianthum. 52 Heuchera. 53 Heuchera. 53 Heuchera. 53			
Asplenifolium			Holianthamum
Aster 51 Coreopsis 52 Coreopsis 52 Heliopsis 52 Aster 51 Coriaria 30 Astilbe 51 Coriaria 30 Cornus 16, 30, 31 Heuchera 53 Hesperis 53 Acalea 24, 28, 29 Corydalis 52 Corydalis 52 Heuchera 53 Hesperis 53 Heuchera 53 Acalea 24, 28, 29 Corydalis 52 Corydalis 52 Heuchera 53 Hesperis 53 Heuchera 53 Hesperis 53 Heuchera 53 Heuchera 53 Hesperis 53 Heuchera 53 Hesperis 53 Heuchera 53 Hesperis 53 Heuchera 53 Hesperis 53 Heuchera 53 Heuchera 53 Hesperis 53 Heuchera 53 Heuchera 53 Heuchera 53 Heuchera 54 Hibiscus 33, 53 Heuchera 55 Heuchera			
Astilbe. 51 Astilbe. 51 Astilbe. 51 Astilbe. 51 Aucuba 24 Azalea. 24, 28, 29 Baccharis. 29 Baccharis. 29 Baptisia. 51 Belemcanda. 51, 52 Bellis. 51 Benzoin. 29 Berchemia. 46 Bertula. 14 Bignonia. 46 Bignonia. 46 Biota. 4, 10, 11 Bocconia. 51 Bocconia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Boltonia. 51 Borasenia. 50 Brasenia. 50 Brasenia. 50 Brasenia. 50 Brasenia. 50 Brauneria. 51 Broussonetia. 14 Brunnichia. 46 Buckleya. 30 Buddleia. 30 Buddleia. 30 Buwus. 23, 25 Callicarpa. 30 Callirhoe. 51 Corioria. 51 Coroilla. 31, 52 Corydlus. 31 Heuchera. 53 Heberis. 53 Heuchera. 53 Heberis. 53 Heuchera. 53 Hoeuchera. 17 Hippophaë. 34 Hovenia. 17 Hudsonia. 19 Hudsonia. 17 Hudsonia. 17 Hudsonia. 19 Hudsonia. 19 Hudsonia. 19 Hudsonia		Corcharus	Holiopsis
Astilbe. 51			Hamaracallia
Aucuba .24 Cornus .16, 30, 31 Heuchera 53 Azalea .24, 28, 29 Coronilla .31, 52 Hibiscus .33, 53 Baccharis .29 Corydus .51 Hippophaë .44 Baptisia .51 Cotoneaster .25, 31 Hovenia .17 Belemcanda .51, 52 Cratægus .16, 25, 27, 31 Hudsonia .53 Bellis .51 Cryptomeria .5 Hydrangea .34 Benzoin .29 Cunninghamia .5 Hypericum .34 Berchemia .46 Cydonia .31 Heypericum .34 Betula .14 Cytisus .16, 18, 31 Illicium .17, 23, 24, 26, 34 Biota .4 (organia) .10 .10 .11 .11 .11 .12 .12 .12 .13 .12 .13 .12 .13 .12 .13 .12 .13 .12 .13 .12 .13 .12 <t< td=""><td></td><td>Coriaria</td><td></td></t<>		Coriaria	
Azalea			Heuchera
Baccharis. 29 Bambusa. Corydalis. 52 Hicoria. 17 Bambusa. 17 Bambusa. 18 Corylus. 31 Hippophaë. 34 Hippophaë. 34 Baptisia. 17 Belemcanda. 51, 52 Cortoneaster. 25, 31 Hovenia. 17 Helpophaë. 34 Hovenia. 17 Hudsonia. 53 Hudsonia. 53 Hydrangea. 34 Hydrangea. 34 Hypericum. 36 Hypericum. 37 Hypericum. 37 Hypericum. 37 Hypericum. 37 Hypericum. 37 Hypericum.			Hibiscus 32 52
Bambusa. 49 Corylus. 31 Hippophaë. 34 Baptisia. 51 Cotoneaster. 25, 31 Hovenia. 17 Bellis. 51 Cratægus. 16, 25, 27, 31 Hudsonia. 53 Benzoin. 29 Cunninghamia. 5 Hypericum. 34 Berberis. 24, 25, 29, 30 Cupressus. 5, 6 Iberis. 53 Berchemia. 46 Cydonia. 31 Ilex. 17, 23, 24, 26, 34 Betula. 14 Cytisus. 16, 18, 31 Illicium. 26 Bignonia. 46 Daphne. 25, 31 Indigofera. 34 Bocconia. 51 Decumaria. 47 Iris. 53 Bocconia. 51 Dendrium. 25 Jasminum. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Brasenia. 50 Deutzia. 31, 32 Juniperus. 6, 7 Brauneria. 51 Dicksonia. 49 Kerria. 34, 35 Brunnichia. <td></td> <td></td> <td></td>			
Baptisia. 51 Cotoneaster. 25, 31 Hovenia. 17 Belemcanda. 51, 52 Cratægus. 16, 25, 27, 31 Hudsonia. 53 Bellis. 51 Cryptomeria. 5 Hydrangea. 34 Berzoin. 29 Cunninghamia. 5 Hypericum. 34 Berberis. 24, 25, 29, 30 Cupressus. 5, 6 Iberis. 53 Berchemia. 46 Cydonia. 31 Ilex. 17, 23, 24, 26, 34 Bignonia. 46 Daphne. 25, 31 Ilicium. 26 Biota. 4, 10, 11 Decumaria. 47 Iris. 53 Bocconia. 51 Delphinium. 52 Itea. 34 Boltonia. 51 Dendrium. 25 Jasminum. 34 Brasenia. 50 Deutzia. 31, 52, 53 Juniperus. 6, 7 Broussonetia. 14 Diccksonia. 49 Kerria. 34, 35 Bumelia. 15 <td></td> <td></td> <td>Hippophaë</td>			Hippophaë
Belemcanda 51, 52 Cratægus 16, 25, 27, 31 Hudsonia 53 Bellis 51 Cryptomeria 5 Hydrangea 34 Benzoin 29 Cunninghamia 5 Hypericum 34 Berberis 24, 25, 29, 30 Cupressus 5, 6 Iberis 53 Berchemia 46 Cydonia 31 Ilex 17, 23, 24, 26, 34 Betula 14 Cytisus 16, 18, 31 Illicium 26 Bignonia 46 Daphne 25, 31 Indigofera 34 Biota 4, 10, 11 Decumaria 47 Iris 53 Bocconia 51 Delphinium 52 Itea 34 Boltonia 51 Dendrium 25 Juglans 17, 18 Brasenia 50 Deutzia 31, 32 Juniperus 6, 7 Brauneria 51 Dicksonia 49 Kerria 34, 35 Brunnichia 46 Dicksonia			Hovenia17
Bellis. 51 Cryptomeria. 5 Hydrangea 34 Benzoin. 29 Cunninghamia. 5 Hypericum. 34 Berberis. 24, 25, 29, 30 Cupressus. 5, 6 Iberis. 53 Berchemia. 46 Cydonia. 31 Ilex. 17, 23, 24, 26, 34 Bignonia. 46 Daphne. 25, 31 Illicium. 26 Biota. 4, 10, 11 Decumaria. 47 Ilis. 53 Boltonia. 51 Delphinium. 52 Indigofera. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Broussonetia. 14 Dicksonia. 31 Juglans. 17, 18 Brunnichia. 46 Dicksonia. 49 Kerria. 34, 35 Budleia. 30 Dictamnus. 52 Kalmia. 26 Buwelia. 15 Digitalis. 52 Laburnum. 18 Lagerstrœmia. 35	Belemcanda51, 52		Hudsonia53
Benzoin. 29 Berberis. Cunninghamia. 5 Cupressus. Hypericum. 34 Iberis. 34 Iberis. 34 Iberis. 34 Iberis. 35 Iberis. 36 Iberis. 37 Iberis. 36	Bellis 51	Cryptomeria 5	
Berberis. 24, 25, 29, 30 Cupressus. 5, 6 Iberis. 53 Berchemia. 46 Cydonia. 31 Ilex. 17, 23, 24, 26, 34 Betula. 14 Cytisus. 16, 18, 31 Illicium. 26 Bignonia. 46 Daphne. 25, 31 Illicium. 26 Biota. 4, 10, 11 Decumaria. 47 Iris. 53 Bocconia. 51 Delphinium. 52 Itea. 34 Boltonia. 51 Dendrium. 25 Jasminum. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Brauneria. 51 Dicanthus. 52 Kalmia. 26 Broussonetia. 14 Dicksonia. 49 Kerria. 34, 35 Buckleya. 30 Dictamnus. 52 Kerria. 34, 35 Bumelia. 15 Digitalis. 52 Lavinu. 18 Buxus. 23, 25 <td< td=""><td>Benzoin</td><td>Cunninghamia 5</td><td>Hypericum34</td></td<>	Benzoin	Cunninghamia 5	Hypericum34
Berchemia. 46 Cydonia. 31 Ilex. 17, 23, 24, 26, 34 26, 34 31 Ilex. 17, 23, 24, 26, 34 34 26 34 31 Ilex. 17, 23, 24, 26, 34 34 34 31 31 31 31 31 31 31 31 31 31 31 32 34	Berberis24, 25, 29, 30	Cupressus5, 6	Iberis53
Betula. 14 Cytisus. 16, 18, 31 Illicium. 26 Bignonia. 46 Daphne. 25, 31 Indigofera. 34 Biota. 4, 10, 11 Decumaria. 47 Iris. 53 Bocconia. 51 Delphinium. 52 Itea. 34 Boltonia. 51 Dendrium. 25 Jasminum. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Brasenia. 50 Deutzia. 31, 32 Juniperus. 6, 7 Broussonetia. 14 Dicentra. 52 Kalmia. 26 Brunnichia. 46 Dicksonia. 49 Kælreuteria. 18 Buddleia. 30 Dictamnus. 52 Kælreuteria. 18 Butneria. 30 Diervilla. 32 Lagerstræmia. 35 Buxus. 23, 25 Dirca. 32 Lathyrus. 53 Butneria. 30 Dolichos.<	Berchemia46	Cydonia31	Ilex17, 23, 24, 26, 34
Biota. 4, 10, 11 Decumaria. 47 Iris. 53 Bocconia. 51 Delphinium. 52 Itea. 34 Boltonia. 51 Dendrium. 25 Jasminum. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Brasenia. 50 Deutzia. 31, 32 Juniperus. 6, 7 Brauneria. 51 Dianthus. 52 Kalmia. 26 Broussonetia. 14 Dicentra. 52 Kerria. 34, 35 Brunnichia. 46 Dicksonia. 49 Kœlreuteria. 18 Buckleya. 30 Dictamnus. 52 Laburnum. 18 Buddleia. 30 Diervilla. 32 Lagerstræmia. 35 Buxus. 23, 25 Diospyros. 16 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. </td <td>Betula14</td> <td>Cytisus16, 18, 31</td> <td>Illicium26</td>	Betula14	Cytisus16, 18, 31	Illicium26
Bocconia. 51 Delphinium. 52 Itea. 34 Boltonia. 51 Dendrium. 25 Jasminum. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Brasenia. 50 Deutzia. 31, 32 Juniperus. 6, 7 Brauneria. 51 Dianthus. 52 Kalmia. 26 Brunnichia. 46 Dicksonia. 49 Kœlreuteria. 18 Buckleya. 30 Dictamnus. 52 Laburnum. 18 Buddleia. 30 Diervilla. 32 Lagerstræmia. 35 Buxus. 23, 25 Dirca. 32 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Leiophyllum. 25, 26			
Boltonia. 51 Dendrium. 25 Jasminum. 34 Bougainvillea. 46 Desmodium. 31, 52, 53 Juglans. 17, 18 Brasenia. 50 Deutzia. 31, 32 Juniperus. 6, 7 Brauneria. 51 Dianthus. 52 Kalmia. 26 Brussonetia. 14 Diccentra. 52 Kerria. 34, 35 Brunnichia. 46 Dicksonia. 49 Kœlreuteria. 18 Buckleya. 30 Dictamnus. 52 Laburnum. 18 Buddleia. 30 Diervilla. 32 Lagerstrœmia. 35 Bumelia. 15 Diospyros. 16 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Lavandula. 53 Calluna. 25 Echinac	Biota 4, 10, 11	Decumaria47	
Bougainvillea 46 Desmodium 31, 52, 53 Juglans 17, 18 Brasenia 50 Deutzia 31, 32 Juniperus 6, 7 Brauneria 51 Dianthus 52 Kalmia 26 Broussonetia 14 Dicentra 52 Kerria 34, 35 Brunnichia 46 Dicksonia 49 Kælreuteria 18 Buckleya 30 Dictamnus 52 Laburnum 18 Buddleia 30 Diervilla 32 Lagerstræmia 35 Bumelia 15 Digitalis 52 Larix 7 Buxus 23, 25 Dirca 32 Lathyrus 53 Buxus 23, 25 Dirca 32 Laurocerasus 24 Callicarpa 30 Dolichos 47, 48 Laurus 34 Callirhoe 51 Dryopteris 49 Lavandula 53 Calluna 25 Echinacea 51, 52 Leiophyllum 25, 26	Bocconia51	Delphinium52	
Brasenia 50 Deutzia 31, 32 Juniperus 6, 7 Brauneria 51 Dianthus 52 Kalmia 26 Broussonetia 14 Dicentra 52 Kerria 34, 35 Brunnichia 46 Dicksonia 49 Kœlreuteria 18 Buckleya 30 Dictamnus 52 Laburnum 18 Buddleia 30 Diervilla 32 Lagerstrœmia 35 Bumelia 15 Digitalis 52 Larix 7 Buxus 23, 25 Dirca 32 Lathyrus 53 Buxus 23, 25 Dirca 32 Laurocerasus 24 Callicarpa 30 Dolichos 47, 48 Laurus 34 Callirhoe 51 Dryopteris 49 Lavandula 53 Calluna 25 Echinacea 51, 52 Leiophyllum 25, 26		Dendrium25	
Brauneria 51 Dianthus 52 Kalmia 26 Broussonetia 14 Dicentra 52 Kerria 34, 35 Brunnichia 46 Dicksonia 49 Kœlreuteria 18 Buckleya 30 Dictamnus 52 Laburnum 18 Buddleia 30 Diervilla 32 Lagerstrœmia 35 Bumelia 15 Digitalis 52 Larix 7 Buxus 23, 25 Dirca 32 Lathyrus 53 Buxus 23, 25 Dirca 32 Laurocerasus 24 Callicarpa 30 Dolichos 47, 48 Laurus 34 Callirhoe 51 Dryopteris 49 Lavandula 53 Calluna 25 Echinacea 51, 52 Leiophyllum 25, 26		Desmodium31, 52, 53	
Broussonetia. 14 Dicentra 52 Kerria. 34, 35 Brunnichia. 46 Dicksonia. 49 Kœlreuteria. 18 Buckleya. 30 Dictamnus. 52 Laburnum. 18 Buddleia. 30 Diervilla. 32 Lagerstræmia. 35 Bumelia. 15 Digitalis. 52 Larix. 7 Buxus. 23, 25 Dirca. 32 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Lavandula. 53 Calluna. 25 Echinacea. 51, 52 Leiophyllum. 25, 26		Deutzia31, 32	
Brunnichia 46 Dicksonia 49 Kœlreuteria 18 Buckleya 30 Dictamnus 52 Laburnum 18 Buddleia 30 Diervilla 32 Lagerstrœmia 35 Bumelia 15 Digitalis 52 Larix 7 Butneria 30 Diospyros 16 Lathyrus 53 Buxus 23, 25 Dirca 32 Laurocerasus 24 Callicarpa 30 Dolichos 47, 48 Laurus 34 Callirhoe 51 Dryopteris 49 Lavandula 53 Calluna 25 Echinacea 51, 52 Leiophyllum 25, 26			the state of the s
Buckleya. 30 Dictamnus. 52 Laburnum. 18 Buddleia. 30 Diervilla. 32 Lagerstrœmia. 35 Bumelia. 15 Digitalis. 52 Larix. 7 Butneria. 30 Diospyros. 16 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Lavandula. 53 Calluna. 25 Echinacea. 51, 52 Leiophyllum. 25, 26			
Buddleia. 30 Diervilla 32 Lagerstræmia. 35 Bumelia. 15 Digitalis. 52 Larix. 7 Butneria. 30 Diospyros. 16 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Lavandula. 53 Calluna. 25 Echinacea. 51, 52 Leiophyllum. 25, 26			
Bumelia. 15 Digitalis. 52 Larix. 7 Butneria. 30 Diospyros. 16 Lathyrus. 53 Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Lavandula. 53 Calluna. 25 Echinacea. 51, 52 Leiophyllum. 25, 26	Buddleia		
Butneria 30 Diospyros 16 Lathyrus 53 Buxus 23, 25 Dirca 32 Laurocerasus 24 Callicarpa 30 Dolichos 47, 48 Laurus 34 Callirhoe 51 Dryopteris 49 Lavandula 53 Calluna 25 Echinacea 51, 52 Leiophyllum 25, 26	Rumelia		
Buxus. 23, 25 Dirca. 32 Laurocerasus. 24 Callicarpa. 30 Dolichos. 47, 48 Laurus. 34 Callirhoe. 51 Dryopteris. 49 Lavandula. 53 Calluna. 25 Echinacea. 51, 52 Leiophyllum. 25, 26	Butneria		
Callicarpa. .30 Dolichos. .47, 48 Laurus. .34 Callirhoe. .51 Dryopteris. .49 Lavandula. .53 Calluna. .25 Echinacea. .51, 52 Leiophyllum. .25, 26	Buxus.		
Callirhoe	Callicarpa 20	Dolichos 47 48	
Calluna	Callirhoe.	Dryopteris 40	
Caltha	Calluna25		
, , , , , , , , , , , , , , , , , , ,	Caltha50		

. INDEX, continued

Page	Page	Page
Leucothoë	Periploca48	Sassafras22
Liatris53	Pernettya27	Saururus 50
Libocedrus 7	Persica20	Schinus24
Ligustrum 26, 27, 35	Phalaris49	Schizonotus42
Lindera29, 35	Phellodendron20	Sciadopitys10
Linum53	Philadelphus36, 37	Scirpus50
Liquidambar18	Dhillyron	Sedum55
	Phillyrea27	
Liriodendron18	Phlox54	Sequoia10
Liriope53	Photinia27, 37	Shortia55
Lonicera35, 36, 47, 48	Phragmites49	Skimmia28
Lupinus53	Phyllostachys49	Solidago55
Lychnis53	Physocarpus36, 37	Sophora22
Lycium36	Physostegia54	Sorbus22
Lysimachia53	Picea, 8	Spartium42
Lythrum 53, 54	Pieris	Spiræa 36, 42, 43, 51, 55
Maclura 18, 22	Pinus	Staphylea43, 44
Magnolia 18, 19, 24	Pittosporum27	Stephanandra44
Mahonia24, 25, 27	Platanus20	Sterculia22
Malus19	Platycodon54	Stokesia55
Marshallia54	Plumbago 51, 54	Stuartia44
Melia	Podocarpus4, 10	Styrax44
Menispermum48	Polygonum54	Symphoricarpos44
Miscanthus49	Polystichum49	Syringa22, 44, 45
Mohrodendron19	Pontedera50	Tamarix45
Monarda54		Tanacetum55
Morus19	Populus20	
	Potentilla37, 54	Taxodium
Muehlenbeckia36	Pourthiæa37	Taxus10
Myosotis50	Prunus20, 24, 37	Tecoma48
Myrica30, 36	Pseudolarix10	Thea25, 28
Myrtus27	Pseudotsuga10	Thuya
Nandina27	Ptelea20, 37	Thuyopsis
Negundo12, 19	Pteris50	Thymus 55
Nelumbium50	Pterocarya20	Tilia22
Nerium27	Pterostyrax20	Torreya
Neviusia36	Pueraria48	Toxylon22
Nierembergia54	Punica	Tradescantia55
Nuphar50	Pyracantha	Tsuga
Nymphæa50	Pyrethrum54	Tunica53
Nyssa	Pyrus19, 20, 28, 31, 37	Typha50
Olea27	Quercus20, 21	Ulex45
Ophiopogon53	Ranunculus54	Ulmaria55
Opulaster36	Retinospora5, 10	Ulmus22, 23
Opuntia54	Rhamnus	Uniola49
Orontium50	Rhododendron27, 28	Veronica28, 55
Osmanthus 27	Rhodora37	Viburnum 23, 28, 45, 46
Osmunda49	Rhodotypos37	Vinca55
Ostrya10	Rhus21, 37	Virgilia
Oxydendron20	Ribes37	Vitex23
Pachysandra54	Robinia	Vitis46, 48
Pæonia36, 54	Rosa38-41	Weigelia 32, 46
Paliurus36	Rosmarinus54	Wistaria48
Papaver54	Rubus41	Xanthoceras23
Pardanthus52, 54	Rudbeckia51, 54, 55	Xanthorrhiza46
Passiflora48	Sagittaria50	Xanthoxylum23
Paulownia20	Salisburia6, 10	Xolisma46
Pavia20		Yucca55
Peltandra50	Salix22, 41, 42	
Pentstemon54	Sambucus42	Zelkova23
2 onescemon	Santolina55	Zenobia46

